ISSN 0021-9673

CUMULATIVE AUTHOR AND SUBJECT INDEXES VOLUMES 131–140

Supplied free of charge to the 1977 subscribers of the Journal of Chromatography

URNAL OF

CHROMATOGRAPHY

TERNATIONAL JOURNAL ON CHROMATOGRAPHY, ELECTROPHORESIS AND RELATED METHODS

EDITOR, Michael Lederer (Rome)

ASSOCIATE EDITOR, K. Macek (Prague)

EDITORIAL BOARD
W. A. Aue (Halifax)
V. G. Berezkin (Moscow)
A. Bevenue (Honolulu, Hawaii)
P. Boulanger (Lille)
A. A. Boulton (Saskatoon)
G. P. Cartoni (Rome)
K. V. Chmutov (Moscow)
G. Duyckaerts (Liège)
L. Fishbein (Fairfield, Ariz.)
A. Frigerio (Milan)
C. W. Gehrke (Columbia, Mo.)
E. Gil-Av (Rehovot)
G. Guiochon (Paris)
I. M. Hais (Hradec Králové)
E. Heftmann (Berkeley, Calif.)
S. Hjerten (Uppsala)
E. C. Horning (Houston, Texas)
C. Horváth (New Haven, Conn.)
J. F. K. Huber (Vienna)
A. T. James (Sandridge)
J. Janák (Brno)
K. A. Kraus (Oak Ridge, Tenn.)
E. Lederer (Orsay, France)
A. Liberti (Rome)
H. M. McNair (Blacksburg, Va.)
F. Mikeš (Jerusalem)
G. E. Milliard (Reading)
R. Neeb (Basel)
G. Nickless (Bristol)
J. Novák (Brno)
N. A. Parris (Wilmington, Del.)
Cs. Szántay (Budapest)
G. M. Schwab (Munich)
G. Semerano (Zurich)
L. R. Snyder (Harrytown, N.Y.)
A. Zlatkis (Houston, Texas)

EDITORS, BIBLIOGRAPHY SECTION
K. Macek (Prague) and J. Janák (Brno), Z. Deyl (Prague)

EDITOR, BOOK REVIEW SECTION
R. Annino (Abingdon)

EDITOR, NEWS SECTION
J. F. K. Huber (Vienna)

COORD. EDITOR, DATA SECTION
J. Garaliene (Prairie Village)

ELSEVIER SCIENTIFIC PUBLISHING COMPANY
AMSTERDAM

PUBLICATION SCHEDULE FOR 1977

Journal of Chromatography (incorporating *Biomedical Applications* and *Chromatographic Reviews*)
In the course of 1977, also the cumulative indexes for Vols. 121–130 and 131–140 will appear.

MONTH	J	F	M	A	M	J	J	A	S	O	N	D
Journal of Chromatography	130 131	132/1 132/2 132/3	133/1 133/2	134/1 134/2	135/1 135/2	136/1 136/2 136/3	137/1 137/2	138/1 138/2	139/1 139/2	140/1 140/2 140/3	142 144/1	144/2 144/3
Biomedical Applications	143/1		143/2		143/3		143/4		143/5		143/6	
Chromatographic Reviews				141/1				141/2				141/3

Scope. The *Journal of Chromatography* publishes papers on all aspects of chromatography, electrophoresis and related methods. Contributions consist mainly of research papers dealing with chromatographic theory, instrumental development and their applications. The section *Biomedical Applications*, which is under separate editorship, deals with the following aspects: developments in and applications of chromatographic and electrophoretic techniques related to clinical diagnosis (including the publication of normal values); screening and profiling procedures with special reference to metabolic disorders; results from basic medical research with direct consequences in clinical practice; combinations of chromatographic and electrophoretic methods with other physicochemical techniques such as mass spectrometry. In *Chromatographic Reviews*, reviews on all aspects of chromatography, electrophoresis and related methods are published.

Submission of Papers. Papers in English, French and German may be submitted, if possible in three copies. Manuscripts should be submitted to:
The Editor of *Journal of Chromatography*, P.O. Box 681, Amsterdam, The Netherlands
or to:
The Editor of *Journal of Chromatography, Biomedical Applications*, P.O. Box 681, Amsterdam, The Netherlands.
Reviews are invited or proposed by letter to the Editors and will appear in *Chromatographic Reviews* or *Biomedical Applications*. An outline of the proposed review should first be forwarded to the Editors for preliminary discussion prior to preparation.

Subscription Orders. Subscription orders should be sent to: Elsevier Scientific Publishing Company, P.O. Box 211, Amsterdam, The Netherlands. The *Journal of Chromatography, Biomedical Applications* can be subscribed to separately.

Publication. The *Journal of Chromatography* (including *Biomedical Applications* and *Chromatographic Reviews*) has 15 volumes in 1977. The subscription price for 1977 (Vols. 130–144) is Dfl. 1650.00 plus Dfl. 210.00 (postage) (total *ca.* US$ 744.00). The subscription price for the *Biomedical Applications* section only (Vol. 143) is Dfl. 110.00 plus Dfl. 14.00 (postage) (total *ca.* US$ 49.60). Journals are automatically sent by air mail to the U.S.A. and Canada at no extra costs, and to Japan, Australia and New Zealand with a small additional postal charge. Back volumes of the *Journal of Chromatography* (Vols. 1 through 129) are available at Dfl. 100.00 (plus postage). Claims for issues not received should be made within three months of publication of the issue. If not, they cannot be honoured free of charge.

For further information, see page 3 of cover.

© ELSEVIER SCIENTIFIC PUBLISHING COMPANY — 1977

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher, Elsevier Scientific Publishing Company, P.O. Box 330, Amsterdam, The Netherlands.

Submission of an article for publication implies the transfer of the copyright from the author to the publisher and is also understood to imply that the article is not being considered for publication elsewhere.

Printed in The Netherlands

JOURNAL OF CHROMATOGRAPHY

Cumulative Author and Subject Indexes

VOLUMES 131–140

JOURNAL *of* CHROMATOGRAPHY

INTERNATIONAL JOURNAL ON CHROMATOGRAPHY, ELECTROPHORESIS AND RELATED METHODS

Cumulative Author and Subject Indexes Volumes 131-140 (1977)

EDITOR

MICHAEL LEDERER (Rome)

ASSOCIATE EDITOR

K. MACEK (Prague)

EDITORIAL BOARD

W. A. Aue (Halifax), V. G. Berezkin (Moscow), A. Bevenue (Honolulu, Hawaii), P. Boulanger (Lille), A. A. Boulton (Saskatoon), G. P. Cartoni (Rome), K. V. Chmutov (Moscow), G. Duyckaerts (Liège), L. Fishbein (Jefferson, Ark.), A. Frigerio (Milan), C. W. Gehrke (Columbia, Mo.), E. Gil-Av (Rehovot), G. Guiochon (Palaiseau), I. M. Hais (Hradec Králové), E. Heftmann (Berkeley, Calif.), S. Hjertén (Uppsala), E. C. Horning (Houston, Texas), C. Horváth (New Haven, Conn.), J. F. K. Huber (Vienna), A. T. James (Sharnbrook), J. Janák (Brno), K. A. Kraus (Oak Ridge, Tenn.), E. Lederer (Gif-sur-Yvette), A. Liberti (Rome), H. M. McNair (Blacksburg, Va.), Y. Marcus (Jerusalem), G. B. Marini-Bettòlo (Rome), R. Neher (Basel), G. Nickless (Bristol), J. Novák (Brno), N. A. Parris (Wilmington, Del.), O. Samuelson (Göteborg), G.-M. Schwab (Munich), G. Semenza (Zürich), L. R. Snyder (Tarrytown, N.Y.), A. Zlatkis (Houston, Texas)

EDITORS, BIBLIOGRAPHY SECTION

K. Macek (Prague), J. Janák (Brno), Z. Deyl (Prague)

EDITOR, BOOK REVIEW SECTION

R. Amos (Abingdon)

EDITOR, NEWS SECTION

J. F. K. Huber (Vienna)

COORDINATING EDITOR, DATA SECTION

J. Gasparič (Hradec Králové)

1977

Electronic data processing:
Dipl.-Kfm. Karlheinz Wenzel KG
and
ADV-Service Wilfried Meyer GmbH,
Hanau, G.F.R.

© ELSEVIER SCIENTIFIC PUBLISHING COMPANY — 1977

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher, Elsevier Scientific Publishing Company, P.O. Box 330, Amsterdam, The Netherlands.

Submission of an article for publication implies the transfer of the copyright from the author to the publisher and is also understood to imply that the article is not being considered for publication elsewhere.

Printed in The Netherlands

AUTHOR INDEX

VOLUMES 131–140

The volume number is placed in parentheses before the page number

A

Aaviksaar, A., see Osa, A. (135) 196
Abbott, S.R., see Johnson, E. (134) 107
Abe, M.
Synthetic inorganic ion-exchange materials. XV. Chromatographic separation of alkali metal ions using phosphoantimonic(V) acid as a cation exchanger (134) 507
Abraham, C.V. and Gresham, D.
Simultaneous GC analysis for the seven commonly used antiepileptic drugs in serum (136) 332
Abu-Shumays, A., see Johnson, E. (134) 107
Achari, R., see Beckett, A.H. (135) 200
Adachi, S., see Toba, T. (135) 411
Adams, R.F., see Slavin, W. (134) 121
Adlakha, R.C., see Villanueva, V.R. (139) 381
Adriaens, P., Meesschaert, B., Wuyts, W., Vanderhaeghe, H. and Eyssen, H.
Separation of ninhydrin-positive compounds on a single-column amino acid analyzer using lithium buffers (140) 103
Adriaens, P., see Meesschaert, B. (136) 162
Aitzetmüller, K.
HPLC analysis of partial glycerides and other technical lipid mixtures (139) 61
Albert, D.M., see Darling, T. (131) 383
Albert, J., see Darling, T. (131) 383
Alberti, G., Bernasconi, M.G., Costantino, U. and Gill, J.S.
Crystalline insoluble acid salts of tetravalent metals. XXVII. Ion exchange of trivalent cations on ionic forms of crystalline zirconium phosphate with large interlayer distances (132) 477
Albro, P.W., Haseman, J.K., Clemmer, T.A. and Corbett, B.J.
Identification of the individual polychlorinated biphenyls in a mixture by GLC (136) 147
Alessi, P., Kikic, I. and Papo, A.
Polarity of phthalate esters in GC (131) 31
Alessi, P., Kikic, I., Papo, A. and Torriano, G.
Evaluation of solvent properties. A comparison of esters of 2-ethylhexanol (133) 190
Alexander, F., see Uyttendaele, K. (132) 261
Allalouf, D., see Wasserman, L. (136) 342
Allen, C.F., see Rice, L.I. (137) 397
Alumot, E., see Harduf, Z. (139) 215
Amico, V., Oriente, G. and Tringali, C.
Quantitative analysis of protein and non-protein amino acids by GLC (131) 233
Amin, M. and Jakobs, U.
TLC of active compounds from ointments and suppositories followed by direct quantitative analysis by remission (in German) (131) 391
Anbar, M., see Heck, H.d'A. (133) 281
Andary, C., Enjalbert, F., Privat, G. and Mandrou, B.
Assay for amatoxins in *Amanita phalloides* Fries (Basidiomycetes) with direct spectrometric measurements of chromatograms (in French) (132) 525
Anderson, M.M., see Maile, R.J. Jr. (132) 366
Anderson, R., Annette, D. and Jackson, N.
Ion-exchange chromatographic study of amino acid degradation during hydrolysis of avian protein (135) 447
Angelo, H.R. and Christensen, J.M.
GC method for the determination of dextropropoxyphene and nordextropropoxyphene in human plasma, serum and urine (140) 280
Annette, D., see Anderson, R. (135) 447
Ansari, A.A. and Mage, R.G.
Molecular-weight estimation of proteins using Sepharose CL-6B in guanidine hydrochloride (140) 98
Appelqvist, L.-Å., see Nair, B.M. (133) 203
Arendes, J., Zahn, R.K. and Müller, W.E.G.
Separation of naturally occurring adenine nucleosides and nucleotides by anion-exchange chromatography (140) 118
Arpino, P., Moreau, J.-P., Oruezabal, C. and Flieder, F.
GC-MS analysis of tannin hydrolysates from the ink of ancient manuscripts (XIth to XVIth century) (134) 433
Arpino, P., Vidal-Madjar, C., Guiochon, G. and Békássy, S.
Production of citral from geraniol. II. Capillary GC-MS investigation of two different oxidation reactions using a graphite porous-layer open-tubular column with a large coating ratio of polar liquid phase (138) 173
Arrendale, R.F., see Severson, R.F. (139) 269

Arukaevu, H., see Osa, A. (135) 196
Arustamova, L.G., Berezkin, V.G., Rustamov, M.I. and Sultanov, N.T.
Surface-layer sorbents for group analysis of aromatic hydrocarbons in petroleum distillates (140) 319
Arx, E. von, see Von Arx, E. (134) 529
Ashes, J.R. and Haken, J.K.
GC of homologous esters. X. Data prediction properties of a Rohrschneider-type scheme (135) 61
Ashes, J.R. and Haken, J.K.
GC of homologous esters. XI. Use of ester solutes in a Rohrschneider-type scheme for data prediction (135) 67
Ashworth, A.J. and Hooker, D.M.
Mixed solvents in GLC. Activity coefficients for hexane in squalane and dinonyl phthalate mixtures at 303 °K (131) 399
Assandri, A. and Moro, L.
Protein binding of a series of rifamycins to bovine serum albumin as measured by the "two-phase partition" technique (135) 37
Assandri, A. and Semenza, G.
Protein binding of rifampicin to bovine serum albumin as measured by gel filtration (135) 25
Aston, J.W.
Computer processing of fatty acid analysis data (131) 121
Aszalos, A., see Issaq, H.J. (133) 291
Aue, W.A., see Hill, H.H. Jr. (140) 1
Auer, M., see Kolb, B. (134) 65
Augustyniak, J., see Goździcka-Józefiak, A. (131) 91
Aukaty, M.F., Bubenschikova, S.N., Kagrammanova, V.K. and Baratova, L.A.
Use of an amino-silica column for the HPLC analysis of synthetic oligodeoxynucleotides (137) 351
Avigad, G.
Dansyl hydrazine as a fluorimetric reagent for TLC analysis for reducing sugars (139) 343
Axelsen, K.S. and Vogelsang, S.H.
HPLC analysis of gramicidin, a polypeptide antibiotic (140) 174

B

Baaske, D.M., Keiser, J.E. and Smith, R.V.
GC determination of apomorphine in plasma (140) 57
Bach, K. and Haas, H.J.
TLC separation of racemates of some amino acids (in German) (136) 186
Bachman, A. and Vestergaard, P.
Electronic system for chart recorder absorbance output of the multicuvette system for LC (132) 335
Bailey, E., Fenoughty, M. and Richardson, L.
Automated high-resolution GC analysis of psychotropic drugs in biological fluids using open-tubular glass capillary columns. I. Determination of nomifensine in human plasma (131) 347
Bailey, G., Kootstra, A., Stockwell, P. and Gillett, D.
Three-buffer single column analyses on two-buffer amino acid analyzers (133) 386
Balderstone, P. and Dyke, S.F.
Detection and quantitative analysis of sanguinarine in edible oils (132) 359
Baldesten, A., see Sollenberg, J. (132) 469
Ballschmiter, K., see Heizmann, P. (137) 153
Ballschmiter, K., see Lohmüller, M. (137) 165
Baloch, A.K., Buckle, K.A. and Edwards, R.A.
Separation of carrot carotenoids on Hyflo Super-Cel-magnesium oxide-calcium sulfate thin layers (139) 149
Balzarini, L., see Righetti, P.G. (134) 279
Baratova, L.A., see Aukaty, M.F. (137) 351
Barchet, R., see Harzer, K. (132) 83
Bardou, L.G., see Kerebel, A. (140) 229
Baron, R.L., see Freudenthal, R.I. (134) 207
Barr, E.W., see Issaq, H.J. (131) 265, (132) 115, (132) 121, (133) 291
Barth, H.G. and Conner, A.Z.
Determination of doxorubicin hydrochloride in pharmaceutical preparations using HPLC (131) 375
Barthelemy, J.-P., see Deleu, R. (134) 483
Bartle, K.D., Elstub, J., Novotny, M. and Robinson, R.J.
Use of a modified Tenax GC column packing for the direct GC analysis of phenols in water at the ppm level (135) 351
Basedow, A.M., see Haller, W. (132) 387
Bašnák, I., see Štrop, P. (138) 47
Bassham, J.A., see Platt, S.G. (133) 396
Baumgarten, E., Weinstrauch, F. and Höffkes, H.
Adsorption isotherms of hydrocarbons on γ-alumina (138) 347
Baxter, J.S., see Vogt, C.R. (136) 221
Bazán, N.G., see Rodríguez de Turco, E.B. (137) 194
Bechgaard, E. and Lund, J.
Determination of (+)-3*R*),(4*S*)-3-[(4-methoxyphenoxy)methyl]-1-methyl-4-phenylpiperidine hydrochloride (FG 4963) in biological fluids using competition for adsorption to glass (133) 147
Beck, O., Wiesel, F.-A. and Sedvall, G.
Mass fragmentographic determination of 5-hydroxytryptamine and 5-hydroxyindole-3-acetic acid in brain tissue using deuterated internal standards (134) 407
Bečka, J. and Feltl, L.
GC determination of trace amounts of

hydrocarbons in the atmosphere of experimental biological containers (131) 179
Becker, H., Wilking, G. and Hostettmann, K. Separation of isomeric glycoflavones by HPLC (136) 174
Beckett, A.H. and Achari, R. Direct GLC analysis of N-hydroxyamphetamine, a metabolite of amphetamine (135) 200
Békássy, S., see Arpino, P. (138) 173
Belcheva, R.P., see Pankova, M.C. (137) 198
Bell, E.A., see Charlwood, B.V. (135) 377
Benet, L.Z., see Lin, E.T. (140) 275
Benetello, P., see Furlanut, M. (140) 270
Benjamin, T.V., see Hardman, R. (131) 468
Benoit, F., see Williams, D.T. (136) 423
Benson, G.A. and Spillane, W.J. GC determination of cyclic amines, ketones and alcohols, possible metabolites of sweet sulphamates (136) 318
Bente, H.B., see Burgett, C.A. (134) 57
Benvenuto, J.A., Lu, K. and Loo, T.L. HPLC analysis of ftorafur and its metabolites in biological fluids (134) 219
Ber, A., see Wasserman, L. (136) 342
Berek, D. Simple pulse damper for LC (132) 128
Berezkin, V.G., see Arustamova, L.G. (140) 319
Berg, J.H.M. van den, see Van den Berg, J.H.M. (132) 421, (138) 431
Berg, R.G. and McNair, H.M. Preparative HPLC separation of high-molecular-weight isomers (131) 185
Berkane, K., Caissie, G.E. and Mallet, V.N. Use of Amberlite XAD-2 resin for the quantitative recovery of fenitrothion from water: A preservation technique (139) 386
Bernasconi, M.G., see Alberti, G. (132) 477
Berry, D.J., see Flanagan, R.J. (131) 131
Berthou, F.L., see Kerebel, A. (140) 229
Bettencourt, A., Lhoest, G., Roberfroid, M. and Mercier, M. GC and mass fragmentographic assays of carcinogenic polycyclic hydrocarbon epoxide hydratase activity (134) 323
Bevill, R.F., see Sharma, J.P. (134) 441
Beyerman, H.C., see Olieman, C. (133) 382
Bhardwaj, T.R., see Singh, H. (137) 202
Bhat, H.B., see Burce, G.L. (137) 323
Bhattacharjee, A. and Bhaumik, A. Analysis of low-boiling isomers of phenols by GC (136) 328
Bhaumik, A., see Bhattacharjee, A. (136) 328
Bhutani, K.K., see Singh, H. (137) 202
Bielorai, R., see Harduf, Z. (139) 215
Bier, M., Cuddeback, R.M. and Kopwillem, A. Preparative plasma protein fractionation by isotachophoresis in Sephadex columns (132) 437
Binder, R.L., see Jain, R.S. (136) 141, (139) 283
Bishara, R.H., see Jakovljevic, I.M. (134) 238
Bishara, R.H., see Souter, R.W. (140) 245
Bjornsson, T.D., Blaschke, T.F. and Meffin, P.J. HPLC analysis of drugs in biological fluids. IV. Determination of clofibrinic acid (137) 145
Blagrove, R.J. and Frenkel, M.J. Determination of protein molecular weights in denaturing solvents using glyceryl-CPG (132) 399
Blanchet, G., Picard, J. and Morelis, P. Synthesis of an N-methylacridinium-Sepharose: its use in the purification of cholinesterases (in French) (135) 477
Blaschke, T.F., see Bjornsson, T.D. (137) 145
Blasius, E. and Klemm, G. High-voltage paper ionophoresis in temperature gradients and non-aqueous solutions (in German) (135) 323
Blaton, V., see Uyttendaele, K. (132) 261
Bleha, M., see Novák, J. (139) 141
Bloch, J.-C. and Garel, J.-P. Influence of modified nucleosides in *E. coli* transfer RNA on chromatographic mobilities of transfer RNA (137) 93
Blomberg, L. Measurement of the average thickness of the film of stationary phase in dynamically coated glass capillary columns for GC (138) 7
Bloomer, K., see Sherma, J. (135) 235
Blum, W. and Richter, W.J. Parallel flame ionization detection-total ion current recording in capillary GC-chemical ionization MS (132) 249
Blüthmann, H. Chromatography of histones on hydroxyapatite columns (137) 222
Boček, P., Miedziak, I., Deml, M. and Janák, J. Use of complex formation equilibria in the analytical isotachophoresis of strong electrolyte ions. Separation of halides and sulphates (137) 83
Boehme, W. and Engelhardt, H. Moisture control system for non-polar eluents in HPLC. I. Reproducible retentions on alumina (133) 67
Boinon, B., see Le Parlouer, P. (133) 253
Bollet, C., see Chevalier, G. (138) 193
Bombardelli, E., Bonati, A., Gabetta, B., Martinelli, E.M. and Mustich, G. Identification of anthocyanins by GLC and MS (139) 111
Bonastre, J., see Grenier-Loustalot, M.F. (138) 63
Bonati, A., see Bombardelli, E. (139) 111
Bonner, W.A., see Flores, J.J. (132) 152
Bonner, W.A., see Van Dort, M.A. (133) 210
Boom, J.H. van, see Van Boom, J.H. (131) 169
Borák, J. and Smrž, M. LC of nucleic acid components and their analogues on hydroxyethyl methacrylate gels (133) 127
Bories, G., see Wal, J.M. (136) 165
Born, H.-J., see Specht, S. (135) 273
Borovanský, J., Hach, P. and Duchoň, J. Chromatographic separation of melanosomes (134) 230

Borque, L., see Campos, A. (140) 219
Bounine, J.-P., see Thomas, J.-P. (139) 21
Boven, M. van, see Van Boven, M. (134) 415
Bowers, W. and Hawkes, S.
Obstruction factors are not always flow dependent (134) 166
Bowman, R.L., see Ito, Y. (136) 189
Brabander, H.F. de, see De Brabander, H.F. (138) 131
Brater, D.C., see Lin, E.T. (140) 275
Braun, W.H.
Rapid method for the simultaneous determination of 1,4-dioxan and its major metabolite, β-hydroxyethoxyacetic acid, concentrations in plasma and urine (133) 263
Breimer, D.D., see Vermeulen, N.P.E. (137) 333
Brenna, O., see Righetti, P.G. (134) 279, (137) 171
Breter, H.-J., Seibert, G. and Zahn, R.K.
Single-step separation of major and rare ribonucleosides and deoxyribonucleosides by cation-exchange HPLC for the determination of the purity of nucleic acid preparation (140) 251
Breter, H.-J. and Zahn, R.K.
Quantitative determination of metabolites of 6-mercaptopurine in biological materials. II. Advantages of a variable-wavelength HPLC spectrophotometric detector for the determination of 6-thiopurines (137) 61
Brinkman, H.W., see Telling, G.M. (137) 405
Brinkman, U.A.T., see De Jong, G.J. (135) 249
Brinkman, U.A.T., see De Vries, G. (134) 235
Bristow, P.A., Brittain, P.N., Riley, C.M. and Williamson, B.F.
Upward slurry packing of LC columns (131) 57
Brittain, P.N., see Bristow, P.A. (131) 57
Březová, E., Popl, M. and Čoupek, J.
Use of the sorbent Spheron SE in the analysis of trace amounts of impurities in water (139) 15
Brockman, R.W., see Rose, L.M. (133) 335
Brodie, R.R., see Woodhouse, R.N. (137) 218
Brooks, C.J.W., see Edmonds, C.G. (133) 372
Brooks, M.A., Hackman, M.R., Weinfeld, R.E. and Macasieb, T.
Determination of clorazepate and its major metabolites in blood and urine by electron capture GLC (135) 123
Brown, J.K., see Byrne, J.A. (137) 489
Brown, N.D. and Sleeman, H.K.
Determination of N,N'-trimethylene-bis(pyridinium-4-aldoxime) dibromide by ion-pair HPLC (138) 449
Brown, N.D. and Sleeman, H.K.
An ultramicro HPLC method for assaying ion-pair species of benactyzine (140) 300
Brown, R. and Nickla, H.
Simultaneous separation of pteridines and ommochrome precursors by PC (133) 423
Brown, R.K., Caspers, M.L., Lull, J.M., Vinogradov, S.N., Felgenhauer, K. and Nekic, M.
Carrier ampholyte distribution in isoelectric focusing (131) 223
Brun, A., see Thomas, J.-P. (139) 21
Bruschi, E., see Castello, G. (139) 195
Bryce, T.A. and Burrows, J.L.
GLC determination of 1,3-dihydro-3-phenylspiroisobenzofuran-1,4-piperidinel, HP 505, in biological fluids using a nitrogen-specific detector (136) 401
Bubenschikova, S.N., see Aukaty, M.F. (137) 351
Buchanan, J.H.
Use of a programmable pocket calculator in processing amino acid analysis data (137) 475
Buchele, A., see Winkler, E. (138) 151
Buck, C.A., see Jain, R.S. (136) 141, (139) 283
Buckle, K.A., see Baloch, A.K. (139) 149
Budde, W.L. and Eichelberger, J.W.
Mass spectrometer as a substance-selective detector in chromatography (134) 147
Budna, K.W., see Nachtmann, F. (136) 279
Buffa, M., see Lombard, A. (134) 242
Bührens, K.-G. and Preetz, W.
Separation of halohydroborates of the type $B_{10}H_{10-n}X_n^{2-}$ by high-voltage ionophoresis (in German) (139) 291
Bundgaard, H. and Larsen, C.
Polymerization of penicillins. IV. Separation, isolation and characterization of ampicillin polymers formed in aqueous solution (132) 51
Burce, G.L., Bhat, H.B. and Sokoloski, T.
Quantitative determination of naltrexone and naltrexone prodrugs by electron-capture GLC (137) 323
Burgett, C.A., Smith, D.H. and Bente, H.B.
Nitrogen-phosphorus detector and its applications in GC (134) 57
Burkett, L.L., see Wallace, J.E. (138) 111
Burkinshaw, P.M., Morgan, E.D. and Poole, C.F.
Detection of alcohols at the femtogram level as pentafluorophenyldimethylsilyl ethers (132) 548
Burns, D.T. and Collin, E.J.
Rapid determination of certain alkaloids, other than nicotine, in tobacco (133) 378
Burns, D.T., see Hayes, W.P. (139) 395
Burrows, G.D., see Norman, T.R. (134) 524
Burrows, J.L., see Bryce, T.A. (136) 401
Burtseva, T.I., Glebko, L.I. and Ovodov, Y.S.
Direct spectrophotometric TLC for determining malondialdehyde and β-formyl pyruvate produced by the periodate oxidation of some deoxy sugars (131) 464
Buryan, P. and Macák, J.
GC separation of phenols on a polyphenyl ether with six rings. I (139) 69
Buryan, P., Macák, J. and Hrivňák, J.
Separation of monohydric alkylphenols by GC. II (137) 425
Bushway, R. and Hanks, A.
Determination of rotenone in pesticide

formulations and the separation of six rotenoids by reversed-phase HPLC (134) 210
Byast, T.H.
Reversed-phase HPLC of some common herbicides (134) 216
Bye, A. and Land, G.
GLC determination of sulphadiazine and its major metabolite in human plasma and urine (139) 181
Byrne, J.A., Brown, J.K., Chaubal, M.G. and Malone, M.H.
TLC screening procedure for some drugs used in treatment of arthritis: "arthritic cures" prescribed in Mexico (137) 489
Byrne, K.M., Kershner, A.S., Maehr, H., Marquez, J.A. and Schaffner, C.P.
Separation of gentamicin C-complex into five components by Craig distribution (131) 191

C

Cadger, T., see Cashion, P. (136) 159
Cadger, T., see Cashion, P.J. (135) 189
Caissie, G.E., see Berkane, K. (139) 386
Callmer, K., Edholm, L.-E. and Smith, B.E.F.
Study of retention behaviour of alkylphenols in straight- and reversed-phase LC and application to the analysis of complex phenolic mixtures in conjunction with GC (136) 45
Callmer, K., see Edholm, L.-E. (137) 363
Campos, A., Borque, L. and Figueruelo, J.E.
Preferential solvation of poly(dimethylsiloxane) and poly(methyl methacrylate) in benzene-methanol mixtures by GPC (140) 219
Cantera-Soler, A.M., see Villanueva, V.R. (139) 381
Cantey, J.R., see Lamar, C. Jr. (137) 471
Cantfort, J. van, see Van Cantfort, J. (133) 153
Capitano, G., see Tscherne, R.J. (136) 337
Cappellini, L., see Pantarotto, C. (131) 430, (134) 307
Cardwell, T.J. and Carter, M.R.L.
GC monitoring of the reaction of beryllium oxyacetate and beryllium oxypropionate in acetone solution (140) 93
Carignan, G., Lanouette, M. and Lodge, B.A.
TLC system for the semi-quantitative analysis of the ratio of α- and β-dihydroequilin in the diol fraction of equine estrogen conjugates (135) 523
Carlo, F.J. di, see Di Carlo, F.J. (132) 45
Carlson, N.P., see Clarke, J.F.G. Jr. (134) 397
Carreño, T.G. and Rubi, J.A.M.
GC determination of the heat of adsorption of benzene and its monohalogeno derivatives adsorbed on montmorillonite-pyridinium (in French) (133) 184
Carter, M.R.L., see Cardwell, T.J. (140) 93
Carvalho, R.A.G. de, see De Carvalho, R.A.G. (136) 176
Casagrande, D.J. and Park, K.
Simple GLC technique for the analysis of muramic acid (135) 208
Cashion, P., Notman, H., Sathe, G., Cadger, T. and Tranquilla, T.
Improved synthesis of N^4-anisoyldeoxycytidine using Bio-Rex 5 columns (136) 159
Cashion, P.J., Notman, H.J., Cadger, T. and Sathe, G.M.
Purification of oligodeoxynucleotides on Sephadex G-10 columns (135) 189
Casillo, M., Lederer, M. and Ossicini, L.
Paper electrophoretic study of ion-pair formation. XIII. Survey of the ion-pair forming properties of monovalent inorganic anions (135) 256
Caspers, M.L., see Brown, R.K. (131) 223
Cassaigne, A., see Jensen, H. (132) 556
Castello, G., Bruschi, E. and Ghelli, G.
GC determination of the purity of vitamin K_3 (menadione) (139) 195
Castello, G. and D'Amato, G.
Correlation between the physical properties and structure of alcohols and their GC behaviour on polar and non-polar stationary phases. I. C_1-C_8 straight-chain alcohols (131) 41
Caude, M., see Chevalier, G. (138) 193
Cautreels, W. and Van Cauwenberghe, K.
Fast quantitative analysis of organic compounds in airborne particulate matter by GC with selective MS detection (131) 253
Cauwenberghe, K. van, see Van Cauwenberghe, K. (131) 253
Čech, M., Jelínková, M. and Čoupek, J.
High-pressure chromatography of tobacco mosaic virus on Spheron gels (135) 435
Čelap, M.B., Malinar, M.J., Sarić, S., Janjić, T.J. and Radivojša, P.N.
Effect of the composition and structure of cobalt(III) complexes on their R_F values obtained by partition PC. I. Effect of the position of nitro groups and the chelate ring size (139) 45
Chan, K. W., see Hill, H.H. Jr. (131) 245
Chang, J.Y. and Creaser, E.H.
Improved chromatographic identification of coloured amino acid thiohydantoins (132) 303
Chang, J.Y. and Creaser, E.H.
Distinction of amino alcohols from amino acids by 4-N,N-dimethylaminoazobenzene-4'-isothiocyanate (135) 245
Chang, J.Y., Creaser, E.H. and Hughes, G.J.
Separation of 4-N,N-

dimethylaminoazobenzene-4'-thiohydantoins of amino acids by TLC on silica gel (140) 125
Chang, S.H., see Schlabach, T.D. (134) 91
Chapman, R.A. and Robinson, J.R.
Simplified method for the determination of residues of carbofuran and its metabolites in crops using GLC-mass fragmentography (140) 209
Charlwood, B.V. and Bell, E.A.
Qualitative and quantitative analysis of common and uncommon amino acids in plant extracts (135) 377
Chasseaud, L.F., see Woodhouse, R.N. (137) 218
Chaubal, M.G., see Byrne, J.A. (137) 489
Chawla, H.M., Chibber, S.S. and Saigal, R.
Separation and identification of some hydroxychalcones and their derivatives (138) 243
Chawla, S.L., see Dang, S.K. (139) 207
Chen, T.M., Hess, G.G. and Sievers, R.E.
Improvements in GC columns formed by *in situ* polymerization (134) 170
Chevalier, G., Rohrbach, P., Bollet, C. and Caude, M.
Identification and quantitation of impurities from benorilate (Salipran) by HPLC (in French) (138) 193
Chhabra, B.R., Gulati, R.S., Dhillon, R.S. and Kalsi, P.S.
Modified TLC method for the detection of phenols (135) 521
Chibber, S.S., see Chawla, H.M. (138) 243
Choudhary, V.R. and Parande, M.G.
GC study of binary diffusion of nitrobenzene and aniline in hydrogen (132) 344
Chovanec, J., see Churáček, J. (139) 85
Christensen, J.M., see Angelo, H.R. (140) 280
Christophersen, A.S., Rasmussen, K.E. and Salvesen, B.
Determination of hydrochlorothiazide in serum by HPLC (132) 91
Chriswell, C.D.
Removal of gas chromatographable organic compounds from water by a spray vaporization technique (132) 537
Chriswell, C.D. and Fritz, J.S.
Selective concentration of amines from aqueous solutions by a gas purging technique (136) 371
Chu, S.-Y. and Sennello, L.T.
GC determination of pemoline in biological fluids using electron capture detection (137) 343
Chung, I.-J., see Hsu, H.-W. (138) 267
Churáček, J., Pechová, H. and Chovanec, J.
Contribution to the standardization of results in PC and TLC (in German) (139) 85
Cima, L., see Furlanut, M. (140) 270
Clare, R.A., see Draffan, G.H. (139) 311
Clark, J., Dewan, R., Locksley, H.D. and Maynard, R.
Pungent compounds. II. Detection and identification of paradols (alkyl 4-hydroxy-3-methoxyphenethyl ketones) by combined GC-MS (134) 315
Clarke, J.F.G. Jr., Minn, J. and Carlson, N.P.
GC determination of some chloroethyl phthalimide compounds (134) 397
Cleemann, M.
GC determination of propoxyphene and norpropoxyphene in plasma (132) 287
Clemmer, T.A., see Albro, P.W. (136) 147
Coffin, R.D. and Thompson, R.M.
Artifacts in the GC analysis of some sulfur-containing amino acids (138) 223
Cohan, S.L., see Pohlmann, J.L.W. (131) 297
Cole, W.J., Parkhouse, J. and Yousef, Y.Y.
Application of the extractive alkylation technique to the pentafluorobenzylation of morphine (a heroin metabolite) and surrogates, with special reference to the quantitative determination of plasma morphine levels using mass fragmentography (136) 409
Colin, H. and Guiochon, G.
Development and use of carbon adsorbents in HPLSC. II. Reproducibility of carbon adsorbents and the influence of graphitization on their performance (137) 19
Collin, E.J., see Burns, D.T. (133) 378
Conlon, J.M., see Murphy, R.F. (135) 427
Conner, A.Z., see Barth, H.G. (131) 375
Copin, A., see Deleu, R. (134) 483
Corbett, B.J., see Albro, P.W. (136) 147
Cornwell, E.S., see Navarro, J.G. (138) 423
Cosgrove, B.A. and Gay, I.D.
Simple device for sampling from vacuum systems to gas chromatographs (136) 306
Costantino, U., see Alberti, G. (132) 477
Čoupek, J., Unger, P. and Popl, M.
Properties and use of the sorbent Spheron SDA in GC (133) 91
Čoupek, J., see Březová, E. (139) 15
Čoupek, J., see Čech, M. (135) 435
Čoupek, J., see Novák, J. (139) 141
Čoupek, J., see Rittich, B. (133) 345
Creaser, E.H., see Chang, J.Y. (132) 303, (135) 245, (140) 125
Cresswell, D.G., see Woodhouse, R.N. (137) 218
Cridland, J.S. and Weatherley, B.C.
Determination of 2,4-diamino-5-(3,4-dichlorophenyl)-6-methylpyrimidine (BW 197U) in human plasma (137) 449
Crozier, A., see Reeve, D.R. (137) 271
Cuddeback, R.M., see Bier, M. (132) 437
Currie, B.L., see Hansen, J.J. (135) 155
Curtis, T.G. and Seitz, W.R.
Chemiluminescence: a new method for detecting fluorescent compounds separated by TLC (134) 343
Curtis, T.G. and Seitz, W.R.
Coupling of chemiluminescence TLC detection to a Vidicon rapid scanning detector (134) 513
Cvjetićanin, D.N., see Cvjetićanin, N.M. (140) 77

Cvjetićanin, N.M. and Cvjetićanin, D.N.
Adsorption of trivalent iron in the ionic and colloidal states on silica gel impregnated with manganese dioxide (140) 77
Czerwiec, Z.
GC analysis of aromatic sulphinylamines. II (139) 177
Czerwiec, Z. and Małeta, E.
Separation of aromatic sulphinylamines by TLC (132) 168
Czerwiec, Z. and Małeta, E.
Separation of aromatic sulphinylamines by TLC. II (137) 228

D

Daenens, P., see Van Boven, M. (134) 415
Dahlgren Caldwell, K., see Porath, J. (133) 180
D'Amato, G., see Castello, G. (131) 41
Dang, S.K., Grover, P.D. and Chawla, S.L.
Chromatographic analysis of alkali chlorine cell gas (139) 207
Darling, T., Albert, J., Russell, P., Albert, D.M. and Reid, T.W.
Rapid purification of an RNA tumor virus and proteins by high-performance steric exclusion chromatography on porous glass bead columns (131) 383
Davankov, V.A., see Semechkin, A.V. (131) 65
Davídek, J., Pudil, F. and Seifert, J.
Separation of thiamine and its derivatives on a Sephadex column (140) 316
Davies, D.L., see Draffan, G.H. (139) 311
Davies, D.S., see Draffan, G.H. (139) 311
Davis, B.A., see Hui, K.S. (132) 131
Davis, C.M., see Fenimore, D.C. (140) 9
Davy, K.W.M. and Morris, C.J.O.R.
Applications of GLC in protein chemistry. II. Determination of amide residues in nanomolar amounts of proteins (136) 361
Dawkins, J.V.
Solute-gel interactions in GPC of small molecules in organic media (135) 470
De Brabander, H.F. and Verbeke, R.
Determination of thiocyanate in tissues and body fluids of animals by GC with electron-capture detection (138) 131
De Carvalho, R.A.G., see González, C.G. (136) 176
De Graeve, J., Van Cantfort, J. and Gielen, J.
Determination of papaverine in blood samples by GLC and mass fragmentography (133) 153
De Groote, M., see Uyttendaele, K. (132) 261
De Jong, G.J., Kok, W.T. and Brinkman, U.A.T.
Use of aqueous nitrite solutions in reversed-phase chromatography and liquid-liquid extraction (135) 249
De Leenheer, A.P. and Nelis, H.J.C.F.
Reversed-phase HPLC of doxycycline (140) 293
De Ligny, C.L., see Gelsema, W.J. (140) 149
De Pascale, A., see Pantarotto, C. (134) 307
De Roode, D., see Vermeulen, N.P.E. (137) 333
De Rooy, J.F.M., see Van Boom, J.H. (131) 169
De Ruwe, H.J.J.M., see Van den Berg, J.H.M. (138) 431
De Silva, J.A.F., see Puglisi, C.V. (136) 391
De Vries, G. and Brinkman, U.A.T.
Use of plastic foil in small-scale TLC (134) 235
Dear, D.J.A., Dillon, A.F. and Freedman, A.N.
Determination of organic compounds in the hydrogen used for cooling large electricity generators (137) 315
Debackere, M., see Delbeke, F.T. (133) 214, (136) 385
Decallonne, J.R., see Rouchaud, J. (139) 376
Deelder, R.S., see Van den Berg, J.H.M. (132) 421, (138) 431
Deguchi, T., Hisanaga, A. and Nagai, H.
Chromatographic behaviour of inorganic anions on a Sephadex G-15 column (133) 173
Dehnen, W., see Mönch, W. (140) 260
Delbeke, F.T. and Debackere, M.
Detection of sympathomimetic central nervous stimulants with special reference to doping. I. Comparative study of a conventional extraction procedure and adsorption chromatography using XAD-2 resin (133) 214
Delbeke, F.T. and Debackere, M.
Detection of sympathomimetic central nervous stimulants with special reference to doping. II. Comparative study of two adsorption chromatography methods using different XAD resins (136) 385
Deleu, R., Barthelemy, J.-P. and Copin, A.
Identification of eleven urea herbicides by TLC and GLC. I. Application to natural waters (in French) (134) 483
Deml, M., see Boček, P. (137) 83
Derks, C.M.
Improvement in the determination of sulphur hexafluoride for use as a blood tracer (133) 428
Desai, B.K., see Nand, S. (133) 359
Desideri, P.G., see Lepri, L. (139) 337
Deur-Šiftar, D., see Švob, V. (135) 85
Dewan, R., see Clark, J. (134) 315
DeWitte, W.J., see Sternson, L.A. (137) 305, (138) 229
Deyl, Z., see Helm, R. (133) 390
Dhillon, R.S., see Chhabra, B.R. (135) 521
Di Carlo, F.J., see Zuleski, F.R. (132) 45
Dilli, S. and Patsalides, E.
Chromatographic separation of isomeric forms of a tetradentate Schiff base derived

from 1,1,1-trifluoro-5,5-dimethylhexane-2,4-dione and 1,2-diaminoethane (134) 477
Dilli, S. and Pillai, D.N.
Relative electron capture response of the 2-chloroethyl derivatives of some barbituric acids and anticonvulsant drugs (137) 111
Dilli, S. and Robards, K.
Comparative GC behaviour and detection limits of 2,6-di-*tert.*-butyl-4-methylphenol, 3-*tert.*-butyl-4-hydroxyanisole (BHA), and the trifluoroacetate of BHA (133) 363
Dilli, S. and Szyszka, J.
GC of the pyrazoline derivative of trimethyl aconitate (132) 148
Dillon, A.F., see Dear, D.J.A. (137) 315
Dimov, N. and Papazova, D.
Qualitative GC analysis and determination of solute properties. Calculation of the retention indices of benzene homologues on squalane (137) 265
Dimov, N., see Papazova, D. (137) 259
Dittmar, K., see Heckers, H. (135) 93
Djokić, S., see Kobrehel, G. (133) 415
Djokić, S., see Lazarevski, T. (132) 309
Djordjević, N.M., see Kopečni, M.M. (139) 1
Dobberstein, R.H., see Wu, F.-F. (140) 65
Dobson, K., see Gupta, R.N. (132) 140
Doerr, R.C. and Fiddler, W.
Photolysis of volatile nitrosamines at the picogram level as an aid to confirmation (140) 284
Doerr, R.C., see Wolfram, J.H. (132) 37
Doly, J. and Petek, F.
Polyacrylamide gradient electrophoresis for protein purification on the milligram scale (137) 69
Doms, E.K.
GC determination of the volatile fatty acids (C_1-C_5) including lactic acid after conversion into their benzyl esters by phenyldiazomethane. Determination of the acids in silages (in German) (140) 29
Donald, A.S.R.
Separation of hexosamines, hexosaminitols and hexosamine-containing di- and trisaccharides on an amino acid analyser (134) 199
Donike, M., Gola, R. and Jaenicke, L.
Determination of indolealkylamines after selective derivatisation (in German) (134) 385
Dort, M.A. van, see Van Dort, M.A. (132) 152, (133) 210
Doury-Berthod, M., Poitrenaud, C. and Tremillon, B.
Ligand-exchange separations of amino acids. I. Distribution equilibria of some amino acids between ammoniacal copper(II) nitrate solutions and phosphonic, carboxylic and iminodiacetic ion exchangers in the copper(II) form (131) 73
Draffan, G.H., Clare, R.A., Davies, D.L., Hawksworth, G., Murray, S. and Davies, D.S.
Quantitative determination of the herbicide paraquat in human plasma by GC and MS methods (139) 311
Driscoll, J.N.
Evaluation of a new photoionization detector for organic compounds (134) 49
Drozd, J. and Novák, J.
Quantitative head-space gas analysis by the standard additions method. Determination of hydrophilic solutes in equilibrated gas-aqueous liquid systems (136) 37
Duchoň, J., see Borovanský, J. (134) 230
Dumkiewicz, W., see Soczewiński, E. (132) 379
Dusci, L.J. and Hackett, L.P.
GC determination of valproic acid in human plasma (132) 145
Dutton, H.J., see Eskins, K. (135) 217
Dvorchik, B.H., Miller, S.H. and Graham, W.P.
GC determination of cocaine in whole blood and plasma using a nitrogen-sensitive flame ionization detector (135) 141
Dybczyński, R., Polkowska-Motrenko, H. and Shabana, R.M.
Influence of temperature and degree of resin crosslinking on the anion exchange of phosphate complexes of Ga(III) and In(III) (134) 285
Dyke, S.F., see Balderstone, P. (132) 359
Dzido, T., see Soczewiński, E. (131) 408

E

Eaton, R.F., see Gough, T.A. (137) 293
Ebine, H., see Kiuchi, K. (133) 226
Ecknig, W., see Hopf, S. (139) 249
Edholm, L.-E. and Callmer, K.
LC study of brominated alkylphenols and investigation of product formation in the coulometric bromination of some alkyl-substituted phenols (137) 363
Edholm, L.-E., see Callmer, K. (136) 45
Edmonds, C.G., Smith, A.G. and Brooks, C.J.W.
Analysis of sponge sterols as the trimethylsilyl ethers and as the corresponding 5α- and Δ^4-3-ketosteroids using open-tubular GC-MS. Application of selective enzymic oxidation (133) 372
Edwards, R.A., see Baloch, A.K. (139) 149
Edwards, W.G. and Wellington, C.A.
Method for improved protein separation in human and animal sera (135) 463
Eekelen, C.A.G. van, see Van Eekelen, C.A.G. (132) 519
Egert, D.
Improved separation of some isomers and epimers of the pregnane series by TLC with repeated development (135) 481

Ehman, J. and Gaucher, G.M.
Quantitation of patulin pathway metabolites using GLC (132) 17
Ehmann, A.
The van Urk-Salkowski reagent: A sensitive and specific chromogenic reagent for silica gel TLC detection and identification of indole derivatives (132) 267
Ehrsson, H. and Eksborg, S.
Quantitative GC determination of nefopam in plasma (136) 154
Ehrsson, H., Eksborg, S., Wallin, I., Källberg, N. and Swanbeck, G.
Determination of 8-methoxypsoralen in plasma by electron capture GC (140) 157
Eichelbaum, M. and Spannbrucker, N.
Rapid and sensitive method for the determination of antipyrine in biological fluids by HPLC (140) 288
Eichelberger, J.W., see Budde, W.L. (134) 147
Eksborg, S., see Ehrsson, H. (136) 154, (140) 157
Ellington, J.J., see Severson, R.F. (139) 269
Elstub, J., see Bartle, K.D. (135) 351
Emmelot, P., see Tjaden, U.R. (136) 233
Emmerling, D.C., see Freudenthal, R.I. (134) 207
Endo, T., Kuwahara, A., Tasai, H. and Ishigami, T.
Modification of quantitative TLC by elution (140) 263
Engel, G.
Investigation of the structure of mycotoxins and their quantitative analysis. IX. Sterigmatocystins (in German) (136) 182
Engelhardt, H., see Boehme, W. (133) 67
Engler, C.C., see Zinkel, D.F. (136) 245
Enjalbert, F., see Andary, C. (132) 525
Ericsson, T. and Samuelson, O.
Anion-exchange chromatography of dicarboxylic hydroxy acids (134) 337
Erni, F., see Schauwecker, P. (136) 63
Ernst, G.F., Pieterse, C. and Martens, L.J.H.
Comparison of drosophila, rat-liver and bee-head esterases in detecting residues of organophosphorus and carbamate pesticides in vegetables and fruits (133) 245
Eskins, K., Scholfield, C.R. and Dutton, H.J.
HPLC of plant pigments (135) 217
Evans, N.J., see Poole, C.F. (136) 73
Everaerts, F.M., see Verheggen, T.P.E.M. (132) 205
Eyem, J., see König, W.A. (133) 141
Eyssen, H., see Adriaens, P. (140) 103
Eyssen, H., see Meesschaert, B. (136) 162

F

Faber, D.B., Kok, R.M. and Rempt-van Dijk, E.M.
Quantitative GC analysis of flunitrazepam in human serum with electron-capture detection (133) 319
Fagerlund, C., see Hartvig, P. (140) 170
Fairclough, R.J., Rabjohns, M.A. and Peterson, A.J.
Chromatographic separation of androgens, estrogens and progestogens on hydroxyalkoxypropyl-Sephadex (Lipidex) (133) 412
Farkaš, J., see Štrop, P. (138) 47
Fasco, M.J., Piper, L.J. and Kaminsky, L.S.
Biochemical applications of a quantitative HPLC assay of warfarin and its metabolites (131) 365
Faupel, M., see Von Arx, E. (134) 529
Favretto, L., see Stancher, B. (131) 309
Feinberg, J.I., see Wolfram, J.H. (132) 37
Felgenhauer, K., see Brown, R.K. (131) 223
Fellous, R., Luft, R. and Rabine, J.-P.
Behaviour of ethers. VII. Principle of determination of the polar effect constants (in French) (133) 7
Fellous, R., Luft, R. and Rabine, J.-P.
New σ_c^* polar effect constants scale adapted to chromatography (in French) (136) 5
Fellous, R., Luft, R. and Rabine, J.-P.
Incrementation of polar effect constants in GLC (140) 137
Fellous, R., Luft, R. and Rabine, J.-P.
Application of a Taft-type equation to retention data. Additivity of substituent effects (in French) (140) 143
Fells, I., see Norman, P.W. (132) 533
Feltl, L., see Bečka, J. (131) 179
Fenimore, D.C., Whitford, J. H., Davis, C.M. and Zlatkis, A.
Nickel GC columns: An alternative to glass for biological samples (140) 9
Fenoughty, M., see Bailey, E. (131) 347
Fiddler, W., see Doerr, R.C. (140) 284
Fiddler, W., see Wolfram, J.H. (132) 37
Figge, K., Koch, J. and Lubba, H.
Contribution to the GC analysis of organotin stabilizers for polyvinyl chloride (in German) (131) 317
Figueruelo, J.E., see Campos, A. (140) 219
Fini, C., see Floridi, A. (138) 203
Fischesser, G.J. and Seymour, M.D.
Determination of alkyl ethoxylate mixtures by programmed multiple development TLC (135) 165
Fischesser, G.J., see Maile, R.J. Jr. (132) 366
Fisher, A.C. and Stefanovich, V.
Thin-layer electrophoretic separation of the

degradation products of cyclic adenosine-3',5'-monophosphate (137) 240
Flanagan, R.J. and Berry, D.J.
Routine analysis of barbiturates and some other hypnotic drugs in the blood plasma as an aid to the diagnosis of acute poisoning (131) 131
Flanagan, R.J. and Lee, T.D.
Rapid micro-method for the measurement of ethchlorvynol in blood plasma and in urine by GLC (137) 119
Flieder, F., see Arpino, P. (134) 433
Floch, H.H., see Kerebel, A. (140) 229
Flores, J.J., Bonner, W.A. and Van Dort, M.A.
GC resolution of DL-isovaline (132) 152
Floridi, A., Palmerini, C.A. and Fini, C.
Simultaneous analysis of bases, nucleosides and nucleoside mono- and polyphosphates by HPLC (138) 203
Flynn, M.A., see Gerhardt, K.O. (135) 341
Flynn, T.C., see Pape, B.E. (134) 1
Folkers, K., see Hansen, J.J. (135) 155
Forni, G. and Massarani, G.
HPLC determination of colchicine and colchicoside in colchicum (*Colchicum autumnale* L.) seeds on a home-made stationary phase (131) 444
Franc, J. and Pour, J.
Continuous elemental analysis of nitrogen-containing substances by the use of GC (131) 285
Franc, J. and Pour, J.
Identification of substances containing carbon-carbon single bonds by use of reaction GC (131) 291
Fredriksson, S.
Comparison of the buffer capacities of Ampholine and Servalyt carrier ampholyte systems used in isoelectric focusing (135) 441
Freedman, A.N., see Dear, D.J.A. (137) 315
Frei, R.W., see Krummen, K. (132) 27, (132) 429
Frei, R.W., see Schauwecker, P. (136) 63
Frenkel, M.J., see Blagrove, R.J. (132) 399
Freudenthal, R.I., Emmerling, D.C. and Baron, R.L.
Separation of rotenoids by HPLC (134) 207
Frigerio, A., Lanzoni, J., Pantarotto, C., Rossi, E., Rovei, V. and Zanol, M.
Epoxide-diol metabolic pathway of cytenamide in the rat (134) 299
Frigerio, A., see Pantarotto, C. (131) 430, (134) 307
Fritz, J.S., see Chriswell, C.D. (136) 371
Froehlich, P.M. and Ross, G.
Separation and detection of phencyclidine in urine by GC (137) 135
Fujii, T.
Direct aqueous injection GC-MS for analysis of organohalides in water at concentrations below the parts per billion level (139) 297
Fujiki, H. and Zurek, G.
Improved procedure for peptide characterization using TLC and a fluorescamine indicator (140) 129
Fukumura, T., see Kitaoka, Y. (132) 175
Furlanut, M., Cima, L., Benetello, P. and Giusti, P.
GLC determination of dextromethorphan in serum and brain (140) 270
Furukawa, H., Mori, Y., Takeuchi, Y. and Ito, K.
Separation of L- and D-amino acids as diastereomeric derivatives by HPLC (136) 428

G

Gabetta, B., see Bombardelli, E. (139) 111
Gage, L.D., see Smith, S.C. (131) 425
Galante, E., see Righetti, P.G. (137) 171
Garel, J.-P., see Bloch, J.-C. (137) 93
Garland, W.A., see Min, B.H. (139) 121
Garle, M. and Petters, I.
GC determination of barbiturates by extractive alkylation and support coated open tubular column separation (140) 165
Gaspar, P., see Laitem, L. (140) 266
Gaucher, G.M., see Ehman, J. (132) 17
Gawdzik, J. and Jaroniec, M.
Determination of the isosteric heat of adsorption by adsorption GC (131) 1
Gawdzik, J., Suprynowicz, Z. and Jaroniec, M.
Studies of chromatographic packings comprising chemically bonded phases obtained from porous glass beads. I. Sorption properties and surface heterogeneity (131) 7
Gawdzik, J., see Suprynowicz, Z. (133) 349
Gay, I.D., see Cosgrove, B.A. (136) 306
Gazda, K., see Soczewiński, E. (131) 408
Gehrke, C.W., see Gerhardt, K.O. (135) 341
Gelsema, W.J., De Ligny, C.L. and Van der Veen, N.G.
Isoelectric focusing as a method for the characterization of ampholytes. II. pH measurements in solvent mixtures used in density-gradient isoelectric focusing (140) 149
Gerber, N., see Lynn, R.K. (131) 329
Gerhardt, K.O., Gehrke, C.W., Rogers, I.T., Flynn, M.A. and Hentges, D.J.
GLC of fecal neutral steroids (135) 341
Ghelli, G., see Castello, G. (139) 195
Ghosh, D., see Guilford, J. (133) 218
Gianazza, E., see Righetti, P.G. (134) 279, (137) 171
Gielen, J., see De Graeve, J. (133) 153
Gielen, W., see Steinbach, H. (139) 191
Gill, J.S., see Alberti, G. (132) 477

Gillett, D., see Bailey, G. (133) 386
Giusti, P., see Furlanut, M. (140) 270
Glajch, J.L., see Lubkowitz, J.A. (133) 37
Glazko, A.J., see Schneider, H.G. (139) 370
Glebko, L.I., see Burtseva, T.I. (131) 464
Goenechea, S. and Wagner, G.M.
TLC determination of pemoline in urine after ingestion of therapeutic doses (in German) (140) 134
Gola, R., see Donike, M. (134) 385
Goldberg, W.M.
Complete separation of iodotyrosine-iodohistidine-iodide mixtures on thin-layer plates with a single-solvent system (134) 246
Gołkiewicz, W., see Soczewiński, E. (131) 408
González, C.G. and De Carvalho, R.A.G.
Lanthanum tellurate, a new inorganic ion exchanger (136) 176
Gooding, K.M., see Schlabach, T.D. (134) 91
Gordon, W.P., see Lynn, R.K. (131) 329
Görög, S., Herényi, B. and Jovánovics, K.
HPLC of Catharanthus alkaloids (139) 203
Goswami, T.K., see Guha, O.K. (135) 359
Gough, T.A., Webb, K.S. and Eaton, R.F.
Simple chemiluminescent detector for the screening of foodstuffs for the presence of volatile nitrosamines (137) 293
Goździcka-Józefiak, A. and Augustyniak, J.
Preparation of chelating exchangers with a polysaccharide network and low cross-linkage (131) 91
Graeve, J. de, see De Graeve, J. (133) 153
Graham, K.C., see Vilim, A. (133) 239
Graham, W.P., see Dvorchik, B.H. (135) 141
Greibrokk, T., see Hansen, J.J. (135) 155
Grenier, P., see Grenier-Loustalot, M.F. (138) 63
Grenier-Loustalot, M.F., Bonastre, J., Potin, M. and Grenier, P.
Influence of conformations and structures on retention values of cycloalkanes and cycloalkanones (in French) (138) 63
Gresham, D., see Abraham, C.V. (136) 332
Gribnau, T.C.J., Van Eekelen, C.A.G., Stumm, C. and Tesser, G.I.
Microscopic observations on agarose beads. Dehydration by solvent exchange as an alternative to lyophilization (132) 519
Grob, K., see Grob, K. Jr. (140) 257
Grob, K. Jr. and Grob, K.
Pluronics as liquid phases for capillary GLC (140) 257
Grodzińska-Zachwieja, Z., see Soczewiński, E. (137) 182
Groleau, D. and Yaphe, W.
Quantitative TLC assay for the β-neoagarotetraose hydrolase of *Pseudomonas atlantica* (137) 234
Groote, M. de, see De Groote, M. (132) 261
Grove, J. and Martin, B.K.
GLC of methylpentynol carbamate and its metabolite 3-methylpentyne-3,4-diol (133) 267
Grover, P.D., see Dang, S.K. (139) 207
Gruber, K.A., see Radhakrishnan, A.N. (132) 552
Grüning, F., see Tutschek, R. (139) 211
Grushka, E., see Kikta, E.J. Jr. (135) 367
Grushka, E., see Milano, M.J. (133) 352
Gugler, R., see Jensen, C.J. (137) 188
Guha, O.K. and Goswami, T.K.
GC behaviour of some polynuclear hydrocarbons on cadmium chloride columns modified with Carbowaxes (135) 359
Guilford, J., Hickman, E. and Ghosh, D.
Simple and sensitive GLC method for the determination of *o,p'*-DDD in biological fluids (133) 218
Guillemin, C.L. and Martinez, F.
High-speed GC analysis in process control (139) 259
Guillemonat, A., see Siouffi, A.M. (137) 35
Guiochon, G., see Arpino, P. (138) 173
Guiochon, G., see Colin, H. (137) 19
Guiochon, G., see Siouffi, A.M. (137) 35
Gulati, R.S., see Chhabra, B.R. (135) 521
Gupta, R.N., Dobson, K. and Keane, P.M.
GLC determination of primidone in plasma (132) 140
Gustafson, M.E., Nicholas, A.W. and Rosazza, J.P.
HPLC of derivatives and microbial metabolites of withaferin-A (137) 465

H

Haas, H.J., see Bach, K. (136) 186
Habault, F., see Jensen, H. (132) 556
Hach, P., see Borovanský, J. (134) 230
Hack, M.H. and Helmy, F.M.
TLC resolution of molecular species of ethanolamine plasmalogen quantitatively unique to myelin (135) 229
Hackett, L.P., see Dusci, L.J. (132) 145
Hackman, M.R., see Brooks, M.A. (135) 123
Hadžija, O. and Keglević, D.
Simple method for the separation of amino acids, amino sugars and amino alcohols related to the peptidoglycan components on a standard amino acid analyser (138) 458
Haimova, M.A., see Palamareva, M.D. (132) 73
Hais, I.M., see Marklová, E. (131) 205
Haken, J.K., Wainwright, M.S. and Smith, R.J.
Problem of accuracy of mathematical dead-time estimation (133) 1
Haken, J.K., see Ashes, J.R. (135) 61, (135) 67
Haldorsen, K.M.
Vanadium pentoxide in sulphuric acid, a

general chromogenic spray reagent for carbohydrates (134) 467
Haller, W., Basedow, A.M. and König, B.
General permeation chromatography equation and its application to tailor-made controlled pore glass columns (132) 387
Hallett, C., see Moore, B. (137) 215
Hamilton, H.E., see Wallace, J.E. (138) 111
Hanks, A., see Bushway, R. (134) 210
Hansen, J.J., Greibrokk, T., Currie, B.L., Johansson, K.N.-G. and Folkers, K.
HPLC of peptides (135) 155
Hara, S.
Use of TLC systems in HPLC separations. Procedure for systematization and design of the separation process in synthetic chemistry (137) 41
Harapat, S.R., see Meffin, P.J. (132) 503, (138) 183
Hardman, R. and Benjamin, T.V.
Quantitative determination of phytoecdysones as illustrated by application to species of *Helleborus* (131) 468
Harduf, Z., Bielorai, R. and Alumot, E.
Norleucine: An internal standard for the basic column used in physiological amino acid analysis (139) 215
Harris, W.S., Marai, L., Myher, J.J. and Subbiah, M.T.R.
Bile acid ethyl esters. Their infrequent formation during routine bile acid analysis and identification by GC and MS (131) 437
Harrison, D.C., see Meffin, P.J. (132) 503, (138) 133
Hartvig, P. and Fagerlund, C.
Extractive alkylation of biological samples of clioquinol or chloroquinaldol and determination by electron capture GC (140) 170
Hartvig, P. and Näslund, B.
Simultaneous determination of plasma amitriptyline and nortriptyline as trichloroethyl carbamates by electron-capture GC (133) 367
Harzer, K. and Barchet, R.
Analysis of benzodiazepines and their hydrolysis products, benzophenones, by reversed-phase HPLC and its application to biological material (in German) (132) 83
Haseman, J.K., see Albro, P.W. (136) 147
Hashimoto, T., see Kato, Y. (134) 204
Hastings Vogt, C.R., Ko, C.Y. and Ryan, T.R.
Simple ureas derived from diisocyanates and their LC on a 5-cm column (134) 451
Hausdorff, H.H.
Selective IR detectors for chromatography (134) 131
Hawkes, S., see Bowers, W. (134) 166
Hawksworth, G., see Draffan, G.H. (139) 311
Hayes, W.P., Steele, P. and Burns, D.T.
Identification and determination of 1,3-diisobutyrate-2,2,4-trimethylpentane (Texanol isobutyrate) in polyvinyl chloride plastisol coating formulations (139) 395
Haythorn, P., see Sheehan, M. (132) 237
Heck, H.d'A., Simon, R.L. and Anbar, M.
Isotopic fractionation in TLC (133) 281
Heckers, H., Dittmar, K., Melcher, F.W. and Kalinowski, H.O.
Silar 10 C, Silar 9 CP, SP 2340 and OV-275 in the GLC of fatty acid methyl esters on packed columns. Chromatographic characteristics and molecular structures (135) 93
Heckers, H., Melcher, F.W. and Schloeder, U.
SP 2340 in the glass capillary chromatography of fatty acid methyl esters (136) 311
Heizmann, P. and Ballschmiter, K.
Chromatography of metal chelates. VII. HPLC of metal 1,2-diketobisthiobenzhydrazones, metal dialkyldithiocarbamates and metal 1,2-diketobisthiosemicarbazones (137) 153
Heizmann, P., see Lohmüller, M. (137) 165
Helm, R., Vančíková, O., Macek, K. and Deyl, Z.
Separation of methylated basic amino acids (133) 390
Helmy, F.M., see Hack, M.H. (135) 229
Henselová, M., see Kováč, J. (133) 420
Hentges, D.J., see Gerhardt, K.O. (135) 341
Herényi, B., see Görög, S. (139) 203
Hertel, R.H., see Strauss, P.A. (134) 39
Hess, G.G., see Chen, T.M. (134) 170
Heyndrickx, A.M., see Martens, F.K. (140) 86
Hickman, E., see Guilford, J. (133) 218
Hicks, S.Z. Jr., see Pu, H.H. (132) 495
Hiermann, A. and Kartnig, T.
Separation and quantification of flavonoids on HPTLC silica gel 60 plates (in German) (140) 322
Hilker, D.M., see Patzer, E.M. (135) 489
Hill, H.H. Jr. and Aue, W.A.
Silicon detector for GC (140) 1
Hill, H.H. Jr., Chan, K. W. and Karasek, F.W.
Extraction of organic compounds from airborne particulate matter for GC analysis (131) 245
Hill, H.H. Jr., see Karasek, F.W. (135) 329
Hill, R.E.
Retention behaviour of a bonded reversed phase in a HPLC assay of serum theophylline (135) 419
Hill, R.E. and Latham, A.N.
Simultaneous determination of anticonvulsant drugs by GLC (131) 341
Hisanaga, A., see Deguchi, T. (133) 173
Hjertén, S., see Påhlman, S. (131) 99
Hodgin, J.C., Kaiser, M.A., Lubkowitz, J.A. and Rogers, L.B.
Rapid method for characterization of heavy petroleum fractions (135) 514
Hoeven, R.P. van, see Van Hoeven, R.P. (136) 233
Höffkes, H., see Baumgarten, E. (138) 347

Hogge, L.R., see MacKenzie, S.L. (132) 485
Holm, J., see Ingemann Hansen, S. (134) 517
Holmes, M.M., see Vinson, J.A. (140) 71
Homberg, E.
Relationship between the structure of plant sterols and their retention behaviour in GC on several stationary phases (in German) (139) 77
Hoodless, R.A., Sargent, M. and Treble, R.D.
Optimisation of the performance of a three-electrode thermionic detector for the detection of phosphorus, sulphur and nitrogen compounds by GC (136) 199
Hooker, D.M., see Ashworth, A.J. (131) 399
Hooyman, J.E., see Vinson, J.A. (135) 226, (140) 71
Hopf, S., Ecknig, W. and Thürmer, H.
Dynamical flow splitter for use in preparative-scale GC (in German) (139) 249
Horáková, J., see Novák, J. (131) 303
Hoshika, Y.
GC determination of styrene as its dibromide (136) 95
Hoshika, Y.
GC separation of lower aliphatic primary amines as their sulphur-containing Schiff bases using a glass capillary column (136) 253
Hoshika, Y.
Simple and rapid GLSC analysis of trace concentrations of acetaldehyde in urban air (137) 455
Hoshika, Y. and Iida, Y.
GC determination of sulphur compounds in town gas (134) 423
Hostettmann, K., see Becker, H. (136) 174
Hougen, F.W., see McKeag, R.G. (136) 308
Howard, A.G., see Moore, B. (137) 215
Hrivňák, J., see Buryan, P. (137) 425
Hrkal, Z. and Vodrážka, Z.
Isolation of serum albumin and immunoglobulins by chromatography on Con-A Sepharose and Sephadex G-150 (135) 193
Hrkal, Z., see Suttnar, J. (131) 453
Hsu, H.-W. and Chung, I.-J.
Effect of pH on polyelectrolytes in adsorption chromatography (138) 267
Huber, D., see Massow, F. v. (138) 232
Huber, J.F.K., see Lauer, H.H. (132) 1
Huber, J.F.K., see Van der Wal, S. (135) 287, (135) 305
Hucker, H.B. and Stauffer, S.C.
Determination of various drugs in rodent diet mixtures (131) 357
Hucker, H.B. and Stauffer, S.C.
Rapid, sensitive GLC method for determination of amitriptyline and nortriptyline in plasma using a nitrogen-sensitive detector (138) 437
Hughes, G.J., see Chang, J.Y. (140) 125
Hui, K.S. and Davis, B.A.
Postulated tetraphenylporphyrin-zinc tetraphenylporphyrin sandwich complex (132) 131
Hultman, E., see Palmskog, G. (140) 310
Humphreys, J.D., see Marshall, J.J. (137) 468
Husain, S., Kunzelmann, P. and Schildknecht, H.
Separation of isomeric alkylphenols by HPLC and GLC techniques (137) 53
Hutzinger, O., see Tulp, M.T.M. (139) 51
Hynninen, P.H., see Sievers, G. (134) 359

I

Iacobucci, G.A., see Wilkinson, M. (132) 349
Iida, Y., see Hoshika, Y. (134) 423
Imai, K., Tsukamoto, M. and Tamura, Z.
HPLC assay of rat-brain dopamine and norepinephrine (137) 357
Imam, A., see Murphy, R.F. (135) 427
Ingemann Hansen, S., Holm, J. and Lyngbye, J.
Difference between free and ligand-bound folate-binding protein in cow's milk concerning affinity for chromatographic gels (134) 517
Irwin, W.J. and Slack, J.A.
Pyrolysis GC-MS study of medicinal sulphonamides (139) 364
Ishibashi, K., see Yoza, N. (134) 497
Ishibashi, M., see Miyazaki, H. (133) 311, (135) 109
Ishibashi, T., see Kawabata, T. (140) 47
Ishigami, T., see Endo, T. (140) 263
Issaq, H.J. and Barr, E.W.
Detection reagent for adenine, guanine, uracil, cytosine and their alkylated bases, nucleotides and nucleosides on thin-layer plates (132) 121
Issaq, H.J., Barr, E.W., Wei, T., Meyers, C. and Aszalos, A.
TLC classification of antibiotics exhibiting antitumor properties (133) 291
Issaq, H.J., Barr, E.W. and Zielinski, W.L. Jr.
Separation of alkylated guanines, adenines, uracils and cytosines by TLC (131) 265
Issaq, H.J., Barr, E.W. and Zielinski, W.L. Jr.
Nondestructive distinction between aflatoxin B_1 and ethoxyquin in TLC (132) 115
Ito, K., see Furukawa, H. (136) 428
Ito, M., see Tsukida, K. (134) 331
Ito, Y. and Bowman, R.L.
Preparative countercurrent chromatography with a slowly rotating helical tube (136) 189
Itoh, M., see Miyazaki, H. (133) 311, (135) 109
Ivanov, A.S., see Pankova, M.C. (137) 198

J

Jackson, N., see Anderson, R. (135) 447
Jaenicke, L., see Donike, M. (134) 385
Jain, R.S., Binder, R.L., Lévy-Benshimol, A., Buck, C.A. and Warren, L.
Purification of *a*-L-fucosidase from various sources by affinity chromatography (139) 283
Jain, R.S., Binder, R.L., Walz, C., Buck, C.A. and Warren, L.
Purification of β-N-acetyl-D-glucosaminidase of the horseshoe crab by affinity chromatography (136) 141
Jakobs, U., see Amin, M. (131) 391
Jakovljevic, I.M., Bishara, R.H. and Kress, T.J.
TLC separation of several chloro- and methyl-substituted 2-aminopyridines (134) 238
Jakubowski, H.
Use of ω-aminohexyl-Sepharose in the fractionation of *Escherichia coli* B aminoacyl-tRNA synthetases (139) 331
James, L.B.
Amino acid analysis: A novel reaction chamber (136) 417
Janák, J., see Boček, P. (137) 83
Janák, J., see Novák, J. (138) 1
Janák, J., see Soják, L. (135) 71, (138) 119
Janča, J.
Concentration effects in GPC. I. Polymer solution properties (134) 263
Janča, J. and Kolínský, M.
Coupling of a gel-permeation chromatograph and an automatic capillary viscometer. I. Influence of the column efficiency (132) 187
Janča, J. and Pokorný, S.
Coupling of a gel permeation chromatograph and an automatic capillary viscometer. II. Method for the determination of the molecular weight distribution and of the resolution factor (134) 273
Janini, G.M., Shaikh, B. and Zielinski, W.L. Jr.
GLC analysis of benzo(a)pyrene in cigarette smoke on a nematic liquid crystal (132) 136
Janjić, T.J., see Čelap, M.B. (139) 45
Janssen, G. and Vanderhaeghe, H.
Preparation of trimethylsilyl derivatives of thiamphenicol (134) 365
Jarc, H., Ruttner, O. and Krocza, W.
Quantitative detection of estrogens and antithyroid drugs by TLC and HPTLC in animal tissue (in German) (134) 351
Jaroniec, M., see Gawdzik, J. (131) 1, (131) 7
Jaroniec, M., see Suprynowicz, Z. (133) 349
Jelínková, M., see Čech, M. (135) 435
Jensen, C.J. and Gugler, R.
Sensitive GLC method for determination of valproic acid in biological fluids (137) 188
Jensen, H., Habault, F., Lacoste, A.M., Cassaigne, A. and Neuzil, E.
Chromatographic analysis of phosphonic analogues of dipeptides (in French) (132) 556
Johansson, K.N.-G., see Hansen, J.J. (135) 155
John, E.D. and Nickless, G.
GC method for the analysis of major polynuclear aromatics in particulate matter (138) 399
Johnson, E., Abu-Shumays, A. and Abbott, S.R.
Use of fluorescence detection in HPLC (134) 107
Johnson, R.N., see Smith, K.M. (137) 431
Johnstone, S.J., see Wells, D.E. (140) 17
Jong, G.J. de, see De Jong, G.J. (135) 249
Jönsson, J.Å.
Direct measurement of GC retention volume. III. Software (139) 156
Jovánovics, K., see Görög, S. (139) 203
Jungclaus, G.A.
Formation of amine-N-trifluoroacetyl derivatives from the amine hydrochloride salts (139) 174

K

Kagrammanova, V.K., see Aukaty, M.F. (137) 351
Kaiser, M.A., see Hodgin, J.C. (135) 514
Kaistha, K.K. and Tadrus, R.
Single- and two-step extraction and thin-layer detection procedures for benzoylecgonine (cocaine metabolite) alone or in combination with a wide variety of commonly abused drugs in urine screening programs (135) 385
Kalinowski, H.O., see Heckers, H. (135) 93
Kållberg, N., see Ehrsson, H. (140) 157
Kalsi, P.S., see Chhabra, B.R. (135) 521
Kaminsky, L.S., see Fasco, M.J. (131) 365
Kamp, C.G. van de, see Van de Kamp, C.G. (131) 412
Kaneda, T.
GC retention characteristics of ω-alicyclic fatty acids (136) 323
Kangas, L.
Comparison of two GLC methods for the determination of nitrazepam in plasma (136) 259
Karasek, F.W., Hill, H.H. Jr., Kim, S.H. and Rokushika, S.
GC detection modes for the plasma chromatograph (135) 329
Karasek, F.W., see Hill, H.H. Jr. (131) 245
Karobath, M., see Schmid, R. (139) 101

Kartnig, T. and Kobosil, P.
Separation of digitalis cardenolides by HPTLC (in German) (138) 238
Kartnig, T., see Hiermann, A. (140) 322
Kato, Y., Seita, T., Hashimoto, T. and Shimizu, A.
Separation of nucleic acid bases and nucleosides by high-performance affinity chromatography (134) 204
Kauffman, P.
Separation of butylated hydroxyanisole isomers on Sephadex LH-20 (132) 356
Kawabata, T., Ohshima, H., Ishibashi, T., Matsui, M. and Kitsuwa, T.
GC determination of methylguanidine, guanidine and agmatine as their hexafluoroacetylacetonates (140) 47
Kawazu, K.
Comparison of efficiency of cation-exchange resins in the chromatographic separation of metal ions with aqueous acetone-hydrochloric acid solution (137) 381
Keane, P.M., see Gupta, R.N. (132) 140
Keglević, D., see Hadžija, O. (138) 458
Keiser, J.E., see Baaske, D.M. (140) 57
Kelly, G.J.C., see Murphy, R.F. (135) 427
Kelly, R.C., Valentour, J.C. and Sunshine, I.
Solvent suppression of the decomposition of phenobarbital during on-column methylation with trimethylanilinium hydroxide (138) 413
Kelsey, M.I. and Sexton, S.A.
Isolation and purification of lithocholic acid metabolites produced by the intestinal microflora (133) 327
Kerebel, A., Morfin, R.F., Berthou, F.L., Picart, D., Bardou, L.G. and Floch, H.H.
Analysis of $C_{19}O_3$ steroids by TLC and GLC and MS (140) 229
Kershner, A.S., see Byrne, K.M. (131) 191
Kettenes-van den Bosch, J.J. and Salemink, C.A.
Cannabis. XVI. Constituents of marihuana smoke condensate (131) 422
Khan, M.-U. and Williams, J.P.
Improved TLC method for the separation of major phospholipids and glycolipids from plant lipid extracts and phosphatidyl glycerol and bis(monoacylglyceryl) phosphate from animal lipid extracts (140) 179
Kho, B.T., see Smith, K.M. (137) 431
Kikic, I., see Alessi, P. (131) 31, (133) 190
Kikta, E.J. Jr. and Grushka, E.
Bonded peptide stationary phases for the separation of amino acids and peptides using LC (135) 367
Kikta, E.J. Jr. and Stange, A.E.
Phenones: A family of compounds broadly applicable to use as internal standards in HPLC. Application to the analysis of carbofuran (138) 41
Kikta, E.J. Jr., Stange, A.E. and Lam, S.
Inexpensive temperature control system for HPLC. Application to carbofuran analysis and temperature programming for LC analysis (138) 321
Kim, S.H., see Karasek, F.W. (135) 329
Kinnier, W.J. and Wilson, J.E.
Complete analysis of protein hydrolysates containing phosphoserine and phosphothreonine using the amino acid analyzer (135) 508
Kirkpatrick, D.
Separation of optical brighteners by LSC. II (139) 168
Kirret, O., see Krull, M. (135) 212
Kitao, T., see Kitaoka, Y. (132) 175
Kitaoka, Y., Yamase, I., Fukumura, T. and Kitao, T.
Electrophoretic behaviour of congo red dyes in aqueous dimethylformamide containing an electrolyte (132) 175
Kitsuwa, T., see Kawabata, T. (140) 47
Kiuchi, K., Ohta, T. and Ebine, H.
HPLC separation and quantitative analysis of synthetic phospholipids (133) 226
Klemm, G., see Blasius, E. (135) 323
Klimes, I., Stünzi, W. and Lamparsky, D.
Nanogram techniques. I. Injection without losses on capillary GLC columns (in German) (136) 13
Klimes, I., Stünzi, W. and Lamparsky, D.
Nanogram techniques. II. Micro-scale preparative GC (in German) (136) 23
Knight, J.C.
Analysis of Fenugreek sapogenins by GLC (133) 222
Knight, J.C.
Chromatography of the reduction products of spectinomycin (136) 432
Knödgen, B., see Seiler, N. (131) 109
Knuutinen, J., see Sattar, M.A. (135) 395, (136) 379
Ko, C.Y., see Hastings Vogt, C.R. (134) 451
Kobosil, P., see Kartnig, T. (138) 238
Kobrehel, G., Tamburašev, Z. and Djokić, S.
Erythromycin series. IV. TLC of erythromycin, erythromycin oxime, erythromycylamine and their acyl derivatives (133) 415
Koch, J., see Figge, K. (131) 317
Koch, W.L., see Sondack, D.L. (132) 352
Kodama, A., see Tsukida, K. (134) 331
Kogerman, A., see Krull, M. (135) 212
Koharcheck, H., see Vinson, J.A. (140) 71
Kok, R.M., see Faber, D.B. (133) 319
Kok, W.T., see De Jong, G.J. (135) 249
Kolb, B., Auer, M. and Pospisil, P.
Ionization detector for GC with switchable selectivity for carbon, nitrogen and phosphorus (134) 65
Kolínský, M., see Janča, J. (132) 187
König, B., see Haller, W. (132) 387
König, W.A., Rahn, W. and Eyem, J.
GC separation of diastereoisomeric amino acid derivatives on glass capillaries. The

use of pentafluoropropionyl-amino acid (+)-3-methyl-2-butyl esters (133) 141
Konrad, Z., see Kozjak, B. (132) 323
Kootstra, A., see Bailey, G. (133) 386
Kopečni, M.M., Milonjić, S.K. and Djordjević, N.M.
Thermodynamics of molecular association. Tri-*n*-alkylamine-chloroalkane systems (139) 1
Kopwillem, A., see Bier, M. (132) 437
Korpela, T.
Device for regeneration of cation-exchange resins with hydrochloric acid (133) 237
Kouřilová, D. and Krejčí, M.
Longitudinal temperature gradients in LC with a binary mobile phase (138) 329
Kováč, J. and Henselová, M.
Detection of triazine herbicides in soil by a Hill-reaction inhibition technique after TLC (133) 420
Kozjak, B., Marinić, Z., Konrad, Z., Musani-Marazović, L. and Pučar, Z.
Electrophoretic investigations of the complexing of cadmium and zinc with EDTA (132) 323
Kraak, J.C., see Terweij-Groen, C.P. (138) 245
Krejčí, M., see Kouřilová, D. (138) 329
Kress, T.J., see Jakovljevic, I.M. (134) 238
Krijgsman, W. and Van de Kamp, C.G.
Determination of chlorophenols by capillary GC (131) 412
Krishnaswamy, N., see Mehta, B.J. (135) 455
Krocza, W., see Jarc, H. (134) 351
Król, A., see Paryjczak, T. (139) 349
Krol, J.H., see Tjaden, U.R. (136) 233
Krull, M., Kogerman, A., Kirret, O., Kutyina, L. and Zapolski, D.
Pyrolysis GC of capron (nylon-6) fibre stabilized with ethers of 4-oxydiphenylamine (135) 212
Krummen, K. and Frei, R.W.
Separation of nonapeptides by reversed-phase HPLC (132) 27
Krummen, K. and Frei, R.W.
Quantitative analysis of nonapeptides in pharmaceutical dosage forms by HPLC (132) 429
Kubín, M., see Vozka, S. (139) 225
Kudirka, P.J., see Schroeder, R.R. (134) 83
Kues, H.A. and Teague, C.E.
TLC of some cyanine dyes (135) 221
Küllik, E., see Urbas, E. (137) 210
Kunihiro, K., see Nakae, A. (134) 459
Kunzelmann, P., see Husain, S. (137) 53
Kuroda, R., Saito, T., Oguma, K. and Takemoto, M.
TLC behaviour of metals on DEAE-cellulose in oxalic acid and mixed oxalic acid-hydrochloric acid media (139) 355
Kurtev, B.J., see Palamareva, M.D. (132) 61, (132) 73
Kurtev, K.S., see Shopova, B.I. (132) 99
Kutyina, L., see Krull, M. (135) 212
Kuwahara, A., see Endo, T. (140) 263
Kuysten, J., see Poppe, H. (132) 369

L

Lacoste, A.M., see Jensen, H. (132) 556
Lafuma, F., see Lesec, J. (138) 89
Laitem, L. and Gaspar, P.
GC determination of methylthiouracil residues in meat and organs of slaughtered animals (140) 266
Lam, C.H., see Lie Ken Jie, M.S.F. (136) 178, (138) 373, (138) 446
Lam, S., see Kikta, E.J. Jr. (138) 321
Lamar, C. Jr. and Cantey, J.R.
Purification of *a*-fetoprotein from rat amniotic fluid by gel filtration (137) 471
Lamparsky, D., see Klimes, I. (136) 13, (136) 23
Land, G., see Bye, A. (139) 181
Lanouette, M., see Carignan, G. (135) 523
Lanzoni, J., see Frigerio, A. (134) 299
Larsen, C., see Bundgaard, H. (132) 51
Larson, R.A. and Rockwell, A.L.
GC identification of some chlorinated aromatic acids, chlorophenols, and their aromatic acid precursors (139) 186
Larsson, K. and Samuelson, O.
Determination of the interstitial volume of ion-exchange columns (134) 191
Larsson, K. and Samuelson, O.
Simultaneous separation of oligomeric sugars and oligomers with a terminal aldonic acid group on anion-exchange resins (134) 195
Lasa, J., see Rosiek, J. (137) 245
Latham, A.N., see Hill, R.E. (131) 341
Laub, R.J., Purnell, J.H. and Williams, P.S.
Computer-assisted prediction of GC separations (134) 249
Lauer, H.H., Poppe, H. and Huber, J.F.K.
Application of high-pressure GC with columns packed with small particles (132) 1
Lawrence, J.F., Lewis, D.A. and McLeod, H.A.
Detection of carbofuran and metabolites directly or as their heptafluorobutyryl derivatives using GLC or HPLC with different detectors (138) 143
Lawrence, J.F., see Ryan, J.J. (135) 117
Lazarevski, T., Tamburašev, Z. and Djokić, S.
Erythromycin series. V. Quantitative analysis of cladinose and methylcladinoside by densitometry of thin-layer chromatograms (132) 309
Le Parlouer, P., Boinon, B. and Vergnaud, J.-M.
GC with backflushing, with linear temperature programming in the first direction and a programmed longitudinal

positive temperature gradient during the opposite direction of gas flow (133) 253
LeBelle, M.J., see Vilim, A. (133) 239
Leboda, R., Sokołowski, S., Rynkowski, J. and Paryjczak, T.
Chromatographic investigations of mixed catalysts (138) 309
Leboda, R., see Sokołowski, S. (139) 237
Lederer, M., see Casillo, M. (135) 256
Lederer, M., see Sinibaldi, M. (133) 425
Lee, T.D., see Flanagan, R.J. (137) 119
Leenheer, A.P. de, see De Leenheer, A.P. (140) 293
Leger, R.M., see Lynn, R.K. (131) 329
Leggett, D.C.
Vapor pressure of 2,4,6-trinitrotoluene by a GC headspace technique (133) 83
Lemar, M., Versaud, P. and Porthault, M.
Detection by IR spectrometry in HPLC (in French) (132) 295
Lemmens, L.
Determination of dihydroxydianthrones by densitometry after TLC (132) 363
Lennard, M.S., Silas, J.H., Smith, A.J. and Tucker, G.T.
Determination of debrisoquine and its 4-hydroxy metabolite in biological fluids by GC with flame-ionization and nitrogen-selective detection (133) 161
Leone, R.M.
Styrylphenyl tetrazolium chloride as a location reagent for thiolsteroids on paper chromatograms (135) 527
Lepri, L., Desideri, P.G. and Muzzarelli, R.A.A.
Chromatographic behaviour of nucleic acid constituents and of phenols on chitosan thin layers (139) 337
Lesec, J., Lafuma, F. and Quivoron, C.
Recycle GPC separation of some acetal alcohol diastereoisomers representing partial polyglucosidic sequences (138) 89
Levy-Benshimol, A., see Jain, R.S. (139) 283
Lewis, D.A., see Lawrence, J.F. (138) 143
Lhoest, G., see Bettencourt, A. (134) 323
Licht, A., see Radhakrishnan, A.N. (132) 552
Lichtenthaler, H.K. and Prenzel, U.
HPLC of natural prenylquinones (135) 493
Lichwa, J., see Van Loon, J.C. (136) 301
Lie Ken Jie, M.S.F.
Fatty acids. XIII. The GLC behaviour of dimethylene-interrupted methyl *cis*-octadecenynoates (131) 239
Lie Ken Jie, M.S.F. and Lam, C.H.
Fatty acids. XV. TLC behaviour of acetylenic fatty esters on silicic acid (136) 178
Lie Ken Jie, M.S.F. and Lam, C.H.
Fatty acids. XVII. Chromatographic properties of all isomeric C_{18} furan esters (138) 373
Lie Ken Jie, M.S.F. and Lam, C.H.
Fatty acids. XVIII. GLC behaviour of unsaturated furan esters (138) 446
Ligny, C.L. de, see De Ligny, C.L. (140) 149
Limoni, B. and Schmuckler, G.
GPC of transition metal ions using Bio-Gels (135) 173
Lin, E.T., Brater, D.C. and Benet, L.Z.
GLC determination of pseudoephedrine and norpseudoephedrine in human plasma and urine (140) 275
Lin, K.-T.D.
Use of a low-salt, alkaline buffer in the elution of basic amino acids from a single-column amino acid analyzer (132) 160
Locksley, H.D., see Clark, J. (134) 315
Lodge, B.A., see Carignan, G. (135) 523
Loh, A., see Zuleski, F.R. (132) 45
Lohmüller, M., Heizmann, P. and Ballschmiter, K.
Chromatography of metal chelates. VIII. HPLC of metal dithizonates (137) 165
Lombard, A., Tourn, M.L. and Buffa, M.
In situ reactions on silica gel thin layers in studies on plant oligosaccharides (134) 242
Loo, T.L., see Benvenuto, J.A. (134) 219
Loon, J.C. van, see Van Loon, J.C. (136) 301
Loughran, E.D., see Yasuda, S.K. (137) 283
Love, S.H.
Isoelectric focusing in cylinders of granulated gel (138) 25
Lu, K., see Benvenuto, J.A. (134) 219
Lubba, H., see Figge, K. (131) 317
Lubkowitz, J.A., Glajch, J.L., Semonian, B.P. and Rogers, L.B.
Study of the nitrogen response mode of the thermionic rubidium silicate detector (133) 37
Lubkowitz, J.A., see Hodgin, J.C. (135) 514
Luckow, V. and Rüssel, H.A.
Mechanism of the reaction GC of phenylmercury(II) compounds (138) 381
Luft, R., see Fellous, R. (133) 7, (136) 5, (140) 137, (140) 143
Lull, J.M., see Brown, R.K. (131) 223
Lund, J., see Bechgaard, E. (133) 147
Lyngbye, J., see Ingemann Hansen, S. (134) 517
Lynn, R.K., Leger, R.M., Gordon, W.P., Olsen, G.D. and Gerber, N.
New GC assay for the quantification of methadone. Application in human and animal studies (131) 329

M

Maat, L., see Olieman, C. (133) 382
Macák, J., see Buryan, P. (137) 425, (139) 69
Macasieb, T., see Brooks, M.A. (135) 123
Macdonald, I.A.
Detection of bile salts with Komarowsky's

reagent and group specific dehydrogenases (136) 348
MacDonald, R.C. and Rempas, S.P.
Dry CC of phospholipids (131) 157
Macek, K., see Helm, R. (133) 390
McGuirk, M. and Mainwaring, S.J.
Reversed two-dimensional technique for multiple separations of benzo[*a*]pyrene from atmospheric aerosol samples (135) 241
Machin, A.F., see Mundy, D.E. (139) 321
McKeag, R.G. and Hougen, F.W.
Dynamic coating of glass capillaries with polar phases and Silanox (136) 308
MacKenzie, S.L. and Hogge, L.R.
GC-MS of the N(O)-heptafluorobutyryl isobutyl esters of the protein amino acids using electron impact ionisation (132) 485
MacLean, W., see Yost, R. (134) 73
McLennon, D.A., see Rao, G.S. (137) 231
McLeod, H.A., see Lawrence, J.F. (138) 143
McNair, H.M. and Stafford, D.T.
Micro-adsorption detector. I. Principles of operation and mechanism of response (133) 31
McNair, H.M., see Berg, R.G. (131) 185
McNeil, E.E., Otson, R., Miles, W.F. and Rajabalee, F.J.M.
Determination of chlorinated pesticides in potable water (132) 277
Maehr, H., see Byrne, K.M. (131) 191
Mage, R.G., see Ansari, A.A. (140) 98
Maguire, K.P., see Norman, T.R. (134) 524
Maile, R.J. Jr., Fischesser, G.J. and Anderson, M.M.
TLC separation of phosphonic acid derivatives (132) 366
Mainwaring, S.J., see McGuirk, M. (135) 241
Majewski, H. and Story, D.F.
PC separation of noradrenaline and its major metabolites (139) 218
Malinar, M.J., see Čelap, M.B. (139) 45
Mallet, V.N., see Berkane, K. (139) 386
Mallet, V.N., see Zakrevsky, J.-G. (132) 315
Malone, M.H., see Byrne, J.A. (137) 489
Maleta, E., see Czerwiec, Z. (132) 168, (137) 223
Mandrou, B., see Andary, C. (132) 525
Marai, L., see Harris, W.S. (131) 437
Marinić, Z., see Kozjak, B. (132) 323
Marino, G., see Petrilli, P. (135) 511
Marklová, E. and Hais, I.M.
Chromatographic behaviour of some indole acids on a Sephadex column in water and in the presence of salts (131) 205
Marquez, J.A., see Byrne, K.M. (131) 191
Marshall, J.J. and Humphreys, J.D.
Isolation of synthetic enzyme-dextran conjugates by chromatography on concanavalin A-Sepharose (137) 468
Marshall, P.N.
TLC of Sudan dyes (136) 353
Martens, F.K., Martens, M.A., Söylemozoglu, T. and Heyndrickx, A.M.
Significance of the rubidium bromide thermionic detector equipped with a gate electrode in the analysis of halogenated dithiocarbamate derivatives (140) 86
Martens, L.J.H., see Ernst, G.F. (133) 245
Martens, M.A., see Martens, F.K. (140) 86
Martin, B.K., see Grove, J. (133) 267
Martinelli, E.M., see Bombardelli, E. (139) 111
Martinez, F., see Guillemin, C.L. (139) 259
Masada, M., see Wu, H.-L. (137) 127
Massarani, G., see Forni, G. (131) 444
Massow, F. v. and Huber, D.
New thin-layer system for the identification of moderately polar to lipophilic boletus pigments (in German) (138) 232
Mathur, D.S. and Saha, N.C.
Estimation of polarity of solids by GC (138) 33
Matsui, M., see Kawabata, T. (140) 47
Matysik, G., see Soczewiński, E. (132) 379, (137) 182
Maynard, R., see Clark, J. (134) 315
Meesschaert, B., Adriaens, P. and Eyssen, H.
GLC of methyl esters of natural penicillins (136) 162
Meesschaert, B., see Adriaens, P. (140) 103
Meffin, P.J., Harapat, S.R. and Harrison, D.C.
HPLC analysis of drugs in biological fluids. III. Analysis of disopyramide and its mono-N-dealkylated metabolite in plasma and urine (132) 503
Meffin, P.J., Harapat, S.R., Yee, Y.-G. and Harrison, D.C.
HPLC analysis of drugs in biological fluids. V. Analysis of acebutolol and its major metabolite (138) 183
Meffin, P.J., see Bjornsson, T.D. (137) 145
Mehta, B.J. and Krishnaswamy, N.
Preparation of optically active ion-exchange resins and resolution of racemates (135) 455
Meier, B. and Sticher, O.
HPLC of iridoid and secoiridoid glucosides (138) 453
Meier, K.D., see Tutschek, R. (139) 211
Melcher, F.W., see Heckers, H. (135) 93, (136) 311
Mercier, M., see Bettencourt, A. (134) 323
Meyer, J.A., see Rouchaud, J. (139) 376
Meyer, J.C., see Puglisi, C.V. (136) 391
Meyers, C., see Issaq, H.J. (133) 291
Miedziak, I., see Boček, P. (137) 83
Mierzwa, S. and Witek, S.
GLC method with electron-capture detection for the determination of residues of some phenoxyacetic acid herbicides in water as their 2,2,2-trichloroethyl esters (136) 105
Mikkers, F.E.P., see Verheggen, T.P.E.M. (132) 205
Milano, M.J. and Grushka, E.
Diode array detector in LC. II. Enhanced sensitivity via first derivative ($dA/d\lambda$) chromatograms (133) 352
Miles, W.F., see McNeil, E.E. (132) 277

Milina, R.S., see Pankova, M.C. (137) 198
Miller, J.J. and Oake, R.J.
GLC determination of niridazole in biological fluids (131) 442
Miller, S.H., see Dvorchik, B.H. (135) 141
Milley, J.
Isolation of natural surface-active materials of crude oils by adsorption chromatography (139) 135
Milley, J., see Van den Berg, J.H.M. (132) 421
Milonjić, S.K., see Kopečni, M.M. (139) 1
Min, B.H. and Garland, W.A.
Determination of clonazepam and its 7-amino metabolite in plasma and blood by GC-chemical ionization MS (139) 121
Minagawa, K., see Takeshita, R. (133) 303
Minn, J., see Clarke, J.F.G. Jr. (134) 397
Mitchard, M., see Rovei, V. (138) 391
Miyazaki, H., Ishibashi, M. and Itoh, M.
Application of an ion-cluster technique to the analysis of endogenous hydroxylated compounds. I. Preparation of a doublet by use of a mixture of trimethylsilylimidazole (TSIM) and TSIM-d_3 (135) 109
Miyazaki, H., Ishibashi, M., Itoh, M., Yamashita, K. and Nambara, T.
Use of silylating agents for the identification of hydroxylated steroids by GC and GC-MS. Discrimination between phenolic and alcoholic hydroxyl groups (133) 311
Mladenov, I.T., see Shopova, B.I. (132) 99, (135) 473
Mönch, W. and Dehnen, W.
HPLC of peptides (140) 260
Montgomery, J.A., see Temple, C. Jr. (140) 114
Moore, B., Nickless, G., Hallett, C. and Howard, A.G.
Analysis of nitrazepam and its metabolites by HPLC (137) 215
Moreau, J.-P., see Arpino, P. (134) 433
Morelis, P., see Blanchet, G. (135) 477
Morfin, R.F., see Kerebel, A. (140) 229
Morgan, E.D. and Tyler, R.C.
Microchemical methods for the identification of volatile pheromones (134) 174
Morgan, E.D., see Burkinshaw, P.M. (132) 548
Mori, S.
Comparison of chemically bonded and physically coated polyethylene glycol stationary phases in GC (135) 261
Mori, Y., see Furukawa, H. (136) 428
Moriguchi, S., Naito, K. and Takei, S.
Characterization of modified alumina as an adsorbent for GSC. Modification of alumina with alkali-metal fluorides (131) 19
Moro, L., see Assandri, A. (135) 37
Morris, C.J.O.R., see Davy, K.W.M. (136) 361
Morselli, P.L., see Rovei, V. (138) 391
Müller, O., see Winkler, E. (138) 151
Müller, W.E.G., see Arendes, J. (140) 118
Mundy, D.E. and Machin, A.F.
Determination of the rodenticide difenacoum in biological materials by HPLC with confirmation of identity by MS (139) 321
Murphy, R.F., Conlon, J.M., Imam, A. and Kelly, G.J.C.
Comparison of non-biospecific effects in immunoaffinity chromatography using cyanogen bromide and bifunctional oxirane as immobilising agents (135) 427
Murray, K.E.
Concentration of headspace, airborne and aqueous volatiles on Chromosorb 105 for examination by GC and GC-MS (135) 49
Murray, S., see Draffan, G.H. (139) 311
Musani-Marazović, L., see Kozjak, B. (132) 323
Mustich, G., see Bombardelli, E. (139) 111
Muto, G., see Nakae, A. (134) 459
Muzika, K., see Williams, D.T. (136) 423
Muzzarelli, R.A.A., see Lepri, L. (139) 337
Myher, J.J., see Harris, W.S. (131) 437

N

Nachtmann, F. and Budna, K.W.
Sensitive determination of derivatized carbohydrates by HPLC (136) 279
Nagai, H., see Deguchi, T. (133) 173
Nair, B.M. and Appelqvist, L.-Å.
Automatic sample introduction system for GLC analysis of amino acids (133) 203
Naito, K., see Moriguchi, S. (131) 19
Nakae, A., Kunihiro, K. and Muto, G.
Separation of homologous alkylbenzyldimethylammonium chlorides and alkylpyridinium halides by HPLC (134) 459
Nakamura, H.
TLC of histidine, histamine and histidyl peptides at picomole level using a unique fluorogenic reaction with fluorescamine (131) 215
Nambara, T., see Miyazaki, H. (133) 311
Nand, S., Desai, B.K. and Sarkar, M.K.
Chromatographic pulsed micro-reactor system for studying the kinetics of hydrocarbon conversions (133) 359
Näslund, B., see Hartvig, P. (133) 367
Navarro, J.G. and Cornwell, E.S.
Determination of paraoxon by combined bovine liver esterase inhibition and GLC (138) 423
Nawrocki, J., see Szczepaniak, W. (138) 337
Negrini, P., see Pantarotto, C. (131) 430
Nekic, M., see Brown, R.K. (131) 223
Nelis, H.J.C.F., see De Leenheer, A.P. (140) 293
Neuhoff, V., see Osborne, N.N. (134) 489
Neuzil, E., see Jensen, H. (132) 556

Nicholas, A.W., see Gustafson, M.E. (137) 465
Nickla, H., see Brown, R. (133) 423
Nickless, G., see John, E.D. (138) 399
Nickless, G., see Moore, B. (137) 215
Nitsche, I., see Slemrova, J. (135) 401
Nolte, R.F., see Specht, S. (135) 273
Norman, P.W. and Fells, I.
Automatic data collection and analysis using an FM tape recorder (132) 533
Norman, T.R., Maguire, K.P. and Burrows, G.D.
Determination of therapeutic levels of butriptyline in plasma by GLC (134) 524
Notman, H., see Cashion, P. (136) 159
Notman, H.J., see Cashion, P.J. (135) 189
Novák, J., Bleha, M., Votavová, E. and Čoupek, J.
Investigation of the reaction of epichlorohydrin with 1-butanol by gel chromatography (139) 141
Novák, J. and Horáková, J.
GC identification of butyl 3-chloro-2-hydroxypropyl ethers and butyl glycidyl ethers (in German) (131) 303
Novák, J. and Janák, J.
Properties of the flow-impedance bridge detector (138) 1
Novák, J., see Drozd, J. (136) 37
Novák, J., see Nováková, N. (135) 13
Nováková, N. and Novák, J.
Measurement of heats of vaporization by means of a gas chromatograph (135) 13
Novotny, M., see Bartle, K.D. (135) 351

O

Oake, R.J., see Miller, J.J. (131) 442
O'Grady, R., see Williams, D.T. (136) 423
Oguma, K., see Kuroda, R. (139) 355
Ogundipe, C.O.E., see Vernon, F. (132) 181
Ohashi, S., see Yoza, N. (134) 497
Ohshima, H., see Kawabata, T. (140) 47
Ohta, T., see Kiuchi, K. (133) 226
Olieman, C., Maat, L., Waliszewski, K. and Beyerman, H.C.
Chemistry of opium alkaloids. VIII. Separation of opium alkaloids and related compounds by ion-pair HPLC (133) 382
Olsen, G.D., see Lynn, R.K. (131) 329
Onley, J.H., see Roscher, N.M. (140) 109
Oomen-Meulemans, E.P.M., see Tjaden, U.R. (136) 233
Oriente, G., see Amico, V. (131) 233
Oruezabal, C., see Arpino, P. (134) 433
Osa, A., Arukaevu, H. and Aaviksaar, A.
Preparative purification of alkyl methylphosphonic acid *p*-nitrophenyl esters on Sephadex LH-20 (135) 196
Osborne, N.N. and Neuhoff, V.
Preliminary study of the use of dansyl chloride to determine cyclic-3',5'-AMP in tissues (134) 489
Ossicini, L., see Casillo, M. (135) 256
Ostrach, S.
Convection in continuous-flow electrophoresis (140) 187
Otson, R., see McNeil, E.E. (132) 277
Otsuki, A.
Reversed-phase adsorption of phthalate esters from aqueous solutions and their gradient elution using a high-performance liquid chromatograph (133) 402
Otter, G.E. and Taylor, L.
Development of a bonded weak anion-exchange packing suitable for the HPLC of hop resins (133) 97
Ovodov, Y.S., see Burtseva, T.I. (131) 464

P

Paasivirta, J., see Sattar, M.A. (135) 395, (136) 379
Pacifici, G.M. and Placidi, G.F.
Rapid and sensitive electron-capture GC method for the determination of pinazepam and its metabolites in human plasma, urine and milk (135) 133
Påhlman, S., Rosengren, J. and Hjertén, S.
Hydrophobic interaction chromatography on uncharged Sepharose derivatives. Effects of neutral salts on the adsorption of proteins (131) 99
Palamareva, M.D. and Kurtev, B.J.
Chromatographic behaviour of diastereomers. II. TLC behaviour of diastereomeric 1,2-disubstituted 1,2-diarylethanes (132) 61
Palamareva, M.D., Kurtev, B.J. and Haimova, M.A.
Chromatographic behaviour of diastereomers. III. TLC behaviour of diastereomeric 4-substituted 6,7-dialkoxy-3-aryl-tetrahydroisoquinolines and -isochromans (132) 73
Palmerini, C.A., see Floridi, A. (138) 203
Palmskog, G. and Hultman, E.
Determination of (*d,l*)-6-chloro-α-methylcarbazole-2-acetic acid in plasma by HPLC (140) 310
Pankova, M.C., Milina, R.S., Belcheva, R.P. and Ivanov, A.S.
GC separation and identification of bicyclic aromatic hydrocarbons in kerosene (b.p. 200-280°) (137) 198

Pantarotto, C., Cappellini, L., De Pascale, A. and Frigerio, A. Epoxide-diol pathway in the metabolism of 5*H*-dibenzo[*b*,*f*]azepine (iminostilbene) (134) 307
Pantarotto, C., Cappellini, L., Negrini, P. and Frigerio, A. "Epoxide-diol" metabolic pathway of 5H-dibenzo[*a*,*d*]cycloheptene in the rat. Studies by GC and MS (131) 430
Pantarotto, C., see Frigerio, A. (134) 299
Papazova, D. and Dimov, N. Qualitative GC analysis and determination of solute properties. Study of the relationship between the molecular structure and GC retention of alkenes on squalane (137) 259
Papazova, D., see Dimov, N. (137) 265
Pape, B.E. and Ribick, M.A. Analysis of medazepam, diazepam, and metabolites in plasma by GLC with electrolytic conductivity detection (136) 127
Pape, B.E., Rodgers, D.H. and Flynn, T.C. Electrolytic conductivity detector as an element-selective GC detector (134) 1
Papin, J.-P. and Udiman, M. TLC of the principal ketoses (in French) (132) 339
Papo, A., see Alessi, P. (131) 31, (133) 190
Parande, M.G., see Choudhary, V.R. (132) 344
Park, K., see Casagrande, D.J. (135) 208
Parkhouse, J., see Cole, W.J. (136) 409
Parlouer, P. le, see Le Parlouer, P. (133) 253
Parris, N.A. LC separation of bile acids (133) 273
Paryjczak, T., Rynkowski, J. and Król, A. GC investigations of the system tricobalt tetroxide-hydrogen (139) 349
Paryjczak, T., see Leboda, R. (138) 309
Pascale, A. de, see De Pascale, A. (134) 307
Patsalides, E., see Dilli, S. (134) 477
Patterson, P.L. Pulse-modulated electron capture detection with nitrogen carrier gas (134) 25
Patzer, E.M. and Hilker, D.M. New reagent for vitamin B_6 derivative formation in GC (135) 489
Paul, D., see Singh, H. (137) 202
Pchelkin, V.P., see Zhukov, A.V. (132) 543
Pearce, R.J. Amino acid analysis by GLC of N-heptafluorobutyryl isobutyl esters. Complete resolution using a support-coated open-tubular capillary column (136) 113
Peat, M.A., see Sengupta, A. (137) 206
Pechová, H., see Churáček, J. (139) 85
Peeters, H., see Uyttendaele, K. (132) 261
Peleran, J.C., see Wal, J.M. (136) 165
Perkins, E.G., see Sharma, J.P. (134) 441
Petek, F., see Doly, J. (137) 69
Peterson, A.J., see Fairclough, R.J. (133) 412
Petrilli, P., Sannia, G. and Marino, G. Isoelectric chromatography: a new approach in the use of ion exchangers for protein purification (135) 511
Petters, I., see Garle, M. (140) 165
Picard, J., see Blanchet, G. (135) 477
Picart, D., see Kerebel, A. (140) 229
Pieterse, C., see Ernst, G.F. (133) 245
Pillai, D.N., see Dilli, S. (137) 111
Piper, L.J., see Fasco, M.J. (131) 365
Placidi, G.F., see Pacifici, G.M. (135) 133
Platt, S.G. and Bassham, J.A. Separation of ^{14}C-labeled glycolate pathway metabolites from higher plant photosynthate (133) 396
Plomp, T.A., see Van den Berg, J.H.M. (138) 431
Podkowińska, H. and Urbańska, K. Influence of alkali metal salts on the migration of quaternary ammonium compounds on silica gel layers (137) 485
Pohlmann, J.L.W. and Cohan, S.L. Simplified detection of quaternary ammonium compounds by GC (131) 297
Poitrenaud, C. Partition of metallic elements between a cation-exchanger swollen with water and a solution of metallic chelates in a water-immiscible solvent. I. Dependence of the distribution coefficient on the nature and the concentration of the chelating agent (in French) (133) 15
Poitrenaud, C., see Doury-Berthod, M. (131) 73
Pokorný, S., see Janča, J. (134) 273
Polkowska-Motrenko, H., see Dybczyński, R. (134) 285
Pollak, V. Fluorescence photometry of thin-layer chromatograms and electropherograms (133) 49
Pollak, V. Effect of non-uniform concentration distribution with depth upon quantitative optical analysis of chromatograms (133) 195
Pollak, V. Sensitivity and the dimensions of the separating medium in TLC (133) 199
Poole, C.F., Evans, N.J. and Wibberley, D.G. Determination of selenium in biological samples by GLC with electron-capture detection (136) 73
Poole, C.F. and Wibberley, D.G. Determination of di-(2-ethylhexyl)phthalate in human placenta (132) 511
Poole, C.F., see Burkinshaw, P.M. (132) 548
Popl, M., see Břízová, E. (139) 15
Popl, M., see Čoupek, J. (133) 91
Poppe, H. and Kuysten, J. Construction and evaluation of a thermostatted permittivity detector for column HPLC (132) 369
Poppe, H., see Lauer, H.H. (132) 1
Porath, J. and Dahlgren Caldwell, K. Charge-transfer adsorption chromatography (133) 180
Portanova, J.P. and Shrift, A. Usefulness of N-ethylmaleimide in the

identification of ^{75}Se-labeled selenocysteine (139) 391
Porthault, M., see Lemar, M. (132) 295
Pospisil, P., see Kolb, B. (134) 65
Post, D.
Location of TLC spots using UV light and tracing paper (132) 130
Potin, M., see Grenier-Loustalot, M.F. (138) 63
Pour, J., see Franc, J. (131) 285, (131) 291
Preetz, W., see Bührens, K.-G. (139) 291
Prenzel, U., see Lichtenthaler, H.K. (135) 493
Pretorius, V., see Schieke, J.D. (132) 217, (132) 223, (132) 231
Pritchard, D.G. and Todd, C.W.
GC of methyl glycosides as their trimethylsilyl ethers. The methanolysis and re-N-acetylation steps (133) 133
Privat, G., see Andary, C. (132) 525
Pu, H.H. and Hicks, S.Z. Jr.
Determination of vinyl chloride monomer by GC (132) 495
Pučar, Z., see Kozjak, B. (132) 323
Pudil, F., see Davídek, J. (140) 316
Puglisi, C.V., Meyer, J.C. and De Silva, J.A.F.
Determination of the anti-inflammatory agent carprofen, (D,L)-6-chloro-α-methylcarbazole-2-acetic acid, in blood by HPLC (136) 391
Purnell, J.H., see Laub, R.J. (134) 249

Q

Quivoron, C., see Lesec, J. (138) 89

R

Raaijmakers, J.G.A.M.
System for the identification of novel prostaglandins (138) 355
Rabine, J.-P., see Fellous, R. (133) 7, (136) 5, (140) 137, (140) 143
Rabjohns, M.A., see Fairclough, R.J. (133) 412
Radhakrishnan, A.N., Stein, S., Licht, A., Gruber, K.A. and Udenfriend, S.
High-efficiency cation-exchange chromatography of polypeptides and polyamines in the nanomole range (132) 552
Radivojša, P.N., see Čelap, M.B. (139) 45
Radziuk, B., see Van Loon, J.C. (136) 301
Ragazzi, E. and Veronese, G.
Simple method for the quantitative analysis of tetracyclines by direct fluorimetry after TLC on cellulose plates (132) 105
Ragazzi, E. and Veronese, G.
Gel chromatography of tetracycline antibiotics (134) 223
Rahn, W., see König, W.A. (133) 141
Rajabalee, F.J.M., see McNeil, E.E. (132) 277
Ram, J., see Singh, H. (137) 202
Rao, G.S. and McLennon, D.A.
TLC analysis of phenytoin and its hydroxy metabolites (137) 231
Rasmussen, K.E., see Christophersen, A.S. (132) 91
Reese, C.E., see Scott, R.P.W. (138) 283
Reeve, D.R. and Crozier, A.
Radioactivity monitor for HPLC (137) 271
Regnier, F.E., see Schlabach, T.D. (134) 91
Reichert, U., see Seipel, S. (135) 485
Reid, T.W., see Darling, T. (131) 383
Rejthar, L. and Tesařík, K.
Performance characteristics of a system containing a capillary column and an electron-capture detector (131) 404
Rempas, S.P., see MacDonald, R.C. (131) 157
Rempt-van Dijk, E.M., see Faber, D.B. (133) 319
Rhys Williams, A.T., see Slavin, W. (134) 121
Ribick, M.A., see Pape, B.E. (136) 127
Rice, L.I., Spolter, L. and Allen, C.F.
Preparation and TLC of sulfate conjugates of the component oligomers of Triton X-100 (137) 397
Richardson, L., see Bailey, E. (131) 347
Richter, W.J., see Blum, W. (132) 249
Righetti, P.G.
Distribution of carrier ampholytes in isoelectric focusing (138) 213
Righetti, P.G., Balzarini, L., Gianazza, E. and Brenna, O.
Itaconic acid carrier ampholytes for isoelectric focusing (134) 279
Righetti, P.G., Gianazza, E., Brenna, O. and Galante, E.
Isoelectric focusing as a puzzle (137) 171
Rijks, J.A., see Soják, L. (135) 71, (138) 119
Riley, C.M., see Bristow, P.A. (131) 57
Rittich, B., Šimek, M. and Čoupek, J.
Separation of naphthoquinones and lipophilic vitamins by gel chromatography and TLC (133) 345
Robards, K., see Dilli, S. (133) 363
Robertfroid, M., see Bettencourt, A. (134) 323
Robert, J., see Zanetta, J.-P. (137) 481
Robinson, J.R., see Chapman, R.A. (140) 209
Robinson, R.J., see Bartle, K.D. (135) 351
Rockwell, A.L., see Larson, R.A. (139) 186
Rodgers, D.H., see Pape, B.E. (134) 1
Rodríguez de Turco, E.B. and Bazán, N.G.
Simple preparative and analytical TLC method for the rapid isolation of phosphatidic acid from tissue lipid extracts (137) 194
Rogers, I.T., see Gerhardt, K.O. (135) 341

Rogers, L.B., see Hodgin, J.C. (135) 514
Rogers, L.B., see Lubkowitz, J.A. (133) 37
Rogozhin, S.V., see Semechkin, A.V. (131) 65
Rohrbach, P., see Chevalier, G. (138) 193
Rokushika, S., see Karasek, F.W. (135) 329
Roode, D. de, see De Roode, D. (137) 333
Rooy, J.F.M. de, see De Rooy, J.F.M. (131) 169
Rosazza, J.P., see Gustafson, M.E. (137) 465
Roscher, N.M. and Onley, J.H.
TLC analysis of oxo and thio compounds (140) 109
Rose, L.M. and Brockman, R.W.
Analysis by HPLC of 9-β-D-arabinofuranosyladenine 5'-triphosphate levels in murine leukemia cells (133) 335
Rosengren, J., see Påhlman, S. (131) 99
Rosiek, J., Śliwka, I. and Lasa, J.
Destructive and non-destructive models of the coulometric electron-capture detector (137) 245
Ross, G., see Froehlich, P.M. (137) 135
Ross, M.S.F.
Chromatographic analysis of azapropazone and related benzotriazines (131) 448
Ross, M.S.F.
Determination of metformin in biological fluids by derivatization followed by HPLC (133) 408
Rossi, E., see Frigerio, A. (134) 299
Rossi, M. and Rübsamen, K.
Determination of prothionamide and its sulphoxide metabolite in physiological fluids by quantitative TLC (132) 562
Rouchaud, J., Decallonne, J.R. and Meyer, J.A.
TLC measurement of low activities of tritiated substances mixed with non-radioactive quenching plant pigments (139) 376
Rovei, V., Mitchard, M. and Morselli, P.L.
Simple, sensitive and specific GC method for the quantification of diltiazem in human body fluids (138) 391
Rovei, V., see Frigerio, A. (134) 299
Rubi, J.A.M., see Carreño, T.G. (133) 184
Rübsamen, K., see Rossi, M. (132) 562
Rüchel, R.
Two-dimensional micro-separation technique for proteins and peptides, combining isoelectric focusing and gel gradient electrophoresis (132) 451
Rücker, G. and Taha, A.
Use of π-acceptors for detection of alkaloids on thin layers (132) 165
Rudziński, W., see Wojciechowski, B.W. (137) 1
Rüssel, H.A., see Luckow, V. (138) 381
Russell, J.W. and Shadoff, L.A.
Sampling and determination of halocarbons in ambient air using concentration on porous polymer (134) 375
Russell, P., see Darling, T. (131) 383
Rustamov, M.I., see Arustamova, L.G. (140) 319
Rutherford, D.M.
Rapid micro-method for the measurement of diazepam and desmethyldiazepam in blood plasma by GLC (137) 439
Ruttner, O., see Jarc, H. (134) 351
Ruwe, H.J.J.M. de, see De Ruwe, H.J.J.M. (138) 431
Ryan, J.J. and Lawrence, J.F.
Comparison of electron-capture and electrolytic conductivity detection for the GLC analysis of some perfluoro derivatives of four agricultural chemicals (135) 117
Ryan, T.R., see Hastings Vogt, C.R. (134) 451
Ryan, T.R., see Vogt, C.R. (136) 221
Rynkowski, J., see Leboda, R. (138) 309
Rynkowski, J., see Paryjczak, T. (139) 349

S

Saha, N.C., see Mathur, D.S. (138) 33
Saigal, R., see Chawla, H.M. (138) 243
Saito, T., see Kuroda, R. (139) 355
Saitoh, K., see Suzuki, N. (138) 79
Salas, C.E. and Sellinger, O.Z.
Rapid, quantitative separation by HPLC of methylated bases in transfer RNA (133) 231
Salemink, C.A., see Kettenes-van den Bosch, J.J. (131) 422
Salvesen, B., see Christophersen, A.S. (132) 91
Samuelson, O., see Ericsson, T. (134) 337
Samuelson, O., see Larsson, K. (134) 191, (134) 195
Sannia, G., see Petrilli, P. (135) 511
Sargent, M., see Hoodless, R.A. (136) 199
Sarić, S., see Čelap, M.B. (139) 45
Sarkar, M.K., see Nand, S. (133) 359
Sathe, G., see Cashion, P. (136) 159
Sathe, G.M., see Cashion, P.J. (135) 189
Sattar, M.A., Paasivirta, J., Vesterinen, R. and Knuutinen, J.
TLC of chlorinated catechols (135) 395
Sattar, M.A., Paasivirta, J., Vesterinen, R. and Knuutinen, J.
TLC of chlorinated cresols (136) 379
Sauter, A.M. and Von Wartburg, J.P.
Quantitative analysis of disulfiram and its metabolites in human blood by GLC (133) 167
Schaden, G.
Short-time pyrolysis and spectroscopy of unstable compounds. V. Improvement in Curie-point pyrolysis GC (136) 420
Schaffner, C.P., see Byrne, K.M. (131) 191
Schauwecker, P., Frei, R.W. and Erni, F.
Trace enrichment techniques in reversed-phase HPLC (136) 63
Schepartz, A.I., see Severson, R.F. (139) 269

Schieke, J.D. and Pretorius, V.
Whisker-walled open-tubular glass columns in GC. I. Deactivation (132) 217
Schieke, J.D. and Pretorius, V.
Whisker-walled open-tubular glass columns in GC. II. Chromatographic performance (132) 223
Schieke, J.D. and Pretorius, V.
Whisker-walled open-tubular glass columns in GC. III. Applications (132) 231
Schildknecht, H., see Husain, S. (137) 53
Schirrmeister, H.
Fast and sensitive thermal conductivity detector for use with capillary columns (in German) (137) 13
Schlabach, T.D., Chang, S.H., Gooding, K.M. and Regnier, F.E.
Continuous-flow enzyme detector for LC (134) 91
Schloeder, U., see Heckers, H. (136) 311
Schlotzhauer, P.F., see Severson, R.F. (139) 269
Schmid, R. and Karobath, M.
Specific and sensitive method for the determination of γ-aminobutyric acid using GC with electron-capture or mass fragmentographic detection (139) 101
Schmidt, D.G., see Singer, G.M. (133) 59
Schmuckler, G., see Limoni, B. (135) 173
Schneider, H.G. and Glazko, A.J.
HPLC of adenine and hypoxanthine arabinosides (139) 370
Scholfield, C.R., see Eskins, K. (135) 217
Schroeder, R.R., Kudirka, P.J. and Toren, E.C. Jr.
Enzyme-selective detector systems for HPLC (134) 83
Schwarzenbach, R.
Separation of some polyhydric alcohols by HPLC (140) 304
Schwertner, H., see Wallace, J.E. (138) 111
Scott, R.P.W. and Reese, C.E.
Precision of contemporary LC measurements (138) 283
Sedvall, G., see Beck, O. (134) 407
Seibert, G., see Breter, H.-J. (140) 251
Seifert, B.
Stability of benzo(*a*)pyrene on silica gel plates for HPTLC (131) 417
Seifert, J., see Davídek, J. (140) 316
Seiler, N. and Knödgen, B.
Chromatography of Dns derivatives on pre-coated HPTLC plates (131) 109
Seipel, S. and Reichert, U.
Two-dimensional TLC-autoradiography of intracellular purine interconversion products (135) 485
Seita, T., see Kato, Y. (134) 204
Seitz, W.R., see Curtis, T.G. (134) 343, (134) 513
Selim, S.
Separation and quantitative determination of traces of carbonyl compounds as their 2,4-dinitrophenylhydrazones by HPLC (136) 271
Sellinger, O.Z., see Salas, C.E. (133) 231
Semechkin, A.V., Rogozhin, S.V. and Davankov, V.A.
Ligand-exchange chromatography of racemates. IV. Influence of stationary-complex structure on the mechanism of ligand exchange (131) 65
Semenza, G., see Assandri, A. (135) 25
Semonian, B.P., see Lubkowitz, J.A. (133) 37
Sengupta, A. and Peat, M.A.
GLC of eight anticonvulsant drugs in plasma (137) 206
Sennello, L.T., see Chu, S.-Y. (137) 343
Ševčík, J.
Accurate calculation of adjusted retention time. I (135) 183
Severson, R.F., Ellington, J.J., Schlotzhauer, P.F., Arrendale, R.F. and Schepartz, A.I.
GC method for the determination of free and total solanesol in tobacco (139) 269
Seweryniak, M., see Sokołowski, S. (139) 237
Sexton, S.A., see Kelsey, M.I. (133) 327
Seymour, M.D., see Fischesser, G.J. (135) 165
Shabana, R.M., see Dybczyński, R. (134) 285
Shadoff, L.A., see Russell, J.W. (134) 375
Shaikh, B., see Janini, G.M. (132) 136
Sharma, I.C., see Tewari, S.N. (131) 275
Sharma, J.P., Perkins, E.G. and Bevill, R.F.
Reversed-phase HPLC determination of tetracyclines in urine and plasma (134) 441
Sheehan, M. and Haythorn, P.
Combined TLC and GLC identification of tricyclic antidepressants in urine (132) 237
Sherma, J. and Bloomer, K.
Separation, detection and densitometric determination of chlorinated insecticides on silica gel and aluminum hydroxide papers (135) 235
Shibukawa, M., see Suzuki, N. (138) 79
Shimizu, A., see Kato, Y. (134) 204
Shimoishi, Y.
Some 1,2-diaminobenzene derivatives as reagents for GC determination of selenium with an electron-capture detector (136) 85
Shopova, B.I. and Mladenov, I.T.
Elution behaviour of some derivatives of 2-phenyl-2-(4-hydroxyphenyl)propane on Sephadex LH-20 with acetone and 1,4-dioxan as eluents (135) 473
Shopova, B.I., Mladenov, I.T. and Kurtev, K.S.
Elution behaviour of some derivatives of 2-(4-hydroxyphenyl)-2-phenylpropane on Sephadex LH-20 in methanol and N,N-dimethylformamide (132) 99
Shortnacy, A.T., see Temple, C. Jr. (140) 114
Shrift, A., see Portanova, J.P. (139) 391
Shu, C.-K., see Yoshida, T. (137) 461
Sievers, G. and Hynninen, P.H.
TLC of chlorophylls and their derivatives on cellulose layers (134) 359
Sievers, R.E., see Chen, T.M. (134) 170
Silas, J.H., see Lennard, M.S. (133) 161
Silva, J.A.F. de, see De Silva, J.A.F. (136) 391
Šimek, M., see Rittich, B. (133) 345

Simon, R.L., see Heck, H.d'A. (133) 281
Singer, G.M., Singer, S.S. and Schmidt, D.G.
Nitrosamide-specific detector for use with HPLC (133) 59
Singer, S.S., see Singer, G.M. (133) 59
Singh, H., Paul, D., Bhardwaj, T.R., Bhutani, K.K. and Ram, J.
Steroids and related studies. XL. TLC of some steroidal ketones, oximes and lactams (137) 202
Singleton, V.L., Timberlake, C.F. and Whiting, G.C.
Chromatography of natural phenolic cinnamate derivatives on Sephadex LH-20 and G-25 (140) 120
Sinibaldi, M. and Lederer, M.
Formation of polymeric species by reaction of cobalt(III) complexes with ammonium sulphide (133) 425
Siouffi, A.M., Guillemonat, A. and Guiochon, G.
Attempt to use HPTLC data for prediction of HPLC retention coefficients (in French) (137) 35
Sissons, D.J., see Telling, G.M. (137) 405
Skrdlant, H., see Wallace, J.E. (138) 111
Slack, J.A., see Irwin, W.J. (139) 364
Slavin, W., Rhys Williams, A.T. and Adams, R.F.
Fluorescence detector for HPLC (134) 121
Sleeman, H.K., see Brown, N.D. (138) 449, (140) 300
Slemrova, J. and Nitsche, I.
GC-MS identification of urea derivatives formed by the reaction of amines with isocyanates (in German) (135) 401
Śliwka, I., see Rosiek, J. (137) 245
Slump, P.
Determination of lysinoalanine with an automatic amino-acid analyzer (135) 502
Słonka, T., see Sokołowski, S. (139) 237
Smith, A.G., see Edmonds, C.G. (133) 372
Smith, A.J., see Lennard, M.S. (133) 161
Smith, B.E.F., see Callmer, K. (136) 45
Smith, C.M., see Timbrell, J.A. (138) 165
Smith, D.H., see Burgett, C.A. (134) 57
Smith, H. and Thorpe, J.W.
Estimation of chlorbutanol by electron capture GC (134) 178
Smith, K.M., Johnson, R.N. and Kho, B.T.
Determination of hydralazine in tablets by GC (137) 431
Smith, R.J., see Haken, J.K. (133) 1
Smith, R.V., see Baaske, D.M. (140) 57
Smith, S.C. and Gage, L.D.
LC of dinitro-*p*-xylenes (131) 425
Smrž, M., see Borák, J. (133) 127
Snoeyink, V.L., see Wood, N.F. (132) 405
Soczewiński, E.
Simple device for continuous TLC (138) 443
Soczewiński, E., Dzido, T., Gołkiewicz, W. and Gazda, K.
Comparison of HPLC and TLC data obtained with various types of silica (131) 408
Soczewiński, E., Matysik, G. and Dumkiewicz, W.
Investigations of the relationship between molecular structure and chromatographic parameters. X. Extraction of organic solutes with mixtures of chloroform and electron-donor solvents (132) 379
Soczewiński, E., Matysik, G. and Grodzińska-Zachwieja, Z.
Selective liquid-liquid partition systems for the chromatographic analysis of some coumarins and phenolic acids (derivatives of cinnamic acid) (137) 182
Soják, L., Janák, J. and Rijks, J.A.
Capillary GC of alkylbenzenes. II. Correlations between the structures and methylene group increments and differences in retention indices of isomers (135) 71
Soják, L., Janák, J. and Rijks, J.A.
Capillary GC of alkylbenzenes. III. Correlations between the temperature and pressure coefficients of the retention index and structure (138) 119
Sokoloski, T., see Burce, G.L. (137) 323
Sokołowski, S., Leboda, R., Słonka, T. and Seweryniak, M.
Cluster expansion for retention volume in adsorption GC. Adsorption of hydrocarbons on graphite (139) 237
Sokołowski, S., see Leboda, R. (138) 309
Sollenberg, J. and Baldesten, A.
Isotachophoretic analysis of mandelic acid, phenylglyoxylic acid, hippuric acid and methylhippuric acid in urine after occupational exposure to styrene, toluene and/or xylene (132) 469
Solomonraj, G., see Wong, L.T. (135) 149
Sondack, D.L. and Koch, W.L.
Analysis of urinary tract antibacterial agents in pharmaceutical dosage form by HPLC (132) 352
Souter, R.W.
HPLC resolution of propoxyphene carbinol diastereomers (134) 187
Souter, R.W. and Bishara, R.H.
Quantitative GC analysis on support-coated open tubular capillary columns. I. Analysis of isomeric ethylphenols (140) 245
Söylemozoglu, T., see Martens, F.K. (140) 86
Spannbrucker, N., see Eichelbaum, M. (140) 288
Specht, S., Nolte, R.F. and Born, H.-J.
Influence of the geometry of support materials on the capacity of an extraction chromatographic system. III. Influence of the exchange kinetics and the flow inhomogeneities on the height equivalent to a theoretical plate (in German) (135) 273
Spillane, W.J., see Benson, G.A. (136) 318
Spitz, H.D.
Analysis of trace amounts of acetylsalicylic anhydride in acetylsalicylic acid (140) 131
Spolter, L., see Rice, L.I. (137) 397
Stafford, D.T., see McNair, H.M. (133) 31

Stancher, B., Tunis, F. and Favretto, L.
Chromatographic studies on the extraction of polyoxyethylene alkylphenyl ether non-ionic surfactants from water at trace levels (131) 309
Stange, A.E., see Kikta, E.J. Jr. (138) 41, (138) 321
Stauffer, S.C., see Hucker, H.B. (131) 357, (138) 437
Steele, P., see Hayes, W.P. (139) 395
Stefanovich, V., see Fisher, A.C. (137) 240
Stein, S., see Radhakrishnan, A.N. (132) 552
Steinbach, H. and Gielen, W.
GC determination of hexobarbital and its metabolites from biological material (in German) (139) 191
Sternson, L.A. and DeWitte, W.J.
HPLC analysis of aniline and its metabolites (137) 305
Sternson, L.A. and DeWitte, W.J.
HPLC analysis of isomeric aminophenols with electrochemical detection (138) 229
Stewart, M.J., see Watson, I.D. (132) 155, (134) 182
Sticher, O., see Meier, B. (138) 453
Stockwell, P., see Bailey, G. (133) 386
Story, D.F., see Majewski, H. (139) 218
Stoveken, J., see Yost, R. (134) 73
Strauss, P.A., Hertel, R.H.
Microcomputer-directed mass spectrometer as a compound-selective detector for GC (134) 39
Štrop, P., Bašnák, I. and Farkaš, J.
Separation of alkyl derivatives of uracil by solvophobic adsorption chromatography on Spheron (138) 47
Stubba, W., see Tutschek, R. (139) 211
Stumm, C., see Gribnau, T.C.J. (132) 519
Stünzi, W., see Klimes, I. (136) 13, (136) 23
Subbiah, M.T.R., see Harris, W.S. (131) 437
Sultanov, N.T., see Arustamova, L.G. (140) 319
Sunshine, I., see Kelly, R.C. (138) 413
Suprynowicz, Z., Gawdzik, J. and Jaroniec, M.
Some remarks on the characterization of GSC systems (133) 349
Suprynowicz, Z., see Gawdzik, J. (131) 7
Suttnar, J., Hrkal, Z. and Vodrážka, Z.
Affinity chromatography of serum haemopexin (131) 453
Suzuki, N., Saitoh, K. and Shibukawa, M.
Gel chromatography of β-diketones and their metal complexes. VI. Elution behaviour of various β-diketones and their chromium(III) chelates on different gels (138) 79
Švob, V. and Deur-Šiftar, D.
Comparison of degradation products and processes in MS and pyrolysis GC applied to the identification of alkylbenzenes (135) 85
Swanbeck, G., see Ehrsson, H. (140) 157
Sweeny, J.G., see Wilkinson, M. (132) 349
Szczepaniak, W. and Nawrocki, J.
Coordination polymers as adsorbents and stationary phases in GC. I. Polychromium(III) diphenylphosphinate] (138) 337
Szyszka, J., see Dilli, S. (132) 148

T

Tadrus, R., see Kaistha, K.K. (135) 385
Taha, A., see Rücker, G. (132) 165
Takabatake, E., see Takeshita, R. (133) 303
Takahashi, D.M.
Reversed-phase HPLC analytical system for aflatoxins in wines with fluorescence detection (131) 147
Takei, S., see Moriguchi, S. (131) 19
Takemoto, M., see Kuroda, R. (139) 355
Takeshita, R., Takabatake, E., Minagawa, K. and Takizawa, Y.
Micro-determination of total phthalate esters in biological samples by GLC (133) 303
Takeuchi, Y., see Furukawa, H. (136) 428
Takizawa, Y., see Takeshita, R. (133) 303
Tamburašev, Z., see Kobrehel, G. (133) 415
Tamburašev, Z., see Lazarevski, T. (132) 309
Tamura, Z., see Imai, K. (137) 357
Tan, Y.L.
Microdetermination of nitrate by GC-MS technique with multiple ion detector (140) 41
Tanimura, T., see Uchida, M. (138) 17
Tasai, H., see Endo, T. (140) 263
Taylor, L., see Otter, G.E. (133) 97
Teague, C.E., see Kues, H.A. (135) 221
Telling, G.M., Sissons, D.J. and Brinkman, H.W.
Determination of organochlorine insecticide residues in fatty foodstuffs using a clean-up technique based on a single column of activated alumina (137) 405
Temple, C. Jr., Shortnacy, A.T. and Montgomery, J.A.
LC assay of the calcium salt of citrovorum factor (140) 114
Terweij-Groen, C.P. and Kraak, J.C.
Ion-pair phase systems for the separation of carboxylic acids, sulphonic acids and phenols by HPLC (138) 245
Tesařík, K., see Rejthar, L. (131) 404
Tesser, G.I., see Gribnau, T.C.J. (132) 519
Tewari, S.N. and Sharma, I.C.
Isolation and determination of chlorinated organic pesticides by TLC and the application to toxicological analysis (131) 275

Thacker, L.H.
Improved miniature flow fluorometer for LC (136) 213
Theimer, E.T., see Yoshida, T. (137) 461
Thijssen, H.H.W.
Salt effects in reversed-phase TLC on silica gels (133) 355
Thomas, B.H., see Wong, L.T. (135) 149
Thomas, J.-P., Brun, A. and Bounine, J.-P.
Isohydric solvents in LSCC. Importance for the reproducibility of chromatographic separations and application to the experimental determination of mobile phase polarity (139) 21
Thompson, R.M., see Coffin, R.D. (138) 223
Thorpe, J.W., see Smith, H. (134) 178
Thürmer, H., see Hopf, S. (139) 249
Tillman, J., see Walkley, J.W. (132) 172
Timberlake, C.F., see Singleton, V.L. (140) 120
Timbrell, J.A., Wright, J.M. and Smith, C.M.
Determination of hydrazine metabolites of isoniazid in human urine by GC (138) 165
Tittel, G. and Wagner, H.
HPLC separation of silymarins and their determination in crude extracts of *Silybum Marianum Gaertn.* (135) 499
Tjaden, U.R., Krol, J.H., Van Hoeven, R.P., Oomen-Meulemans, E.P.M. and Emmelot, P.
HPLC of glycosphingolipids (with special reference to gangliosides) (136) 233
Toba, T. and Adachi, S.
GLC of trimethylsilylated disaccharide oximes (135) 411
Todd, C.W., see Pritchard, D.G. (133) 133
Toren, E.C. Jr., see Schroeder, R.R. (134) 83
Torriano, G., see Alessi, P. (133) 190
Tourn, M.L., see Lombard, A. (134) 242
Tranquilla, T., see Cashion, P. (136) 159
Treble, R.D., see Hoodless, R.A. (136) 199
Tremillon, B., see Doury-Berthod, M. (131) 73
Tringali, C., see Amico, V. (131) 233
Tscherne, R.J. and Capitano, G.
HPLC separation of pharmaceutical compounds using a mobile phase containing silver nitrate (136) 337
Tse, F.L.S. and Welling, P.G.
Simultaneous determination of acetylmethadol and its major metabolites by GLC (135) 205
Tsukamoto, M., see Imai, K. (137) 357
Tsukida, K., Kodama, A. and Ito, M.
Simultaneous determination of *cis-trans* isomeric retinals by HPLC (134) 331
Tsydendambaev, V.D., Zhukov, A.V. and Vereshchagin, A.G.
Preparation of plates with a permanent adsorbent layer and their application in the analytical TLC of lipids (132) 195
Tucker, G.T., see Lennard, M.S. (133) 161
Tulp, M.T.M. and Hutzinger, O.
Use of ethyl ethers, deuteriomethyl ethers and cyclic *n*-butylboronates of hydroxychlorobiphenyls in identification of metabolites of polychlorinated biphenyls (139) 51
Tunis, F., see Stancher, B. (131) 309
Turnipseed, S.A., see Wold, J.S. (136) 170
Tutschek, R., Meier, K.D., Grüning, F. and Stubba, W.
Amino acid analysis of physiological fluids by a single-column programme based on stepwise elution with lithium citrate (139) 211
Tyler, R.C., see Morgan, E.D. (134) 174
Tyman, J.H.P.
Long-chain phenols. VIII. Quantitative analysis of the unsaturated constituents of phenolic lipids by TLC-MS (136) 289
Tyman, J.H.P.
Long-chain phenols. IX. Compositional studies on the unsaturated phenols of *Anacardium occidentale* (cashew nut-shell liquid) (138) 97

U

Uchida, M. and Tanimura, T.
Retention behaviour of a porous styrene-divinylbenzene copolymer in the separation of fatty acids and related compounds (138) 17
Udenfriend, S., see Radhakrishnan, A.N. (132) 552
Udiman, M., see Papin, J.-P. (132) 339
Unger, P., see Čoupek, J. (133) 91
Uno, T., see Wu, H.-L. (137) 127
Urbańska, K., see Podkowińska, H. (137) 485
Urbas, E. and Küllik, E.
Pyrolysis GC analysis of some toxic compounds from nitrogen-containing fibres (137) 210
Uyttendaele, K., De Groote, M., Blaton, V., Peeters, H. and Alexander, F.
Analysis of the proteins in sweat and urine by agarose-gel isotachophoresis (132) 261

V

Valentour, J.C., see Kelly, R.C. (138) 413
Van Boom, J.H. and De Rooy, J.F.M.
Sequence analysis of synthetic oligonucleotides by anion-exchange HPLC (131) 169

Van Boven, M. and Daenens, P.
Combined GLC-MS analysis of pemoline in biological samples (134) 415
Van Cantfort, J., see De Graeve, J. (133) 153
Van Cauwenberghe, K., see Cautreels, W. (131) 253
Van de Kamp, C.G., see Krijgsman, W. (131) 412
Van den Berg, J.H.M., De Ruwe, H.J.J.M., Deelder, R.S. and Plomp, T.A.
CLC of tricyclic antidepressants (138) 431
Van den Berg, J.H.M., Milley, J., Vonk, N. and Deelder, R.S.
Mechanisms of separation using the ternary mixture dichloromethane-ethanol-water in HPLC (132) 421
Van der Veen, N.G., see Gelsema, W.J. (140) 149
Van der Wal, S. and Huber, J.F.K.
Improvement of the efficiency of ion-exchange cellulose columns and their application (135) 287
Van der Wal, S. and Huber, J.F.K.
Separation of estrogen glucuronides, sulphates and phosphates on ion-exchange cellulose by HPLC (135) 305
Van Dort, M.A. and Bonner, W.A.
Quantitative GC resolution of amino ester diastereomers (133) 210
Van Dort, M.A., see Flores, J.J. (132) 152
Van Eekelen, C.A.G., see Gribnau, T.C.J. (132) 519
Van Hoeven, R.P., see Tjaden, U.R. (136) 233
Van Loon, J.C., Lichwa, J. and Radziuk, B.
Non-dispersive atomic fluorescence spectroscopy, a new detector for chromatography (136) 301
Vančíková, O., see Helm, R. (133) 390
Vandenheuvel, F.A.
GLC studies of reactions and structural relationships of steroids. V. Concurrent substitution in the pregnane side-chain and position 11 (133) 107
VandenHeuvel, W.J.A., see Yabumoto, K. (140) 197
Vanderhaeghe, H., see Adriaens, P. (140) 103
Vanderhaeghe, H., see Janssen, G. (134) 365
Varma, R. and Varma, R.S.
Simple procedure for combined GC analysis of neutral sugars, hexosamines and alditols. Determination of degree of polymerization of oligo- and polysaccharides and chain weights of glycosaminoglycans (139) 303
Varma, R.S., see Varma, R. (139) 303
Veen, N.G. van der, see Van der Veen, N.G. (140) 149
Verbeke, R., see De Brabander, H.F. (138) 131
Vereshchagin, A.G., see Tsydendambaev, V.D. (132) 195
Vergnaud, J.-M., see Le Parlouer, P. (133) 253
Verheggen, T.P.E.M., Mikkers, F.E.P. and Everaerts, F.M.
Isotachophoresis in narrow-bore tubes. Influence of the diameter of the separation compartment (132) 205
Vermeulen, N.P.E., De Roode, D. and Breimer, D.D.
GC determination of pemoline as 5-phenyl-2,4-oxazolidinedione in human urine (137) 333
Vernon, F. and Ogundipe, C.O.E.
Hydrocarbon stationary phases for GLC (132) 181
Veronese, G., see Ragazzi, E. (132) 105, (134) 223
Versaud, P., see Lemar, M. (132) 295
Vestergaard, P.
Fast liquid-dispensing device for multi-column LC (139) 162
Vestergaard, P., see Bachman, A. (132) 335
Vesterinen, R., see Sattar, M.A. (135) 395, (136) 379
Vidal-Madjar, C., see Arpino, P. (138) 173
Vilim, A., LeBelle, M.J., Wilson, W.L. and Graham, K.C.
Simple TLC identification procedure for erythromycin base, stearate, estolate and ethylsuccinate (133) 239
Villanueva, V.R., Adlakha, R.C. and Cantera-Soler, A.M.
Rapid determination of polyamines and some mono- and diamines in vegetable extracts (in French) (139) 381
Vink, H.
Contributions to the theory of chromatography (135) 1
Vinogradov, S.N., see Brown, R.K. (131) 223
Vinson, J.A. and Hooyman, J.E.
Sensitive fluorogenic visualization reagent for the detection of lipids on thin-layer chromatograms (135) 226
Vinson, J.A., Hooyman, J.E., Koharcheck, H. and Holmes, M.M.
Sensitive TLC method for urine screening of barbiturates (140) 71
Vitiello, F., see Zanetta, J.-P. (137) 481
Vodrážka, Z., see Hrkal, Z. (135) 193
Vodrážka, Z., see Suttnar, J. (131) 453
Vogelsang, S.H., see Axelsen, K.S. (140) 174
Vogt, C.R., Ryan, T.R. and Baxter, J.S.
High-speed LC on cadmium-modified silica gel (136) 221
Von Arx, E. and Faupel, M.
Chromatography on cellulose acetate plates. II. Colouring reagents for chromatography on cellulose acetate plates (in German) (134) 529
Von Wartburg, J.P., see Sauter, A.M. (133) 167
Vonk, N., see Van den Berg, J.H.M. (132) 421
Votavová, E., see Novák, J. (139) 141
Vozka, S. and Kubín, M.
Simple and efficient method of zone spreading correction in GPC (139) 225
Vries, G. de, see De Vries, G. (134) 235

W

Wagner, G.M., see Goenechea, S. (140) 134
Wagner, H., see Tittel, G. (135) 499
Wainwright, M.S., see Haken, J.K. (133) 1
Wal, J.M., Peleran, J.C. and Bories, G.
Simultaneous determination of Trenbolone acetate and ethynyl estradiol in food by combined TLC-GC (in French) (136) 165
Wal, S. van der, see Van der Wal, S. (135) 287, (135) 305
Waliszewski, K., see Olieman, C. (133) 382
Walkley, J.W. and Tillman, J.
Simple TLC technique for the separation of mono- and oligosaccharides (132) 172
Wallace, J.E., Hamilton, H.E., Skrdlant, H., Burkett, L.L. and Schwertner, H.
Identification of selected antihypertensive drugs by TLC (138) 111
Wallin, I., see Ehrsson, H. (140) 157
Walz, C., see Jain, R.S. (136) 141
Warren, L., see Jain, R.S. (136) 141, (139) 283
Wartburg, J.P. von, see Von Wartburg, J.P. (133) 167
Wasserman, L., Ber, A. and Allalouf, D.
Use of TLC in the separation of disaccharides resulting from digestion of chondroitin sulphates with chondroitinases (136) 342
Watson, I.D. and Stewart, M.J.
Quantitative determination of amitriptyline and nortriptyline in plasma by HPLC (132) 155
Watson, I.D. and Stewart, M.J.
Assay of tricyclic structured drugs and their metabolites in urine by HPLC (134) 182
Weatherley, B.C., see Cridland, J.S. (137) 449
Webb, K.S., see Gough, T.A. (137) 293
Wei, T., see Issaq, H.J. (133) 291
Weinfeld, R.E., see Brooks, M.A. (135) 123
Weinstrauch, F., see Baumgarten, E. (138) 347
Welling, P.G., see Tse, F.L.S. (135) 205
Wellington, C.A., see Edwards, W.G. (135) 463
Wells, D.E. and Johnstone, S.J.
Method for the separation of organochlorine residues before GLC analysis (140) 17
White, W.I.
Benzidine substitute visualizing agents for iron porphyrins (138) 220
Whitford, J. H., see Fenimore, D.C. (140) 9
Whiting, G.C., see Singleton, V.L. (140) 120
Wibberley, D.G., see Poole, C.F. (132) 511, (136) 73
Wiesel, F.-A., see Beck, O. (134) 407
Wilking, G., see Becker, H. (136) 174
Wilkinson, M., Sweeny, J.G. and Iacobucci, G.A.
HPLC of anthocyanidins (132) 349
Willems, G.H.W.
Analysis of a gas stream using a manometric technique (in German) (138) 216
Williams, D.T., Benoit, F., Muzika, K. and O'Grady, R.
GC determination of nitrilotriacetic acid using a nitrogen-selective detector (136) 423
Williams, J.P., see Khan, M.-U. (140) 179
Williams, P.S., see Laub, R.J. (134) 249
Williamson, B.F., see Bristow, P.A. (131) 57
Wilson, J.E., see Kinnier, W.J. (135) 508
Wilson, W.L., see Vilim, A. (133) 239
Winkler, E., Buchele, A. and Müller, O.
Method for the determination of polycyclic aromatic hydrocarbons in maize by capillary-column GLC (in German) (138) 151
Witek, S., see Mierzwa, S. (136) 105
Wojciechowski, B.W. and Rudziński, W.
Effects of surface heterogeneity in non-linear and non-equilibrium gas-adsorption chromatography (137) 1
Wold, J.S. and Turnipseed, S.A.
Determination of cephaloridine in serum and tissue by HPLC (136) 170
Wolf, W.R.
Coupled GC-atomic absorption spectrometry (134) 159
Wolfram, J.H., Feinberg, J.I., Doerr, R.C. and Fiddler, W.
Determination of N-nitrosoproline at the nanogram level (132) 37
Wong, L.T., Solomonraj, G. and Thomas, B.H.
Analysis of warfarin in plasma by HPLC (135) 149
Wood, N.F. and Snoeyink, V.L.
2-Methylisoborneol, improved synthesis and a quantitative GC method for trace concentrations producing odor in water (132) 405
Woodhouse, R.N., Cresswell, D.G., Chasseaud, L.F. and Brodie, R.R.
Use of HPLC to measure plasma concentrations of *p*-chlorophenoxyisobutyric acid after administration of clofibrate to humans (137) 218
Wright, J.M., see Timbrell, J.A. (138) 165
Wu, F.-F. and Dobberstein, R.H.
Quantitative determination of thebaine in *Papaver bracteatum* by HPLC (140) 65
Wu, H.-L., Masada, M. and Uno, T.
GC and GC-MS analysis of ampicillin (137) 127
Wuyts, W., see Adriaens, P. (140) 103

Y

Yabumoto, K. and VandenHeuvel, W.J.A.
Optimization of operating parameters for glass capillary column GC (140) 197
Yamase, I., see Kitaoka, Y. (132) 175
Yamashita, K., see Miyazaki, H. (133) 311
Yaphe, W., see Groleau, D. (137) 234
Yasuda, S.K. and Loughran, E.D.
Air sampling methods for *s*-tetrachloroethane and other related chlorinated hydrocarbons (137) 283
Yee, Y.-G., see Meffin, P.J. (138) 183
Yeh, D.-B.
Polyacrylamide gel electrophoresis of water-soluble coal-tar dyes (132) 566
Yoshida, T., Shu, C.-K. and Theimer, E.T.
Gram-scale preparative separation of *exo*- and *endo*-isomers by HPLC using a partial recycle technique (137) 461
Yost, R., Stoveken, J. and MacLean, W.
Positive peak identification in LC using absorbance ratioing with a variable-wavelength spectrophotometric detector (134) 73
Yousef, Y.Y., see Cole, W.J. (136) 409
Yoza, N., Ishibashi, K. and Ohashi, S.
Gel and ion-exchange chromatographic purification of the reaction products between diphosphate and diphosphonate (134) 497

Z

Zahn, R.K., see Arendes, J. (140) 118
Zahn, R.K., see Breter, H.-J. (137) 61, (140) 251
Zakrevsky, J.-G. and Mallet, V.N.
An *in situ* fluorimetric method for the detection and quantitative analysis of fenitrothion, its breakdown products and other amine-generating compounds (132) 315
Zanetta, J.-P., Vitiello, F. and Robert, J.
TLC of gangliosides (137) 481
Zanol, M., see Frigerio, A. (134) 299
Zapolski, D., see Krull, M. (135) 212
Zhukov, A.V. and Pchelkin, V.P.
GC analysis of lipids with the injection of aliquots of less than 0.05 μl from small samples (132) 543
Zhukov, A.V., see Tsydendambaev, V.D. (132) 195
Zielinski, W.L. Jr., see Issaq, H.J. (131) 265, (132) 115
Zielinski, W.L. Jr., see Janini, G.M. (132) 136
Zimmerli, B.
Improvement in the detection limits of aflatoxins by HPLC using a fluorescence detector filled with silica gel (in German) (131) 458
Zinkel, D.F. and Engler, C.C.
GLC of resin acid esters (136) 245
Zlatkis, A., see Fenimore, D.C. (140) 9
Zuleski, F.R., Loh, A. and Di Carlo, F.J.
Assay of human plasma for nortriptyline by radioacetylation and TLC (132) 45
Zurek, G., see Fujiki, H. (140) 129

SUBJECT INDEX

VOLUMES 131–140

The volume number is placed in parentheses before the page number

A

Absorbances, recording
Electronic system for chart recorder absorbance output of the multicuvette system for LC (132) 335

π-Acceptors
Use of π-acceptors for detection of alkaloids on thin layers (132) 165

Acebutolol
HPLC analysis of drugs in biological fluids. V. Analysis of acebutolol and its major metabolite (138) 183

Acetal alcohols
Recycle GPC separation of some acetal alcohol diastereoisomers representing partial polyglucosidic sequences (138) 89

Acetaldehyde
Simple and rapid GLSC analysis of trace concentrations of acetaldehyde in urban air (137) 455

Acetylglucosaminidase
Purification of β-N-acetyl-D-glucosaminidase of the horseshoe crab by affinity chromatography (136) 141

Acetylmethadol
Simultaneous determination of acetylmethadol and its major metabolites by GLC (135) 205

Acetylsalicylic acid
Analysis of trace amounts of acetylsalicylic anhydride in acetylsalicylic acid (140) 131

Acetylsalicylic anhydride
Analysis of trace amounts of acetylsalicylic anhydride in acetylsalicylic acid (140) 131

Aconitic acid
GC of the pyrazoline derivative of trimethyl aconitate (132) 148

Acrilan
Pyrolysis GC analysis of some toxic compounds from nitrogen-containing fibres (137) 210

Actinospectacin
Chromatography of the reduction products of spectinomycin (136) 432

Activity coefficients
Mixed solvents in GLC. Activity coefficients for hexane in squalane and dinonyl phthalate mixtures at 303 °K (131) 399

Activity coefficients
Evaluation of solvent properties. A comparison of esters of 2-ethylhexanol (133) 190

Adenine
Detection reagent for adenine, guanine, uracil, cytosine and their alkylated bases, nucleotides and nucleosides on thin-layer plates (132) 121

Adenine arabinosides
HPLC of adenine and hypoxanthine arabinosides (139) 370

Adenine nucleosides
Separation of naturally occurring adenine nucleosides and nucleotides by anion-exchange chromatography (140) 118

Adenine nucleotides
Separation of naturally occurring adenine nucleosides and nucleotides by anion-exchange chromatography (140) 118

Adenines
Separation of alkylated guanines, adenines, uracils and cytosines by TLC (131) 265

Adenosine monophosphate, cyclic
Preliminary study of the use of dansyl chloride to determine cyclic-3',5'-AMP in tissues (134) 489

Adenosine monophosphate, cyclic
Thin-layer electrophoretic separation of the degradation products of cyclic adenosine-3',5'-monophosphate (137) 240

Adjusted retention times
Accurate calculation of adjusted retention time. I (135) 183

Adriamycin
Determination of doxorubicin hydrochloride in pharmaceutical preparations using HPLC (131) 375

Adsorbent layer, permanent
Preparation of plates with a permanent

adsorbent layer and their application in the analytical TLC of lipids (132) 195

Adsorbents
Studies of chromatographic packings comprising chemically bonded phases obtained from porous glass beads. I. Sorption properties and surface heterogeneity (131) 7

Adsorbents
Characterization of modified alumina as an adsorbent for GSC. Modification of alumina with alkali-metal fluorides (131) 19

Adsorbents
Ligand-exchange chromatography of racemates. IV. Influence of stationary-complex structure on the mechanism of ligand exchange (131) 65

Adsorbents
Comparison of HPLC and TLC data obtained with various types of silica (131) 408

Adsorbents
Charge-transfer adsorption chromatography (133) 180

Adsorbents
Improvements in GC columns formed by *in situ* polymerization (134) 170

Adsorbents
High-speed LC on cadmium-modified silica gel (136) 221

Adsorbents
Coordination polymers as adsorbents and stationary phases in GC. I. Polylchromium(III) diphenylphosphinatel (138) 337

Adsorbents, carbon
Development and use of carbon adsorbents in HPLSC. II. Reprod ıcibility of carbon adsorbents and the influence of graphitization on their performance (137) 19

Adsorbents, TLC
Separation of carrot carotenoids on Hyflo Super-Cel-magnesium oxide-calcium sulfate thin layers (139) 149

Adsorption chromatography
Some remarks on the characterization of GSC systems (133) 349

Adsorption chromatography
Effect of pH on polyelectrolytes in adsorption chromatography (138) 267

Adsorption, isosteric heat
Determination of the isosteric heat of adsorption by adsorption GC (131) 1

Adsorption isotherms
Adsorption isotherms of hydrocarbons on γ-alumina (138) 347

Adsorption, preferential
Preferential solvation of poly(dimethylsiloxane) and poly(methyl methacrylate) in benzene-methanol mix.ures by GPC (140) 219

Adsorption to glass
Determination of (+)-3*R*),(4*S*)-3-[(4-methoxyphenoxy)methyl]-1-methyl-4-phenylpiperidine hydrochloride (FG 4963) in biological fluids using competition for adsorption to glass (133) 147

Adumbran
Analysis of benzodiazepines and their hydrolysis products, benzophenones, by reversed-phase HPLC and its application to biological material (in German) (132) 83

Aflatoxin B_1
Nondestructive distinction between aflatoxin B_1 and ethoxyquin in TLC (132) 115

Aflatoxins
Reversed-phase HPLC analytical system for aflatoxins in wines with fluorescence detection (131) 147

Aflatoxins
Improvement in the detection limits of aflatoxins by HPLC using a fluorescence detector filled with silica gel (in German) (131) 458

Agarose beads
Microscopic observations on agarose beads. Dehydration by solvent exchange as an alternative to lyophilization (132) 519

Agmatine
GC determination of methylguanidine, guanidine and agmatine as their hexafluoroacetylacetonates (140) 47

Agricultural chemicals
Comparison of electron-capture and electrolytic conductivity detection for the GLC analysis of some perfluoro derivatives of four agricultural chemicals (135) 117

Airborne particulate matter
Extraction of organic compounds from airborne particulate matter for GC analysis (131) 245

Airborne particulate matter
Fast quantitative analysis of organic compounds in airborne particulate matter by GC with selective MS detection (131) 253

Airborne volatiles
Concentration of headspace, airborne and aqueous volatiles on Chromosorb 105 for examination by GC and GC-MS (135) 49

Albumin
Protein binding of rifampicin to bovine serum albumin as measured by gel filtration (135) 25

Albumin
Protein binding of a series of rifamycins to bovine serum albumin as measured by the "two-phase partition" technique (135) 37

Albumin
Isolation of serum albumin and immunoglobulins by chromatography on Con-A Sepharose and Sephadex G-150 (135) 193

Alcohols
Correlation between the physical properties and structure of alcohols and their GC behaviour on polar and non-polar stationary phases. I. C_1-C_8 straight-chain alcohols (131) 41

Alcohols
Detection of alcohols at the femtogram level as pentafluorophenyldimethylsilyl ethers (132) 548

Alcohols, cyclic
GC determination of cyclic amines, ketones and alcohols, possible metabolites of sweet sulphamates (136) 318

Alcohols, polyhydric
Separation of some polyhydric alcohols by HPLC (140) 304

Aldehydes
Separation and quantitative determination of traces of carbonyl compounds as their 2,4-dinitrophenylhydrazones by HPLC (136) 271

Alditols
Simple procedure for combined GC analysis of neutral sugars, hexosamines and alditols. Determination of degree of polymerization of oligo- and polysaccharides and chain weights of glycosaminoglycans (139) 303

Aldonic acid
Simultaneous separation of oligomeric sugars and oligomers with a terminal aldonic acid group on anion-exchange resins (134) 195

Aldoses
Dansyl hydrazine as a fluorimetric reagent for TLC analysis for reducing sugars (139) 343

Alkali chlorine cell gas
Chromatographic analysis of alkali chlorine cell gas (139) 207

Alkaloids
HPLC determination of colchicine and colchicoside in colchicum (*Colchicum autumnale* L.) seeds on a home-made stationary phase (131) 444

Alkaloids
Use of π-acceptors for detection of alkaloids on thin layers (132) 165

Alkaloids
Detection and quantitative analysis of sanguinarine in edible oils (132) 359

Alkaloids
Determination of papaverine in blood samples by GLC and mass fragmentography (133) 153

Alkaloids
Rapid determination of certain alkaloids, other than nicotine, in tobacco (133) 378

Alkaloids
Chemistry of opium alkaloids. VIII. Separation of opium alkaloids and related compounds by ion-pair HPLC (133) 382

Alkaloids
HPLC of Catharanthus alkaloids (139) 203

Alkaloids
Quantitative determination of thebaine in *Papaver bracteatum* by HPLC (140) 65

Alkenes
Qualitative GC analysis and determination of solute properties. Study of the relationship between the molecular structure and GC retention of alkenes on squalane (137) 259

Alkylbenzenes
Capillary GC of alkylbenzenes. II. Correlations between the structures and methylene group increments and differences in retention indices of isomers (135) 71

Alkylbenzenes
Comparison of degradation products and processes in MS and pyrolysis GC applied to the identification of alkylbenzenes (135) 85

Alkylbenzenes
Capillary GC of alkylbenzenes. III. Correlations between the temperature and pressure coefficients of the retention index and structure (138) 119

Alkylbenzyldimethylammonium chlorides
Separation of homologous alkylbenzyldimethylammonium chlorides and alkylpyridinium halides by HPLC (134) 459

Alkyl ethoxylates
Determination of alkyl ethoxylate mixtures by programmed multiple development TLC (135) 165

Alkyl methylphosphonic acid *p*-nitrophenyl esters
Preparative purification of alkyl methylphosphonic acid *p*-nitrophenyl esters on Sephadex LH-20 (135) 196

Alkylnitrites
Nitrosamide-specific detector for use with HPLC (133) 59

Alkylphenols
Study of retention behaviour of alkylphenols in straight- and reversed-phase LC and application to the analysis of complex phenolic mixtures in conjunction with GC (136) 45

Alkylphenols
Separation of isomeric alkylphenols by HPLC and GLC techniques (137) 53

Alkylphenols, brominated
LC study of brominated alkylphenols and

investigation of product formation in the coulometric bromination of some alkyl-substituted phenols (137) 363

Alkylphenols, monohydric
Separation of monohydric alkylphenols by GC. II (137) 425

Alkylpyridinium halides
Separation of homologous alkylbenzyldimethylammonium chlorides and alkylpyridinium halides by HPLC (134) 459

Alumina
Characterization of modified alumina as an adsorbent for GSC. Modification of alumina with alkali-metal fluorides (131) 19

Alumina, gamma
Adsorption isotherms of hydrocarbons on γ-alumina (138) 347

Amatoxins
Assay for amatoxins in *Amanita phalloides* Fries (Basidiomycetes) with direct spectrometric measurements of chromatograms (in French) (132) 525

Ambilhar
GLC determination of niridazole in biological fluids (131) 442

Amide residues
Applications of GLC in protein chemistry. II. Determination of amide residues in nanomolar amounts of proteins (136) 361

Amines
Chromatography of Dns derivatives on pre-coated HPTLC plates (131) 109

Amines
GC-MS identification of urea derivatives formed by the reaction of amines with isocyanates (in German) (135) 401

Amines
Selective concentration of amines from aqueous solutions by a gas purging technique (136) 371

Amines
Formation of amine-N-trifluoroacetyl derivatives from the amine hydrochloride salts (139) 174

Amines
Rapid determination of polyamines and some mono- and diamines in vegetable extracts (in French) (139) 381

Amines, aliphatic
GC separation of lower aliphatic primary amines as their sulphur-containing Schiff bases using a glass capillary column (136) 253

Amines, cyclic
GC determination of cyclic amines, ketones and alcohols, possible metabolites of sweet sulphamates (136) 318

Amino acid analysis
Three-buffer single column analyses on two-buffer amino acid analyzers (133) 386

Amino acid degradation
Ion-exchange chromatographic study of amino acid degradation during hydrolysis of avian protein (135) 447

Amino acid enantiomers
Quantitative GC resolution of amino ester diastereomers (133) 210

Amino acids
Ligand-exchange separations of amino acids. I. Distribution equilibria of some amino acids between ammoniacal copper(II) nitrate solutions and phosphonic, carboxylic and iminodiacetic ion exchangers in the copper(II) form (131) 73

Amino acids
Chromatography of Dns derivatives on pre-coated HPTLC plates (131) 109

Amino acids
Quantitative analysis of protein and non-protein amino acids by GLC (131) 233

Amino acids
GC resolution of DL-isovaline (132) 152

Amino acids
Improved chromatographic identification of coloured amino acid thiohydantoins (132) 303

Amino acids
GC-MS of the N(O)-heptafluorobutyryl isobutyl esters of the protein amino acids using electron impact ionisation (132) 485

Amino acids
GC separation of diastereoisomeric amino acid derivatives on glass capillaries. The use of pentafluoropropionyl-amino acid (+)-3-methyl-2-butyl esters (133) 141

Amino acids
Automatic sample introduction system for GLC analysis of amino acids (133) 203

Amino acids
Distinction of amino alcohols from amino acids by 4-N,N-dimethylaminoazobenzene-4'-isothiocyanate (135) 245

Amino acids
Bonded peptide stationary phases for the separation of amino acids and peptides using LC (135) 367

Amino acids
Qualitative and quantitative analysis of common and uncommon amino acids in plant extracts (135) 377

Amino acids
Determination of lysinoalanine with an automatic amino-acid analyzer (135) 502

Amino acids
Complete analysis of protein hydrolysates containing phosphoserine and phosphothreonine using the amino acid analyzer (135) 508

Amino acids
Amino acid analysis by GLC of N-heptafluorobutyryl isobutyl esters. Complete resolution using a support-coated open-tubular capillary column (136) 113

Amino acids
TLC separation of racemates of some amino acids (in German) (136) 186

Amino acids
Preparative countercurrent chromatography with a slowly rotating helical tube (136) 189

Amino acids
Amino acid analysis: A novel reaction chamber (136) 417

Amino acids
Separation of L- and D-amino acids as diastereomeric derivatives by HPLC (136) 428

Amino acids
Use of a programmable pocket calculator in processing amino acid analysis data (137) 475

Amino acids
Simple method for the separation of amino acids, amino sugars and amino alcohols related to the peptidoglycan components on a standard amino acid analyser (138) 458

Amino acids
Amino acid analysis of physiological fluids by a single-column programme based on stepwise elution with lithium citrate (139) 211

Amino acids
Norleucine: An internal standard for the basic column used in physiological amino acid analysis (139) 215

Amino acids
Separation of ninhydrin-positive compounds on a single-column amino acid analyzer using lithium buffers (140) 103

Amino acids
Separation of 4-N,N-dimethylaminoazobenzene-4'-thiohydantoins of amino acids by TLC on silica gel (140) 125

Amino acids
Improved procedure for peptide characterization using TLC and a fluorescamine indicator (140) 129

Amino acids, basic
Use of a low-salt, alkaline buffer in the elution of basic amino acids from a single-column amino acid analyzer (132) 160

Amino acids, methylated, basic
Separation of methylated basic amino acids (133) 390

Amino acids, sulfur-containing
Artifacts in the GC analysis of some sulfur-containing amino acids (138) 223

Aminoacyl-tRNA synthetases
Use of ω-aminohexyl-Sepharose in the fractionation of *Escherichia coli* B aminoacyl-tRNA synthetases (139) 331

Amino alcohols
Distinction of amino alcohols from amino acids by 4-N,N-dimethylaminoazobenzene-4'-isothiocyanate (135) 245

Amino alcohols
Simple method for the separation of amino acids, amino sugars and amino alcohols related to the peptidoglycan components on a standard amino acid analyser (138) 458

Aminobutyric acid
Specific and sensitive method for the determination of γ-aminobutyric acid using GC with electron-capture or mass fragmentographic detection (139) 101

Aminocyclitol antibiotics
Separation of gentamicin C-complex into five components by Craig distribution (131) 191

Aminophenols
HPLC analysis of isomeric aminophenols with electrochemical detection (138) 229

Aminopyridines
TLC separation of several chloro- and methyl-substituted 2-aminopyridines (134) 238

Amino sugars
Simple method for the separation of amino acids, amino sugars and amino alcohols related to the peptidoglycan components on a standard amino acid analyser (138) 458

Aminotriazole
An *in situ* fluorimetric method for the detection and quantitative analysis of fenitrothion, its breakdown products and other amine-generating compounds (132) 315

Amitriptyline
Quantitative determination of amitriptyline and nortriptyline in plasma by HPLC (132) 155

Amitriptyline
Combined TLC and GLC identification of tricyclic antidepressants in urine (132) 237

Amitriptyline
Simultaneous determination of plasma amitriptyline and nortriptyline as trichloroethyl carbamates by electron-capture GC (133) 367

Amitriptyline
Assay of tricyclic structured drugs and their metabolites in urine by HPLC (134) 182

Amitriptyline
Rapid, sensitive GLC method for determination of amitriptyline and

nortriptyline in plasma using a nitrogen-sensitive detector (138) 437

Ammonium salts
Simplified detection of quaternary ammonium compounds by GC (131) 297

Ammonium salts
Influence of alkali metal salts on the migration of quaternary ammonium compounds on silica gel layers (137) 485

Amphetamine
Direct GLC analysis of N-hydroxyamphetamine, a metabolite of amphetamine (135) 200

Amphetamines
Nickel GC columns: An alternative to glass for biological samples (140) 9

Ampholine carrier ampholyte systems
Comparison of the buffer capacities of Ampholine and Servalyt carrier ampholyte systems used in isoelectric focusing (135) 441

Ampholytes
Carrier ampholyte distribution in isoelectric focusing (131) 223

Ampholytes
Itaconic acid carrier ampholytes for isoelectric focusing (134) 279

Ampholytes
Distribution of carrier ampholytes in isoelectric focusing (138) 213

Ampholytes
Isoelectric focusing as a method for the characterization of ampholytes. II. pH measurements in solvent mixtures used in density-gradient isoelectric focusing (140) 149

Ampholyte systems
Comparison of the buffer capacities of Ampholine and Servalyt carrier ampholyte systems used in isoelectric focusing (135) 441

Ampicillin
GC and GC-MS analysis of ampicillin (137) 127

Ampicillin polymers
Polymerization of penicillins. IV. Separation, isolation and characterization of ampicillin polymers formed in aqueous solution (132) 51

Androgens
Chromatographic separation of androgens, estrogens and progestogens on hydroxyalkoxypropyl-Sephadex (Lipidex) (133) 412

Aniline
GC study of binary diffusion of nitrobenzene and aniline in hydrogen (132) 344

Aniline
HPLC analysis of aniline and its metabolites (137) 305

Anisoyldeoxycytidine
Improved synthesis of N^4-anisoyldeoxycytidine using Bio-Rex 5 columns (136) 159

Antabuse
Quantitative analysis of disulfiram and its metabolites in human blood by GLC (133) 167

Anthocyanidins
HPLC of anthocyanidins (132) 349

Anthocyanins
Identification of anthocyanins by GLC and MS (139) 111

Anthraglycosides
Determination of dihydroxydianthrones by densitometry after TLC (132) 363

Antibiotics
Separation of gentamicin C-complex into five components by Craig distribution (131) 191

Antibiotics
Polymerization of penicillins. IV. Separation, isolation and characterization of ampicillin polymers formed in aqueous solution (132) 51

Antibiotics
Simple method for the quantitative analysis of tetracyclines by direct fluorimetry after TLC on cellulose plates (132) 105

Antibiotics
Erythromycin series. V. Quantitative analysis of cladinose and methylcladinoside by densitometry of thin-layer chromatograms (132) 309

Antibiotics
Analysis of urinary tract antibacterial agents in pharmaceutical dosage form by HPLC (132) 352

Antibiotics
Simple TLC identification procedure for erythromycin base, stearate, estolate and ethylsuccinate (133) 239

Antibiotics
TLC classification of antibiotics exhibiting antitumor properties (133) 291

Antibiotics
Salt effects in reversed-phase TLC on silica gels (133) 355

Antibiotics
Erythromycin series. IV. TLC of erythromycin, erythromycin oxime, erythromycylamine and their acyl derivatives (133) 415

Antibiotics
Gel chromatography of tetracycline antibiotics (134) 223

Antibiotics
Preparation of trimethylsilyl derivatives of thiamphenicol (134) 365

Antibiotics
Reversed-phase HPLC determination of tetracyclines in urine and plasma (134) 441

Antibiotics
Protein binding of rifampicin to bovine serum albumin as measured by gel filtration (135) 25

Antibiotics
Protein binding of a series of rifamycins to bovine serum albumin as measured by the "two-phase partition" technique (135) 37

Antibiotics
GLC of methyl esters of natural penicillins (136) 162

Antibiotics
Determination of cephaloridine in serum and tissue by HPLC (136) 170

Antibiotics
Chromatography of the reduction products of spectinomycin (136) 432

Antibiotics
GC and GC-MS analysis of ampicillin (137) 127

Antibiotics
HPLC analysis of gramicidin, a polypeptide antibiotic (140) 174

Antibiotics
Reversed-phase HPLC of doxycycline (140) 293

Antibodies
Comparison of non-biospecific effects in immunoaffinity chromatography using cyanogen bromide and bifunctional oxirane as immobilising agents (135) 427

Antioxidants
Separation of butylated hydroxyanisole isomers on Sephadex LH-20 (132) 356

Antioxidants
Comparative GC behaviour and detection limits of 2,6-di-*tert.*-butyl-4-methylphenol, 3-*tert.*-butyl-4-hydroxyanisole (BHA), and the trifluoroacetate of BHA (133) 363

Antipyrine
Rapid and sensitive method for the determination of antipyrine in biological fluids by HPLC (140) 288

Apomorphine
GC determination of apomorphine in plasma (140) 57

Aqueous volatiles
Concentration of headspace, airborne and aqueous volatiles on Chromosorb 105 for examination by GC and GC-MS (135) 49

Arabinofuranosyladenine
Analysis by HPLC of 9-β-D-arabinofuranosyladenine 5'-triphosphate levels in murine leukemia cells (133) 335

Arabinosides
HPLC of adenine and hypoxanthine arabinosides (139) 370

Aromatic acids, chlorinated
GC identification of some chlorinated aromatic acids, chlorophenols, and their aromatic acid precursors (139) 186

Association, molecular
Thermodynamics of molecular association. Tri-*n*-alkylamine-chloroalkane systems (139) 1

Atmospheric aerosol samples
Reversed two-dimensional technique for multiple separations of benzo[*a*]pyrene from atmospheric aerosol samples (135) 241

Atomic absorption spectrometry
Coupled GC-atomic absorption spectrometry (134) 159

Automatic data collection
Automatic data collection and analysis using an FM tape recorder (132) 533

Automatic sample introduction system
Automatic sample introduction system for GLC analysis of amino acids (133) 203

Azapropazone
Chromatographic analysis of azapropazone and related benzotriazines (131) 448

B

Backflushing gas chromatography
GC with backflushing, with linear temperature programming in the first direction and a programmed longitudinal positive temperature gradient during the opposite direction of gas flow (133) 253

Barbiturates
Routine analysis of barbiturates and some other hypnotic drugs in the blood plasma as an aid to the diagnosis of acute poisoning (131) 131

Barbiturates
GC determination of hexobarbital and its metabolites from biological material (in German) (139) 191

Barbiturates
Sensitive TLC method for urine screening of barbiturates (140) 71

Barbiturates
GC determination of barbiturates by extractive

alkylation and support coated open tubular column separation (140) 165

Barbituric acids
Relative electron capture response of the 2-chloroethyl derivatives of some barbituric acids and anticonvulsant drugs (137) 111

Benactyzine
An ultramicro HPLC method for assaying ion-pair species of benactyzine (140) 300

Benorilate
Identification and quantitation of impurities from benorilate (Salipran) by HPLC (in French) (138) 193

Benzene
GC determination of the heat of adsorption of benzene and its monohalogeno derivatives adsorbed on montmorillonite-pyridinium (in French) (133) 184

Benzene homologues
Qualitative GC analysis and determination of solute properties. Calculation of the retention indices of benzene homologues on squalane (137) 265

Benzidine substitute visualizing agents
Benzidine substitute visualizing agents for iron porphyrins (138) 220

Benzodiazepines
Analysis of benzodiazepines and their hydrolysis products, benzophenones, by reversed-phase HPLC and its application to biological material (in German) (132) 83

Benzodiazepines
Quantitative GC analysis of flunitrazepam in human serum with electron-capture detection (133) 319

Benzodiazepines
Rapid and sensitive electron-capture GC method for the determination of pinazepam and its metabolites in human plasma, urine and milk (135) 133

Benzodiazepines
Analysis of medazepam, diazepam, and metabolites in plasma by GLC with electrolytic conductivity detection (136) 127

Benzodiazepines
Comparison of two GLC methods for the determination of nitrazepam in plasma (136) 259

Benzodiazepines
Analysis of nitrazepam and its metabolites by HPLC (137) 215

Benzodiazepines
Rapid micro-method for the measurement of diazepam and desmethyldiazepam in blood plasma by GLC (137) 439

Benzophenones
Analysis of benzodiazepines and their hydrolysis products, benzophenones, by reversed-phase HPLC and its application to biological material (in German) (132) 83

Benzopyrene
Stability of benzo(*a*)pyrene on silica gel plates for HPTLC (131) 417

Benzopyrene
GLC analysis of benzo(*a*)pyrene in cigarette smoke on a nematic liquid crystal (132) 136

Benzopyrene
Reversed two-dimensional technique for multiple separations of benzo(*a*)pyrene from atmospheric aerosol samples (135) 241

Benzothiazepine
Simple, sensitive and specific GC method for the quantification of diltiazem in human body fluids (138) 391

Benzotriazines
Chromatographic analysis of azapropazone and related benzotriazines (131) 448

Benzoylecgonine
Single- and two-step extraction and thin-layer detection procedures for benzoylecgonine (cocaine metabolite) alone or in combination with a wide variety of commonly abused drugs in urine screening programs (135) 385

Beryllium oxycarboxylates
GC monitoring of the reaction of beryllium oxyacetate and beryllium oxypropionate in acetone solution (140) 93

Bicyclic aromatic hydrocarbons
GC separation and identification of bicyclic aromatic hydrocarbons in kerosene (b.p. 200-280°) (137) 198

Bile acids
Bile acid ethyl esters. Their infrequent formation during routine bile acid analysis and identification by GC and MS (131) 437

Bile acids
LC separation of bile acids (133) 273

Bile acids
Isolation and purification of lithocholic acid metabolites produced by the intestinal microflora (133) 327

Bile salts
Detection of bile salts with Komarowsky's reagent and group specific dehydrogenases (136) 348

Binary diffusion coefficients
GC study of binary diffusion of nitrobenzene and aniline in hydrogen (132) 344

Bis(monoacylglyceryl) phosphate
Improved TLC method for the separation of major phospholipids and glycolipids from plant lipid extracts and phosphatidyl glycerol and bis(monoacylglyceryl) phosphate from animal lipid extracts (140) 179

Bovine serum albumin
Protein binding of rifampicin to bovine serum albumin as measured by gel filtration (135) 25

Bovine serum albumin
Protein binding of a series of rifamycins to bovine serum albumin as measured by the "two-phase partition" technique (135) 37

Butriptyline
Determination of therapeutic levels of butriptyline in plasma by GLC (134) 524

Butyl chlorohydroxypropyl ethers
GC identification of butyl 3-chloro-2-hydroxypropyl ethers and butyl glycidyl ethers (in German) (131) 303

Butyl glycidyl ethers
GC identification of butyl 3-chloro-2-hydroxypropyl ethers and butyl glycidyl ethers (in German) (131) 303

Butylhydroxyanisole
Comparative GC behaviour and detection limits of 2,6-di-*tert.*-butyl-4-methylphenol, 3-*tert.*-butyl-4-hydroxyanisole (BHA), and the trifluoroacetate of BHA (133) 363

BW 197U
Determination of 2,4-diamino-5-(3,4-dichlorophenyl)-6-methylpyrimidine (BW 197U) in human plasma (137) 449

C

Cadmium chelates
Chromatography of metal chelates. VII. HPLC of metal 1,2-diketobisthiobenzhydrazones, metal dialkyldithiocarbamates and metal 1,2-diketobisthiosemicarbazones (137) 153

Cadmium chelates
Chromatography of metal chelates. VIII. HPLC of metal dithizonates (137) 165

Cadmium-EDTA complexes
Electrophoretic investigations of the complexing of cadmium and zinc with EDTA (132) 323

Cadmium-modified silica gel
High-speed LC on cadmium-modified silica gel (136) 221

Capillary columns combined with electron-capture detection
Performance characteristics of a system containing a capillary column and an electron-capture detector (131) 404

Capillary viscometer coupled to a gel-permeation chromatograph
Coupling of a gel-permeation chromatograph and an automatic capillary viscometer. I. Influence of the column efficiency (132) 187

Capron fibre
Pyrolysis GC of capron (nylon-6) fibre stabilized with ethers of 4-oxydiphenylamine (135) 212

Carbamate pesticides
Comparison of drosophila, rat-liver and bee-head esterases in detecting residues of organophosphorus and carbamate pesticides in vegetables and fruits (133) 245

Carbamazepine
Simultaneous GC analysis for the seven commonly used antiepileptic drugs in serum (136) 332

Carbofuran
Comparison of electron-capture and electrolytic conductivity detection for the GLC analysis of some perfluoro derivatives of four agricultural chemicals (135) 117

Carbofuran
Phenones: A family of compounds broadly applicable to use as internal standards in HPLC. Application to the analysis of carbofuran (138) 41

Carbofuran
Detection of carbofuran and metabolites directly or as their heptafluorobutyryl derivatives using GLC or HPLC with different detectors (138) 143

Carbofuran
Inexpensive temperature control system for HPLC. Application to carbofuran analysis and temperature programming for LC analysis (138) 321

Carbofuran
Simplified method for the determination of residues of carbofuran and its metabolites in crops using GLC-mass fragmentography (140) 209

Carbohydrates
Vanadium pentoxide in sulphuric acid, a general chromogenic spray reagent for carbohydrates (134) 467

Carbohydrates
Sensitive determination of derivatized carbohydrates by HPLC (136) 279

Carbon
Ionization detector for GC with switchable selectivity for carbon, nitrogen and phosphorus (134) 65

Carbon adsorbents
Development and use of carbon adsorbents in HPLSC. II. Reproducibility of carbon

adsorbents and the influence of graphitization on their performance (137) 19

Carbon-carbon single bonds
Identification of substances containing carbon-carbon single bonds by use of reaction GC (131) 291

Carbonyl compounds
Separation and quantitative determination of traces of carbonyl compounds as their 2,4-dinitrophenylhydrazones by HPLC (136) 271

Carboxylic acids
Ion-pair phase systems for the separation of carboxylic acids, sulphonic acids and phenols by HPLC (138) 245

Carcinogens
Extraction of organic compounds from airborne particulate matter for GC analysis (131) 245

Carcinogens
Stability of benzo(*a*)pyrene on silica gel plates for HPTLC (131) 417

Carcinogens
GLC analysis of benzo[*a*]pyrene in cigarette smoke on a nematic liquid crystal (132) 136

Carcinogens
GC and mass fragmentographic assays of carcinogenic polycyclic hydrocarbon epoxide hydratase activity (134) 323

Carcinogens
Simple chemiluminescent detector for the screening of foodstuffs for the presence of volatile nitrosamines (137) 293

Carcinogens
HPLC analysis of aniline and its metabolites (137) 305

Carcinogens
Method for the determination of polycyclic aromatic hydrocarbons in maize by capillary-column GLC (in German) (138) 151

Carcinogens
GC method for the analysis of major polynuclear aromatics in particulate matter (138) 399

Carcinogens
GC determination of methylguanidine, guanidine and agmatine as their hexafluoroacetylacetonates (140) 47

Carcinogens
Photolysis of volatile nitrosamines at the picogram level as an aid to confirmation (140) 284

Cardenolides
Separation of digitalis cardenolides by HPTLC (in German) (138) 238

Carotenoids
Separation of carrot carotenoids on Hyflo Super-Cel-magnesium oxide-calcium sulfate thin layers (139) 149

Carprofen
Determination of the anti-inflammatory agent carprofen, (D,L)-6-chloro-α-methylcarbazole-2-acetic acid, in blood by HPLC (136) 391

Carrier ampholytes
Carrier ampholyte distribution in isoelectric focusing (131) 223

Carrier ampholytes
Itaconic acid carrier ampholytes for isoelectric focusing (134) 279

Carrier ampholytes
Distribution of carrier ampholytes in isoelectric focusing (138) 213

Catalysts
Chromatographic investigations of mixed catalysts (138) 309

Catalysts
GC investigations of the system tricobalt tetroxide-hydrogen (139) 349

Catechol
TLC of chlorinated catechols (135) 395

Catecholamines
HPLC assay of rat-brain dopamine and norepinephrine (137) 357

Catecholamines
PC separation of noradrenaline and its major metabolites (139) 218

Cation exchanger
Synthetic inorganic ion-exchange materials. XV. Chromatographic separation of alkali metal ions using phosphoantimonic(V) acid as a cation exchanger (134) 507

Cation-exchange resins
Comparison of efficiency of cation-exchange resins in the chromatographic separation of metal ions with aqueous acetone-hydrochloric acid solution (137) 381

Cation exchangers, regeneration
Device for regeneration of cation-exchange resins with hydrochloric acid (133) 237

Cellulose columns
Improvement of the efficiency of ion-exchange cellulose columns and their application (135) 287

Central nervous stimulants
Detection of sympathomimetic central nervous stimulants with special reference to doping. I. Comparative study of a conventional extraction procedure and adsorption chromatography using XAD-2 resin (133) 214

Central nervous stimulants
Detection of sympathomimetic central nervous stimulants with special reference to doping. II. Comparative study of two adsorption

chromatography methods using different XAD resins (136) 385

Cephaloridine
Determination of cephaloridine in serum and tissue by HPLC (136) 170

Chalcones
Separation and identification of some hydroxychalcones and their derivatives (138) 243

Charge-transfer adsorption chromatography
Charge-transfer adsorption chromatography (133) 180

Chelate-forming ligands
Chromatography of metal chelates. VII. HPLC of metal 1,2-diketobisthiobenzhydrazones, metal dialkyldithiocarbamates and metal 1,2-diketobisthiosemicarbazones (137) 153

Chelate-forming ligands
Chromatography of metal chelates. VIII. HPLC of metal dithizonates (137) 165

Chemiluminescence
Chemiluminescence: a new method for detecting fluorescent compounds separated by TLC (134) 343

Chemiluminescence
Coupling of chemiluminescence TLC detection to a Vidicon rapid scanning detector (134) 513

Chemiluminescent detector
Simple chemiluminescent detector for the screening of foodstuffs for the presence of volatile nitrosamines (137) 293

Chlorbutanol
Estimation of chlorbutanol by electron capture GC (134) 178

Chlordiazepoxide
Analysis of benzodiazepines and their hydrolysis products, benzophenones, by reversed-phase HPLC and its application to biological material (in German) (132) 83

Chlordiazepoxide
TLC screening procedure for some drugs used in treatment of arthritis: "arthritic cures" prescribed in Mexico (137) 489

Chlorinated aromatic acids
GC identification of some chlorinated aromatic acids, chlorophenols, and their aromatic acid precursors (139) 186

Chlorinated cresols
TLC of chlorinated cresols (136) 379

Chlorinated hydrocarbons
Air sampling methods for *s*-tetrachloroethane and other related chlorinated hydrocarbons (137) 283

Chlorinated insecticides
Separation, detection and densitometric determination of chlorinated insecticides on silica gel and aluminum hydroxide papers (135) 235

Chlorinated organic pesticides
Isolation and determination of chlorinated organic pesticides by TLC and the application to toxicological analysis (131) 275

Chlorinated pesticides
Determination of chlorinated pesticides in potable water (132) 277

Chloroaminopyridines
TLC separation of several chloro- and methyl-substituted 2-aminopyridines (134) 238

Chloromethylcarbazoleacetic acid
Determination of the anti-inflammatory agent carprofen, (D,L)-6-chloro-*α*-methylcarbazole-2-acetic acid, in blood by HPLC (136) 391

Chloromethylcarbazoleacetic acid
Determination of (*d,l*)-6-chloro-*α*-methylcarbazole-2-acetic acid in plasma by HPLC (140) 310

Chlorophenols
Determination of chlorophenols by capillary GC (131) 412

Chlorophenols
GC identification of some chlorinated aromatic acids, chlorophenols, and their aromatic acid precursors (139) 186

Chlorophenoxyisobutyric acid
Use of HPLC to measure plasma concentrations of *p*-chlorophenoxyisobutyric acid after administration of clofibrate to humans (137) 218

Chlorophylls
TLC of chlorophylls and their derivatives on cellulose layers (134) 359

Chloroquinaldol
Extractive alkylation of biological samples of clioquinol or chloroquinaldol and determination by electron capture GC (140) 170

Chlorpromazine
Assay of tricyclic structured drugs and their metabolites in urine by HPLC (134) 182

Cholinesterases
Synthesis of an N-methylacridinium-Sepharose: its use in the purification of cholinesterases (in French) (135) 477

Chromatographic parameters
Investigations of the relationship between molecular structure and chromatographic parameters. X. Extraction of organic solutes with mixtures of chloroform and electron-donor solvents (132) 379

Chromium chelates of diketones
Gel chromatography of β-diketones and their metal complexes. VI. Elution behaviour of

various β-diketones and their chromium(III) chelates on different gels (138) 79

Chromogenic reagents
The van Urk-Salkowski reagent: A sensitive and specific chromogenic reagent for silica gel TLC detection and identification of indole derivatives (132) 267

Chromogenic spray reagents
Vanadium pentoxide in sulphuric acid, a general chromogenic spray reagent for carbohydrates (134) 467

Cinnamate derivatives
Chromatography of natural phenolic cinnamate derivatives on Sephadex LH-20 and G-25 (140) 120

Cinnamic acid derivatives
Selective liquid-liquid partition systems for the chromatographic analysis of some coumarins and phenolic acids (derivatives of cinnamic acid) (137) 182

Cinoxacin
Analysis of urinary tract antibacterial agents in pharmaceutical dosage form by HPLC (132) 352

Citral
Production of citral from geraniol. II. Capillary GC-MS investigation of two different oxidation reactions using a graphite porous-layer open-tubular column with a large coating ratio of polar liquid phase (138) 173

Citrovorum factor
LC assay of the calcium salt of citrovorum factor (140) 114

Cladinose
Erythromycin series. V. Quantitative analysis of cladinose and methylcladinoside by densitometry of thin-layer chromatograms (132) 309

Clemizole hexachlorophenate
TLC of active compounds from ointments and suppositories followed by direct quantitative analysis by remission (in German) (131) 391

Clemizole undecylate
TLC of active compounds from ointments and suppositories followed by direct quantitative analysis by remission (in German) (131) 391

Clioquinol
Extractive alkylation of biological samples of clioquinol or chloroquinaldol and determination by electron capture GC (140) 170

Clofibrate
HPLC analysis of drugs in biological fluids. IV. Determination of clofibrinic acid (137) 145

Clofibrate
Use of HPLC to measure plasma concentrations of *p*-chlorophenoxyisobutyric acid after administration of clofibrate to humans (137) 218

Clofibrinic acid
HPLC analysis of drugs in biological fluids. IV. Determination of clofibrinic acid (137) 145

Clonazepam
Determination of clonazepam and its 7-amino metabolite in plasma and blood by GC-chemical ionization MS (139) 121

Clonopin
Determination of clonazepam and its 7-amino metabolite in plasma and blood by GC-chemical ionization MS (139) 121

Clopidol
Comparison of electron-capture and electrolytic conductivity detection for the GLC analysis of some perfluoro derivatives of four agricultural chemicals (135) 117

Clorazepate
Determination of clorazepate and its major metabolites in blood and urine by electron capture GLC (135) 123

Cloxacillin
Salt effects in reversed-phase TLC on silica gels (133) 355

Cluster expansion for retention volume
Cluster expansion for retention volume in adsorption GC. Adsorption of hydrocarbons on graphite (139) 237

Coal-tar dyes
Polyacrylamide gel electrophoresis of water-soluble coal-tar dyes (132) 566

Coating
Dynamic coating of glass capillaries with polar phases and Silanox (136) 308

Cobalt chelates
Chromatography of metal chelates. VII. HPLC of metal 1,2-diketobisthiobenzhydrazones, metal dialkyldithiocarbamates and metal 1,2-diketobisthiosemicarbazones (137) 153

Cobalt chelates
Chromatography of metal chelates. VIII. HPLC of metal dithizonates (137) 165

Cobalt complexes
Formation of polymeric species by reaction of cobalt(III) complexes with ammonium sulphide (133) 425

Cobalt complexes
Effect of the composition and structure of cobalt(III) complexes on their R_F values obtained by partition PC. I. Effect of the position of nitro groups and the chelate ring size (139) 45

Cobalt oxide
Chromatographic investigations of mixed catalysts (138) 309

Cobalt oxides
GC investigations of the system tricobalt tetroxide-hydrogen (139) 349

Cocaine
GC determination of cocaine in whole blood and plasma using a nitrogen-sensitive flame ionization detector (135) 141

Cocaine metabolites
Single- and two-step extraction and thin-layer detection procedures for benzoylecgonine (cocaine metabolite) alone or in combination with a wide variety of commonly abused drugs in urine screening programs (135) 385

Colchicine
HPLC determination of colchicine and colchicoside in colchicum (*Colchicum autumnale* L.) seeds on a home-made stationary phase (131) 444

Colchicoside
HPLC determination of colchicine and colchicoside in colchicum (*Colchicum autumnale* L.) seeds on a home-made stationary phase (131) 444

Colouring reagents
Chromatography on cellulose acetate plates. II. Colouring reagents for chromatography on cellulose acetate plates (in German) (134) 529

Column efficiency
Improvement of the efficiency of ion-exchange cellulose columns and their application (135) 287

Column packing
Upward slurry packing of LC columns (131) 57

Column packings
Silar 10 C, Silar 9 CP, SP 2340 and OV-275 in the GLC of fatty acid methyl esters on packed columns. Chromatographic characteristics and molecular structures (135) 93

Column preparation
Production of citral from geraniol. II. Capillary GC-MS investigation of two different oxidation reactions using a graphite porous-layer open-tubular column with a large coating ratio of polar liquid phase (138) 173

Columns
Nickel GC columns: An alternative to glass for biological samples (140) 9

Compound-selective detector
Microcomputer-directed mass spectrometer as a compound-selective detector for GC (134) 39

Computer program
Computer-assisted prediction of GC separations (134) 249

Concentration effects
Concentration effects in GPC. I. Polymer solution properties (134) 263

Congo red dyes
Electrophoretic behaviour of congo red dyes in aqueous dimethylformamide containing an electrolyte (132) 175

Continuous-flow electrophoresis
Convection in continuous-flow electrophoresis (140) 187

Continuous-flow enzyme detector
Continuous-flow enzyme detector for LC (134) 91

Controlled-pore glass
Determination of protein molecular weights in denaturing solvents using glyceryl-CPG (132) 399

Controlled pore glass columns
General permeation chromatography equation and its application to tailor-made controlled pore glass columns (132) 387

Convection
Convection in continuous-flow electrophoresis (140) 187

Cooling gases, industrial
Determination of organic compounds in the hydrogen used for cooling large electricity generators (137) 315

Copolymers, styrene-divinylbenzene
Retention behaviour of a porous styrene-divinylbenzene copolymer in the separation of fatty acids and related compounds (138) 17

Copper
GPC of transition metal ions using Bio-Gels (135) 173

Copper chelates
Chromatography of metal chelates. VII. HPLC of metal 1,2-diketobisthiobenzhydrazones, metal dialkyldithiocarbamates and metal 1,2-diketobisthiosemicarbazones (137) 153

Copper chelates
Chromatography of metal chelates. VIII. HPLC of metal dithizonates (137) 165

Corticosteroid hormones
GLC studies of reactions and structural relationships of steroids. V. Concurrent substitution in the pregnane side-chain and position 11 (133) 107

Coulometric electron-capture detector
Destructive and non-destructive models of the coulometric electron-capture detector (137) 245

Coumarins
Selective liquid-liquid partition systems for the chromatographic analysis of some coumarins and phenolic acids (derivatives of cinnamic acid) (137) 182

Cresols, chlorinated
TLC of chlorinated cresols (136) 379

Crude oils
Isolation of natural surface-active materials of crude oils by adsorption chromatography (139) 135

Cumylphenol
Elution behaviour of some derivatives of 2-(4-hydroxyphenyl)-2-phenylpropane on Sephadex LH-20 in methanol and N,N-dimethylformamide (132) 99

Cumylphenol
Elution behaviour of some derivatives of 2-phenyl-2-(4-hydroxyphenyl)propane on Sephadex LH-20 with acetone and 1,4-dioxan as eluents (135) 473

Curie-point pyrolysis gas chromatography
Short-time pyrolysis and spectroscopy of unstable compounds. V. Improvement in Curie-point pyrolysis GC (136) 420

Cyanine dyes
TLC of some cyanine dyes (135) 221

Cyclic adenosine monophosphate
Preliminary study of the use of dansyl chloride to determine cyclic-3',5'-AMP in tissues (134) 489

Cyclic adenosine monophosphate
Thin-layer electrophoretic separation of the degradation products of cyclic adenosine-3',5'-monophosphate (137) 240

Cycloalkanes
Influence of conformations and structures on retention values of cycloalkanes and cycloalkanones (in French) (138) 63

Cycloalkanones
Influence of conformations and structures on retention values of cycloalkanes and cycloalkanones (in French) (138) 63

Cyclobenzaprine
Determination of various drugs in rodent diet mixtures (131) 357

Cystine
Artifacts in the GC analysis of some sulfur-containing amino acids (138) 223

Cytenamide
Epoxide-diol metabolic pathway of cytenamide in the rat (134) 299

Cytosine
Detection reagent for adenine, guanine, uracil, cytosine and their alkylated bases, nucleotides and nucleosides on thin-layer plates (132) 121

Cytosines
Separation of alkylated guanines, adenines, uracils and cytosines by TLC (131) 265

D

Data acquisition
Precision of contemporary LC measurements (138) 283

Data collection
Automatic data collection and analysis using an FM tape recorder (132) 533

Data prediction
Computer-assisted prediction of GC separations (134) 249

Data prediction
GC of homologous esters. X. Data prediction properties of a Rohrschneider-type scheme (135) 61

Data prediction
GC of homologous esters. XI. Use of ester solutes in a Rohrschneider-type scheme for data prediction (135) 67

Data prediction
New σ_c^* polar effect constants scale adapted to chromatography (in French) (136) 5

Data prediction
Attempt to use HPTLC data for prediction of HPLC retention coefficients (in French) (137) 35

Data processing
Use of a programmable pocket calculator in processing amino acid analysis data (137) 475

Data processing
Direct measurement of GC retention volume. III. Software (139) 156

DDD
Simple and sensitive GLC method for the determination of *o,p'*-DDD in biological fluids (133) 218

DDMP
Determination of 2,4-diamino-5-(3,4-dichlorophenyl)-6-methylpyrimidine (BW 197U) in human plasma (137) 449

Dead-time estimation
Problem of accuracy of mathematical dead-time estimation (133) 1

Debrisoquine
Determination of debrisoquine and its 4-hydroxy metabolite in biological fluids by GC with flame-ionization and nitrogen-selective detection (133) 161

Declinax
Determination of debrisoquine and its 4-hydroxy metabolite in biological fluids by GC with flame-ionization and nitrogen-selective detection (133) 161

Demoxytocin
Separation of nonapeptides by reversed-phase HPLC (132) 27

Demoxytocin
Quantitative analysis of nonapeptides in pharmaceutical dosage forms by HPLC (132) 429

Density-gradient isoelectric focusing
Isoelectric focusing as a method for the characterization of ampholytes. II. pH measurements in solvent mixtures used in density-gradient isoelectric focusing (140) 149

Deoxyribonucleosides
Single-step separation of major and rare ribonucleosides and deoxyribonucleosides by cation-exchange HPLC for the determination of the purity of nucleic acid preparation (140) 251

Deoxy sugars
Direct spectrophotometric TLC for determining malondialdehyde and β-formyl pyruvate produced by the periodate oxidation of some deoxy sugars (131) 464

Depakine
GC determination of valproic acid in human plasma (132) 145

Desipramine
Combined TLC and GLC identification of tricyclic antidepressants in urine (132) 237

Desmethyldiazepam
Rapid micro-method for the measurement of diazepam and desmethyldiazepam in blood plasma by GLC (137) 439

Detectors
Detection by IR spectrometry in HPLC (in French) (132) 295

Detectors
Construction and evaluation of a thermostatted permittivity detector for column HPLC (132) 369

Detectors
Micro-adsorption detector. I. Principles of operation and mechanism of response (133) 31

Detectors
Study of the nitrogen response mode of the thermionic rubidium silicate detector (133) 37

Detectors
Nitrosamide-specific detector for use with HPLC (133) 59

Detectors
Diode array detector in LC. II. Enhanced sensitivity via first derivative ($dA/d\lambda$) chromatograms (133) 352

Detectors
Electrolytic conductivity detector as an element-selective GC detector (134) 1

Detectors
Pulse-modulated electron capture detection with nitrogen carrier gas (134) 25

Detectors
Evaluation of a new photoionization detector for organic compounds (134) 49

Detectors
Nitrogen-phosphorus detector and its applications in GC (134) 57

Detectors
Ionization detector for GC with switchable selectivity for carbon, nitrogen and phosphorus (134) 65

Detectors
Positive peak identification in LC using absorbance ratioing with a variable-wavelength spectrophotometric detector (134) 73

Detectors
Enzyme-selective detector systems for HPLC (134) 83

Detectors
Continuous-flow enzyme detector for LC (134) 91

Detectors
Use of fluorescence detection in HPLC (134) 107

Detectors
Fluorescence detector for HPLC (134) 121

Detectors
Selective IR detectors for chromatography (134) 131

Detectors
Mass spectrometer as a substance-selective detector in chromatography (134) 147

Detectors
Coupled GC-atomic absorption spectrometry (134) 159

Detectors
Coupling of chemiluminescence TLC detection to a Vidicon rapid scanning detector (134) 513

Detectors
Optimisation of the performance of a three-electrode thermionic detector for the detection of phosphorus, sulphur and nitrogen compounds by GC (136) 199

Detectors
Improved miniature flow fluorometer for LC (136) 213

Detectors
Non-dispersive atomic fluorescence spectroscopy, a new detector for chromatography (136) 301

Detectors
Fast and sensitive thermal conductivity

detector for use with capillary columns (in German) (137) 13

Detectors
Destructive and non-destructive models of the coulometric electron-capture detector (137) 245

Detectors
Simple chemiluminescent detector for the screening of foodstuffs for the presence of volatile nitrosamines (137) 293

Detectors
Properties of the flow-impedance bridge detector (138) 1

Detectors
Analysis of a gas stream using a manometric technique (in German) (138) 216

Detectors
Silicon detector for GC (140) 1

Detectors
Significance of the rubidium bromide thermionic detector equipped with a gate electrode in the analysis of halogenated dithiocarbamate derivatives (140) 86

Detergents
Preparation and TLC of sulfate conjugates of the component oligomers of Triton X-100 (137) 397

Dextrans
General permeation chromatography equation and its application to tailor-made controlled pore glass columns (132) 387

Dextromethorphan
GLC determination of dextromethorphan in serum and brain (140) 270

Dextropropoxyphene
GC method for the determination of dextropropoxyphene and nordextropropoxyphene in human plasma, serum and urine (140) 280

Diamines
Rapid determination of polyamines and some mono- and diamines in vegetable extracts (in French) (139) 381

Diaminobenzene
Some 1,2-diaminobenzene derivatives as reagents for GC determination of selenium with an electron-capture detector (136) 85

Diarylethanes
Chromatographic behaviour of diastereomers. II. TLC behaviour of diastereomeric 1,2-disubstituted 1,2-diarylethanes (132) 61

Diastereomers
Chromatographic behaviour of diastereomers. II. TLC behaviour of diastereomeric 1,2-disubstituted 1,2-diarylethanes (132) 61

Diastereomers
Chromatographic behaviour of diastereomers. III. TLC behaviour of diastereomeric 4-substituted 6,7-dialkoxy-3-aryl-tetrahydroisoquinolines and -isochromans (132) 73

Diastereomers
HPLC resolution of propoxyphene carbinol diastereomers (134) 187

Diazepam
Analysis of benzodiazepines and their hydrolysis products, benzophenones, by reversed-phase HPLC and its application to biological material (in German) (132) 83

Diazepam
Analysis of medazepam, diazepam, and metabolites in plasma by GLC with electrolytic conductivity detection (136) 127

Diazepam
Rapid micro-method for the measurement of diazepam and desmethyldiazepam in blood plasma by GLC (137) 439

Diazepam
TLC screening procedure for some drugs used in treatment of arthritis: "arthritic cures" prescribed in Mexico (137) 489

Dibenzoazepine
Epoxide-diol pathway in the metabolism of 5*H*-dibenzo[*b*,*f*]azepine (iminostilbene) (134) 307

Dibenzocycloheptene
"Epoxide-diol" metabolic pathway of 5H-dibenzo[*a*,*d*]cycloheptene in the rat. Studies by GC and MS (131) 430

Di(*p*-bromophenyl)-triphenylcyclo-2,4-pentadien-1-methyl ether isomers
Preparative HPLC separation of high-molecular-weight isomers (131) 185

Dibucaine hydrochloride
TLC of active compounds from ointments and suppositories followed by direct quantitative analysis by remission (in German) (131) 391

Dibutylmethylphenol
Comparative GC behaviour and detection limits of 2,6-di-*tert.*-butyl-4-methylphenol, 3-*tert.*-butyl-4-hydroxyanisole (BHA), and the trifluoroacetate of BHA (133) 363

Dicarboxylic hydroxy acids
Anion-exchange chromatography of dicarboxylic hydroxy acids (134) 337

Dichlorosulphinylamines
GC analysis of aromatic sulphinylamines. II (139) 177

Di(ethylhexyl)phthalate
Determination of di-(2-ethylhexyl)phthalate in human placenta (132) 511

Diethylstilbestrol
Comparison of electron-capture and electrolytic conductivity detection for the GLC

analysis of some perfluoro derivatives of four agricultural chemicals (135) 117

Difenacoum
Determination of the rodenticide difenacoum in biological materials by HPLC with confirmation of identity by MS (139) 321

Digitalis cardenolides
Separation of digitalis cardenolides by HPTLC (in German) (138) 238

Dihydroequilin
TLC system for the semi-quantitative analysis of the ratio of α- and β-dihydroequilin in the diol fraction of equine estrogen conjugates (135) 523

Dihydrophenylspiroisobenzopiperidinel
GLC determination of 1,3-dihydro-3-phenylspiroisobenzofuran-1,4-piperidinel, HP 505, in biological fluids using a nitrogen-specific detector (136) 401

Dihydroxydianthrones
Determination of dihydroxydianthrones by densitometry after TLC (132) 363

Diisocyanates
Simple ureas derived from diisocyanates and their LC on a 5-cm column (134) 451

Diketones
Gel chromatography of β-diketones and their metal complexes. VI. Elution behaviour of various β-diketones and their chromium(III) chelates on different gels (138) 79

Diltiazem
Simple, sensitive and specific GC method for the quantification of diltiazem in human body fluids (138) 391

Dimethylbiguanide
Determination of metformin in biological fluids by derivatization followed by HPLC (133) 408

Dinitroxylenes
LC of dinitro-*p*-xylenes (131) 425

Dinoracetylmethadol
Simultaneous determination of acetylmethadol and its major metabolites by GLC (135) 205

Diode array detectors
Diode array detector in LC. II. Enhanced sensitivity via first derivative ($dA/d\lambda$) chromatograms (133) 352

Diosgenin
Analysis of Fenugreek sapogenins by GLC (133) 222

Dioxan
Rapid method for the simultaneous determination of 1,4-dioxan and its major metabolite, β-hydroxyethoxyacetic acid, concentrations in plasma and urine (133) 263

Dipeptides
Chromatographic analysis of phosphonic analogues of dipeptides (in French) (132) 556

Diphenylhydantoin
Simultaneous determination of anticonvulsant drugs by GLC (131) 341

Diphenylhydantoin
Simultaneous GC analysis for the seven commonly used antiepileptic drugs in serum (136) 332

Diphenylhydantoin
TLC analysis of phenytoin and its hydroxy metabolites (137) 231

Diphenylhydantoin
Solvent suppression of the decomposition of phenobarbital during on-column methylation with trimethylanilinium hydroxide (138) 413

Diphosphate
Gel and ion-exchange chromatographic purification of the reaction products between diphosphate and diphosphonate (134) 497

Diphosphonate
Gel and ion-exchange chromatographic purification of the reaction products between diphosphate and diphosphonate (134) 497

Dipropyl acetate
Sensitive GLC method for determination of valproic acid in biological fluids (137) 188

Dipropylacetic acid
GC determination of valproic acid in human plasma (132) 145

Disaccharide oximes
GLC of trimethylsilylated disaccharide oximes (135) 411

Disaccharides
Use of TLC in the separation of disaccharides resulting from digestion of chondroitin sulphates with chondroitinases (136) 342

Disopyramide
HPLC analysis of drugs in biological fluids. III. Analysis of disopyramide and its mono-N-dealkylated metabolite in plasma and urine (132) 503

Distribution coefficients
Partition of metallic elements between a cation-exchanger swollen with water and a solution of metallic chelates in a water-immiscible solvent. I. Dependence of the distribution coefficient on the nature and the concentration of the chelating agent (in French) (133) 15

Disulfiram
Quantitative analysis of disulfiram and its metabolites in human blood by GLC (133) 167

Dithiocarbamate derivatives
Significance of the rubidium bromide thermionic detector equipped with a gate

electrode in the analysis of halogenated dithiocarbamate derivatives (140) 86

Dopamine
HPLC assay of rat-brain dopamine and norepinephrine (137) 357

Doping
Estimation of chlorbutanol by electron capture GC (134) 178

Doping
Detection of sympathomimetic central nervous stimulants with special reference to doping. II. Comparative study of two adsorption chromatography methods using different XAD resins (136) 385

Doxorubicin hydrochloride
Determination of doxorubicin hydrochloride in pharmaceutical preparations using HPLC (131) 375

Doxycycline
Reversed-phase HPLC of doxycycline (140) 293

Drug monitoring
New GC assay for the quantification of methadone. Application in human and animal studies (131) 329

Drug monitoring
GC determination of cocaine in whole blood and plasma using a nitrogen-sensitive flame ionization detector (135) 141

Drug monitoring
Single- and two-step extraction and thin-layer detection procedures for benzoylecgonine (cocaine metabolite) alone or in combination with a wide variety of commonly abused drugs in urine screening programs (135) 385

Drug monitoring
Application of the extractive alkylation technique to the pentafluorobenzylation of morphine (a heroin metabolite) and surrogates, with special reference to the quantitative determination of plasma morphine levels using mass fragmentography (136) 409

Drug monitoring
Separation and detection of phencyclidine in urine by GC (137) 135

Drugs, analgesic
Chromatographic analysis of azapropazone and related benzotriazines (131) 448

Drugs, analgesic
GC determination of propoxyphene and norpropoxyphene in plasma (132) 287

Drugs, analgesic
HPLC resolution of propoxyphene carbinol diastereomers (134) 187

Drugs, analgesic
Quantitative GC determination of nefopam in plasma (136) 154

Drugs, analgesic
Identification and quantitation of impurities from benorilate (Salipran) by HPLC (in French) (138) 193

Drugs, analgesic
Analysis of trace amounts of acetylsalicylic anhydride in acetylsalicylic acid (140) 131

Drugs, analgesic
GC method for the determination of dextropropoxyphene and nordextropropoxyphene in human plasma, serum and urine (140) 280

Drugs, anesthetic
GC determination of cocaine in whole blood and plasma using a nitrogen-sensitive flame ionization detector (135) 141

Drugs, anti-arrhythmic
HPLC analysis of drugs in biological fluids. III. Analysis of disopyramide and its mono-N-dealkylated metabolite in plasma and urine (132) 503

Drugs, anti-arrhythmic
HPLC analysis of drugs in biological fluids. V. Analysis of acebutolol and its major metabolite (138) 183

Drugs, antibiotic, see Antibiotics

Drugs, anticoagulant
Biochemical applications of a quantitative HPLC assay of warfarin and its metabolites (131) 365

Drugs, anticoagulant
Analysis of warfarin in plasma by HPLC (135) 149

Drugs, anticonvulsant
Simultaneous determination of anticonvulsant drugs by GLC (131) 341

Drugs, anticonvulsant
GLC determination of primidone in plasma (132) 140

Drugs, anticonvulsant
GC determination of valproic acid in human plasma (132) 145

Drugs, anticonvulsant
Analysis of medazepam, diazepam, and metabolites in plasma by GLC with electrolytic conductivity detection (136) 127

Drugs, anticonvulsant
Comparison of two GLC methods for the determination of nitrazepam in plasma (136) 259

Drugs, anticonvulsant
Simultaneous GC analysis for the seven commonly used antiepileptic drugs in serum (136) 332

Drugs, anticonvulsant
Relative electron capture response of the 2-

chloroethyl derivatives of some barbituric acids and anticonvulsant drugs (137) 111

Drugs, anticonvulsant
Sensitive GLC method for determination of valproic acid in biological fluids (137) 188

Drugs, anticonvulsant
GLC of eight anticonvulsant drugs in plasma (137) 206

Drugs, anticonvulsant
Analysis of nitrazepam and its metabolites by HPLC (137) 215

Drugs, anticonvulsant
TLC analysis of phenytoin and its hydroxy metabolites (137) 231

Drugs, anticonvulsant
Rapid micro-method for the measurement of diazepam and desmethyldiazepam in blood plasma by GLC (137) 439

Drugs, anticonvulsant
Solvent suppression of the decomposition of phenobarbital during on-column methylation with trimethylanilinium hydroxide (138) 413

Drugs, anticonvulsant
Determination of clonazepam and its 7-amino metabolite in plasma and blood by GC-chemical ionization MS (139) 121

Drugs, antidepressant
Automated high-resolution GC analysis of psychotropic drugs in biological fluids using open-tubular glass capillary columns. I. Determination of nomifensine in human plasma (131) 347

Drugs, antidepressant
"Epoxide-diol" metabolic pathway of 5H-dibenzo[*a*,*d*]cycloheptene in the rat. Studies by GC and MS (131) 430

Drugs, antidepressant
Assay of human plasma for nortriptyline by radioacetylation and TLC (132) 45

Drugs, antidepressant
Quantitative determination of amitriptyline and nortriptyline in plasma by HPLC (132) 155

Drugs, antidepressant
Combined TLC and GLC identification of tricyclic antidepressants in urine (132) 237

Drugs, antidepressant
Determination of (+)-3*R*),(4*S*)-3-[(4-methoxyphenoxy)methyl]-1-methyl-4-phenylpiperidine hydrochloride (FG 4963) in biological fluids using competition for adsorption to glass (133) 147

Drugs, antidepressant
Isotopic fractionation in TLC (133) 281

Drugs, antidepressant
Simultaneous determination of plasma amitriptyline and nortriptyline as trichloroethyl carbamates by electron-capture GC (133) 367

Drugs, antidepressant
Assay of tricyclic structured drugs and their metabolites in urine by HPLC (134) 182

Drugs, antidepressant
Determination of therapeutic levels of butriptyline in plasma by GLC (134) 524

Drugs, antidepressant
CLC of tricyclic antidepressants (138) 431

Drugs, antidepressant
Rapid, sensitive GLC method for determination of amitriptyline and nortriptyline in plasma using a nitrogen-sensitive detector (138) 437

Drugs, antihypertensive
Determination of debrisoquine and its 4-hydroxy metabolite in biological fluids by GC with flame-ionization and nitrogen-selective detection (133) 161

Drugs, antihypertensive
Determination of hydralazine in tablets by GC (137) 431

Drugs, antihypertensive
Identification of selected antihypertensive drugs by TLC (138) 111

Drugs, anti-inflammatory
Determination of the anti-inflammatory agent carprofen, (D,L)-6-chloro-α-methylcarbazole-2-acetic acid, in blood by HPLC (136) 391

Drugs, anti-inflammatory
Determination of (*d*,*l*)-6-chloro-α-methylcarbazole-2-acetic acid in plasma by HPLC (140) 310

Drugs, antimycotic
Extractive alkylation of biological samples of clioquinol or chloroquinaldol and determination by electron capture GC (140) 170

Drugs, antithyroid
Quantitative detection of estrogens and antithyroid drugs by TLC and HPTLC in animal tissue (in German) (134) 351

Drugs, antituberculous
Determination of prothionamide and its sulphoxide metabolite in physiological fluids by quantitative TLC (132) 562

Drugs, antituberculous
Determination of hydrazine metabolites of isoniazid in human urine by GC (138) 165

Drugs, antitussive
GLC determination of dextromethorphan in serum and brain (140) 270

Drugs, cytostatic
Determination of doxorubicin hydrochloride in

pharmaceutical preparations using HPLC (131) 375

Drugs, cytostatic
Simple and sensitive GLC method for the determination of *o,p'*-DDD in biological fluids (133) 218

Drugs, cytostatic
Analysis by HPLC of 9-β-D-arabinofuranosyladenine 5'-triphosphate levels in murine leukemia cells (133) 335

Drugs, cytostatic
HPLC analysis of ftorafur and its metabolites in biological fluids (134) 219

Drugs, cytostatic
Determination of 2,4-diamino-5-(3,4-dichlorophenyl)-6-methylpyrimidine (BW 197U) in human plasma (137) 449

Drugs, cytostatic
HPLC of Catharanthus alkaloids (139) 203

Drugs, hypnotic
Routine analysis of barbiturates and some other hypnotic drugs in the blood plasma as an aid to the diagnosis of acute poisoning (131) 131

Drugs, hypnotic
Rapid micro-method for the measurement of ethchlorvynol in blood plasma and in urine by GLC (137) 119

Drugs, hypnotic
GC determination of hexobarbital and its metabolites from biological material (in German) (139) 191

Drugs, hypnotic
Sensitive TLC method for urine screening of barbiturates (140) 71

Drugs, hypnotic
GC determination of barbiturates by extractive alkylation and support coated open tubular column separation (140) 165

Drugs, hypoglycaemic
Determination of metformin in biological fluids by derivatization followed by HPLC (133) 408

Drugs, hypolipidaemic
HPLC analysis of drugs in biological fluids. IV. Determination of clofibrinic acid (137) 145

Drugs, hypolipidaemic
Use of HPLC to measure plasma concentrations of *p*-chlorophenoxyisobutyric acid after administration of clofibrate to humans (137) 218

Drugs, laxative
Determination of dihydroxydianthrones by densitometry after TLC (132) 363

Drugs, psychostimulant
Combined GLC-MS analysis of pemoline in biological samples (134) 415

Drugs, psychostimulant
GC determination of pemoline as 5-phenyl-2,4-oxazolidinedione in human urine (137) 333

Drugs, psychostimulant
GC determination of pemoline in biological fluids using electron capture detection (137) 343

Drugs, psychostimulant
TLC determination of pemoline in urine after ingestion of therapeutic doses (in German) (140) 134

Drugs, spasmolytic
Determination of papaverine in blood samples by GLC and mass fragmentography (133) 153

Drugs, spasmolytic
Retention behaviour of a bonded reversed phase in a HPLC assay of serum theophylline (135) 419

Drugs, tranquilizers
Analysis of benzodiazepines and their hydrolysis products, benzophenones, by reversed-phase HPLC and its application to biological material (in German) (132) 83

Drugs, tranquilizers
Quantitative GC analysis of flunitrazepam in human serum with electron-capture detection (133) 319

Drugs, tranquilizers
Determination of clorazepate and its major metabolites in blood and urine by electron capture GLC (135) 123

Drugs, tranquilizers
Rapid and sensitive electron-capture GC method for the determination of pinazepam and its metabolites in human plasma, urine and milk (135) 133

Drugs, tranquilizers
Analysis of medazepam, diazepam, and metabolites in plasma by GLC with electrolytic conductivity detection (136) 127

Drugs, tranquilizers
Comparison of two GLC methods for the determination of nitrazepam in plasma (136) 259

Drugs, tranquilizers
Analysis of nitrazepam and its metabolites by HPLC (137) 215

Drugs, tranquilizers
Rapid micro-method for the measurement of diazepam and desmethyldiazepam in blood plasma by GLC (137) 439

Drugs, tranquilizers
An ultramicro HPLC method for assaying ion-pair species of benactyzine (140) 300

Dual detection
Parallel flame ionization detection-total ion current recording in capillary GC-chemical ionization MS (132) 249

Dyes
Electrophoretic behaviour of congo red dyes in aqueous dimethylformamide containing an electrolyte (132) 175

Dyes
Polyacrylamide gel electrophoresis of water-soluble coal-tar dyes (132) 566

Dyes
TLC of some cyanine dyes (135) 221

Dyes
TLC of Sudan dyes (136) 353

Dyes
Isoelectric focusing as a puzzle (137) 171

E

Electrolytic conductivity detector
Electrolytic conductivity detector as an element-selective GC detector (134) 1

Electron-capture detector
Destructive and non-destructive models of the coulometric electron-capture detector (137) 245

Electron-capture detector combined with a capillary column
Performance characteristics of a system containing a capillary column and an electron-capture detector (131) 404

Electron capture detectors
Pulse-modulated electron capture detection with nitrogen carrier gas (134) 25

Electropherograms, evaluation
Fluorescence photometry of thin-layer chromatograms and electropherograms (133) 49

Electrophoresis
Convection in continuous-flow electrophoresis (140) 187

Elemental analysis
Continuous elemental analysis of nitrogen-containing substances by the use of GC (131) 285

Endrin
Isolation and determination of chlorinated organic pesticides by TLC and the application to toxicological analysis (131) 275

Enzyme detector
Continuous-flow enzyme detector for LC (134) 91

Enzymes
Purification of β-N-acetyl-D-glucosaminidase of the horseshoe crab by affinity chromatography (136) 141

Enzymes
Polyacrylamide gradient electrophoresis for protein purification on the milligram scale (137) 69

Enzymes
Quantitative TLC assay for the β-neoagarotetraose hydrolase of *Pseudomonas atlantica* (137) 234

Enzymes
Isolation of synthetic enzyme-dextran conjugates by chromatography on concanavalin A-Sepharose (137) 468

Enzymes
Purification of α-L-fucosidase from various sources by affinity chromatography (139) 283

Enzymes
Use of ω-aminohexyl-Sepharose in the fractionation of *Escherichia coli* B aminoacyl-tRNA synthetases (139) 331

Enzyme-selective detector systems
Enzyme-selective detector systems for HPLC (134) 83

Epichlorohydrin
Investigation of the reaction of epichlorohydrin with 1-butanol by gel chromatography (139) 141

Epilim
GC determination of valproic acid in human plasma (132) 145

Epoxide hydratase
GC and mass fragmentographic assays of carcinogenic polycyclic hydrocarbon epoxide hydratase activity (134) 323

Equine estrogens
TLC system for the semi-quantitative analysis of the ratio of α- and β-dihydroequilin in the diol fraction of equine estrogen conjugates (135) 523

Ergot alkaloids
Trace enrichment techniques in reversed-phase HPLC (136) 63

Erythromycin
Erythromycin series. V. Quantitative analysis of cladinose and methylcladinoside by densitometry of thin-layer chromatograms (132) 309

Erythromycin
Simple TLC identification procedure for erythromycin base, stearate, estolate and ethylsuccinate (133) 239

Erythromycin
Erythromycin series. IV. TLC of erythromycin, erythromycin oxime, erythromycylamine and their acyl derivatives (133) 415

Essential oils
Whisker-walled open-tubular glass columns in GC. III. Applications (132) 231

Esterase activity
Determination of paraoxon by combined bovine liver esterase inhibition and GLC (138) 423

Estrogen conjugates
Separation of estrogen glucuronides, sulphates and phosphates on ion-exchange cellulose by HPLC (135) 305

Estrogenic compounds
HPLC separation of pharmaceutical compounds using a mobile phase containing silver nitrate (136) 337

Estrogens
Chromatographic separation of androgens, estrogens and progestogens on hydroxyalkoxypropyl-Sephadex (Lipidex) (133) 412

Estrogens
Quantitative detection of estrogens and antithyroid drugs by TLC and HPTLC in animal tissue (in German) (134) 351

Estrogens
TLC system for the semi-quantitative analysis of the ratio of α- and β-dihydroequilin in the diol fraction of equine estrogen conjugates (135) 523

Ethanolamine plasmalogen
TLC resolution of molecular species of ethanolamine plasmalogen quantitatively unique to myelin (135) 229

Ethchlorvynol
Rapid micro-method for the measurement of ethchlorvynol in blood plasma and in urine by GLC (137) 119

Ethers
Behaviour of ethers. VII. Principle of determination of the polar effect constants (in French) (133) 7

Ethosuccinimide
Simultaneous GC analysis for the seven commonly used antiepileptic drugs in serum (136) 332

Ethosuximide
Simultaneous determination of anticonvulsant drugs by GLC (131) 341

Ethoxyquin
Nondestructive distinction between aflatoxin B_1 and ethoxyquin in TLC (132) 115

Ethylhexanol
Evaluation of solvent properties. A comparison of esters of 2-ethylhexanol (133) 190

Ethylphenols
Quantitative GC analysis on support-coated open tubular capillary columns. I. Analysis of isomeric ethylphenols (140) 245

Ethynyl estradiol
Simultaneous determination of Trenbolone acetate and ethynyl estradiol in food by combined TLC-GC (in French) (136) 165

Exchangers, chelating
Preparation of chelating exchangers with a polysaccharide network and low cross-linkage (131) 91

F

Fats
Computer processing of fatty acid analysis data (131) 121

Fatty acid methyl esters
Silar 10 C, Silar 9 CP, SP 2340 and OV-275 in the GLC of fatty acid methyl esters on packed columns. Chromatographic characteristics and molecular structures (135) 93

Fatty acid methyl esters
SP 2340 in the glass capillary chromatography of fatty acid methyl esters (136) 311

Fatty acids
Computer processing of fatty acid analysis data (131) 121

Fatty acids
Fatty acids. XIII. The GLC behaviour of dimethylene-interrupted methyl *cis*-octadecenynoates (131) 239

Fatty acids
Whisker-walled open-tubular glass columns in GC. III. Applications (132) 231

Fatty acids
Retention behaviour of a porous styrene-divinylbenzene copolymer in the separation of fatty acids and related compounds (138) 17

Fatty acids
Fatty acids. XVII. Chromatographic properties of all isomeric C_{18} furan esters (138) 373

Fatty acids
Fatty acids. XVIII. GLC behaviour of unsaturated furan esters (138) 446

Fatty acids
GC determination of the volatile fatty acids (C_1-C_5) including lactic acid after conversion into their benzyl esters by phenyldiazomethane. Determination of the acids in silages (in German) (140) 29

Fatty acids, acetylenic
Fatty acids. XV. TLC behaviour of acetylenic fatty esters on silicic acid (136) 178

Fatty acids, alicyclic
GC retention characteristics of ω-alicyclic fatty acids (136) 323

Fatty alcohols, ethoxylated
Determination of alkyl ethoxylate mixtures by programmed multiple development TLC (135) 165

Felypressin
Separation of nonapeptides by reversed-phase HPLC (132) 27

Felypressin
Quantitative analysis of nonapeptides in pharmaceutical dosage forms by HPLC (132) 429

Fenitrothion
An *in situ* fluorimetric method for the detection and quantitative analysis of fenitrothion, its breakdown products and other amine-generating compounds (132) 315

Fenitrothion
Use of Amberlite XAD-2 resin for the quantitative recovery of fenitrothion from water: A preservation technique (139) 386

Fetoprotein
Purification of α-fetoprotein from rat amniotic fluid by gel filtration (137) 471

FG 4963
Determination of (+)-3*R*),(4*S*)-3-[(4-methoxyphenoxy)methyll-1-methyl-4-phenylpiperidine hydrochloride (FG 4963) in biological fluids using competition for adsorption to glass (133) 147

Film thickness
Measurement of the average thickness of the film of stationary phase in dynamically coated glass capillary columns for GC (138) 7

Flame ionization detection-total ion current recording
Parallel flame ionization detection-total ion current recording in capillary GC-chemical ionization MS (132) 249

Flavonoids
Separation and quantification of flavonoids on HPTLC silica gel 60 plates (in German) (140) 322

Flow-impedance bridge detector
Properties of the flow-impedance bridge detector (138) 1

Flow splitter
Dynamical flow splitter for use in preparative-scale GC (in German) (139) 249

Flunitrazepam
Quantitative GC analysis of flunitrazepam in human serum with electron-capture detection (133) 319

Fluorescence detection
Use of fluorescence detection in HPLC (134) 107

Fluorescence photometry
Fluorescence photometry of thin-layer chromatograms and electropherograms (133) 49

Fluorescence spectrophotometer
Fluorescence detector for HPLC (134) 121

Fluorometer
Improved miniature flow fluorometer for LC (136) 213

Folate-binding protein
Difference between free and ligand-bound folate-binding protein in cow's milk concerning affinity for chromatographic gels (134) 517

Folithion
Use of Amberlite XAD-2 resin for the quantitative recovery of fenitrothion from water: A preservation technique (139) 386

Foodstuffs, fatty
Determination of organochlorine insecticide residues in fatty foodstuffs using a clean-up technique based on a single column of activated alumina (137) 405

Formyl pyruvate
Direct spectrophotometric TLC for determining malondialdehyde and β-formyl pyruvate produced by the periodate oxidation of some deoxy sugars (131) 464

Ftorafur
HPLC analysis of ftorafur and its metabolites in biological fluids (134) 219

Fucosidase
Purification of α-L-fucosidase from various sources by affinity chromatography (139) 283

Fungicides
TLC separation of several chloro- and methyl-substituted 2-aminopyridines (134) 238

Furan esters
Fatty acids. XVII. Chromatographic properties of all isomeric C_{18} furan esters (138) 373

Furan esters
Fatty acids. XVIII. GLC behaviour of unsaturated furan esters (138) 446

G

Gallium complexes
Influence of temperature and degree of resin crosslinking on the anion exchange of phosphate complexes of Ga(III) and In(III) (134) 285

Gangliosides
HPLC of glycosphingolipids (with special reference to gangliosides) (136) 233

Gangliosides
TLC of gangliosides (137) 481

Gas-adsorption chromatography
Effects of surface heterogeneity in non-linear and non-equilibrium gas-adsorption chromatography (137) 1

Gas adsorption chromatography
Cluster expansion for retention volume in adsorption GC. Adsorption of hydrocarbons on graphite (139) 237

Gas chromatography-chemical ionization mass spectrometry
Parallel flame ionization detection-total ion current recording in capillary GC-chemical ionization MS (132) 249

Gas chromatography, computer-assisted
Computer-assisted prediction of GC separations (134) 249

Gas chromatography, preparative-scale
Dynamical flow splitter for use in preparative-scale GC (in German) (139) 249

Gas-solid chromatographic systems
Some remarks on the characterization of GSC systems (133) 349

Gel-permeation chromatograph coupled to a capillary viscometer
Coupling of a gel-permeation chromatograph and an automatic capillary viscometer. I. Influence of the column efficiency (132) 187

Gel permeation chromatography
Concentration effects in GPC. I. Polymer solution properties (134) 263

Gel permeation chromatography
Solute-gel interactions in GPC of small molecules in organic media (135) 470

Gel permeation chromatography
Simple and efficient method of zone spreading correction in GPC (139) 225

Gentamicin C-complex
Separation of gentamicin C-complex into five components by Craig distribution (131) 191

Gentisic acid
Quantitation of patulin pathway metabolites using GLC (132) 17

Geraniol
Production of citral from geraniol. II. Capillary GC-MS investigation of two different oxidation reactions using a graphite porous-layer open-tubular column with a large coating ratio of polar liquid phase (138) 173

Germicides
Separation of homologous alkylbenzyldimethylammonium chlorides and alkylpyridinium halides by HPLC (134) 459

Glass capillaries
Dynamic coating of glass capillaries with polar phases and Silanox (136) 308

Glucagon
Comparison of non-biospecific effects in immunoaffinity chromatography using cyanogen bromide and bifunctional oxirane as immobilising agents (135) 427

Glucosides
HPLC of iridoid and secoiridoid glucosides (138) 453

Glutethimide
Routine analysis of barbiturates and some other hypnotic drugs in the blood plasma as an aid to the diagnosis of acute poisoning (131) 131

Glycerides
HPLC analysis of partial glycerides and other technical lipid mixtures (139) 61

Glyceryl-CPG
Determination of protein molecular weights in denaturing solvents using glyceryl-CPG (132) 399

Glycine
Separation of ^{14}C-labeled glycolate pathway metabolites from higher plant photosynthate (133) 396

Glycoflavones
Separation of isomeric glycoflavones by HPLC (136) 174

Glycolate pathway metabolites
Separation of ^{14}C-labeled glycolate pathway metabolites from higher plant photosynthate (133) 396

Glycolipids
Improved TLC method for the separation of major phospholipids and glycolipids from plant lipid extracts and phosphatidyl glycerol and bis(monoacylglyceryl) phosphate from animal lipid extracts (140) 179

Glycosaminoglycans
Simple procedure for combined GC analysis of neutral sugars, hexosamines and alditols. Determination of degree of polymerization of

oligo- and polysaccharides and chain weights of glycosaminoglycans (139) 303

Glycosides
GC of methyl glycosides as their trimethylsilyl ethers. The methanolysis and re-N-acetylation steps (133) 133

Glycosphingolipids
HPLC of glycosphingolipids (with special reference to gangliosides) (136) 233

Gramicidin
HPLC analysis of gramicidin, a polypeptide antibiotic (140) 174

Guanidine
GC determination of methylguanidine, guanidine and agmatine as their hexafluoroacetylacetonates (140) 47

Guanine
Detection reagent for adenine, guanine, uracil, cytosine and their alkylated bases, nucleotides and nucleosides on thin-layer plates (132) 121

Guanines
Separation of alkylated guanines, adenines, uracils and cytosines by TLC (131) 265

H

Haemopexin
Affinity chromatography of serum haemopexin (131) 453

Halides
Use of complex formation equilibria in the analytical isotachophoresis of strong electrolyte ions. Separation of halides and sulphates (137) 83

Haloalkanes
Thermodynamics of molecular association. Tri-*n*-alkylamine-chloroalkane systems (139) 1

Halocarbons
Sampling and determination of halocarbons in ambient air using concentration on porous polymer (134) 375

Halofenate
Determination of various drugs in rodent diet mixtures (131) 357

Halohydroborates
Separation of halohydroborates of the type $B_{10}H_{10-n}X_n^{2-}$ by high-voltage ionophoresis (in German) (139) 291

Head-space analyses
Nanogram techniques. I. Injection without losses on capillary GLC columns (in German) (136) 13

Headspace analysis
Vapor pressure of 2,4,6-trinitrotoluene by a GC headspace technique (133) 83

Head-space gas analysis
Quantitative head-space gas analysis by the standard additions method. Determination of hydrophilic solutes in equilibrated gas-aqueous liquid systems (136) 37

Headspace volatiles
Concentration of headspace, airborne and aqueous volatiles on Chromosorb 105 for examination by GC and GC-MS (135) 49

Heat of adsorption
GC determination of the heat of adsorption of benzene and its monohalogeno derivatives adsorbed on montmorillonite-pyridinium (in French) (133) 184

Heat of vaporization
Measurement of heats of vaporization by means of a gas chromatograph (135) 13

Height equivalent to a theoretical plate
Influence of the geometry of support materials on the capacity of an extraction chromatographic system. III. Influence of the exchange kinetics and the flow inhomogeneities on the height equivalent to a theoretical plate (in German) (135) 273

Heptafluorobutyryl isobutyl esters
Amino acid analysis by GLC of N-heptafluorobutyryl isobutyl esters. Complete resolution using a support-coated open-tubular capillary column (136) 113

Herbesser
Simple, sensitive and specific GC method for the quantification of diltiazem in human body fluids (138) 391

Herbicides
Detection of triazine herbicides in soil by a Hill-reaction inhibition technique after TLC (133) 420

Herbicides
Reversed-phase HPLC of some common herbicides (134) 216

Herbicides
Identification of eleven urea herbicides by TLC and GLC. I. Application to natural waters (in French) (134) 483

Herbicides
GLC method with electron-capture detection for the determination of residues of some phenoxyacetic acid herbicides in water as their 2,2,2-trichloroethyl esters (136) 105

Herbicides
Determination of hydrazine metabolites of isoniazid in human urine by GC (138) 165

Herbicides
Quantitative determination of the herbicide paraquat in human plasma by GC and MS methods (139) 311

Heroin
Application of the extractive alkylation technique to the pentafluorobenzylation of morphine (a heroin metabolite) and surrogates, with special reference to the quantitative determination of plasma morphine levels using mass fragmentography (136) 409

Heterogeneity of the surface
Effects of surface heterogeneity in non-linear and non-equilibrium gas-adsorption chromatography (137) 1

Hexachlorophene
TLC of active compounds from ointments and suppositories followed by direct quantitative analysis by remission (in German) (131) 391

Hexobarbital
GC determination of hexobarbital and its metabolites from biological material (in German) (139) 191

Hexosamines
Separation of hexosamines, hexosaminitols and hexosamine-containing di- and trisaccharides on an amino acid analyser (134) 199

Hexosamines
Simple procedure for combined GC analysis of neutral sugars, hexosamines and alditols. Determination of degree of polymerization of oligo- and polysaccharides and chain weights of glycosaminoglycans (139) 303

Hexosaminitols
Separation of hexosamines, hexosaminitols and hexosamine-containing di- and trisaccharides on an amino acid analyser (134) 199

High-performance thin-layer chromatographic plates
Chromatography of Dns derivatives on pre-coated HPTLC plates (131) 109

Hippuric acid
Isotachophoretic analysis of mandelic acid, phenylglyoxylic acid, hippuric acid and methylhippuric acid in urine after occupational exposure to styrene, toluene and/or xylene (132) 469

Histamine
TLC of histidine, histamine and histidyl peptides at picomole level using a unique fluorogenic reaction with fluorescamine (131) 215

Histidine
TLC of histidine, histamine and histidyl peptides at picomole level using a unique fluorogenic reaction with fluorescamine (131) 215

Histidyl peptides
TLC of histidine, histamine and histidyl peptides at picomole level using a unique fluorogenic reaction with fluorescamine (131) 215

Histones
Chromatography of histones on hydroxyapatite columns (137) 222

Homocystine
Artifacts in the GC analysis of some sulfur-containing amino acids (138) 223

Homologous esters
GC of homologous esters. X. Data prediction properties of a Rohrschneider-type scheme (135) 61

Homologous esters
GC of homologous esters. XI. Use of ester solutes in a Rohrschneider-type scheme for data prediction (135) 67

Hop resins
Development of a bonded weak anion-exchange packing suitable for the HPLC of hop resins (133) 97

Hormones
Quantitative determination of phytoecdysones as illustrated by application to species of *Helleborus* (131) 468

Hormones
Chromatographic separation of androgens, estrogens and progestogens on hydroxyalkoxypropyl-Sephadex (Lipidex) (133) 412

Hormones
Separation of estrogen glucuronides, sulphates and phosphates on ion-exchange cellulose by HPLC (135) 305

Hormones
Improved separation of some isomers and epimers of the pregnane series by TLC with repeated development (135) 481

Hormones
TLC system for the semi-quantitative analysis of the ratio of α- and β-dihydroequilin in the diol fraction of equine estrogen conjugates (135) 523

HP 505
GLC determination of 1,3-dihydro-3-phenylspiroisobenzofuran-1,4-piperidinel, HP 505, in biological fluids using a nitrogen-specific detector (136) 401

Hydralazine
Determination of hydralazine in tablets by GC (137) 431

Hydrazine metabolites
Determination of hydrazine metabolites of isoniazid in human urine by GC (138) 165

Hydrazinophthalazine
Determination of hydralazine in tablets by GC (137) 431

Hydrocarbons
GC determination of trace amounts of hydrocarbons in the atmosphere of experimental biological containers (131) 179

Hydrocarbons
Whisker-walled open-tubular glass columns in GC. III. Applications (132) 231

Hydrocarbons
Chromatographic pulsed micro-reactor system for studying the kinetics of hydrocarbon conversions (133) 359

Hydrocarbons
Coordination polymers as adsorbents and stationary phases in GC. I. Polyfchromium(III) diphenylphosphinatel (138) 337

Hydrocarbons
Adsorption isotherms of hydrocarbons on γ-alumina (138) 347

Hydrocarbons
Cluster expansion for retention volume in adsorption GC. Adsorption of hydrocarbons on graphite (139) 237

Hydrocarbons, aromatic
Surface-layer sorbents for group analysis of aromatic hydrocarbons in petroleum distillates (140) 319

Hydrocarbons, bicyclic aromatic
GC separation and identification of bicyclic aromatic hydrocarbons in kerosene (b.p. 200-280°) (137) 198

Hydrocarbons, chlorinated
Air sampling methods for *s*-tetrachloroethane and other related chlorinated hydrocarbons (137) 283

Hydrocarbons, polynuclear
GC behaviour of some polynuclear hydrocarbons on cadmium chloride columns modified with Carbowaxes (135) 359

Hydrocarbon stationary phases
Hydrocarbon stationary phases for GLC (132) 181

Hydrochlorothiazide
Determination of hydrochlorothiazide in serum by HPLC (132) 91

Hydrocortisone
TLC of active compounds from ointments and suppositories followed by direct quantitative analysis by remission (in German) (131) 391

Hydrocortisone acetate
TLC of active compounds from ointments and suppositories followed by direct quantitative analysis by remission (in German) (131) 391

Hydrocortisone caproate
TLC of active compounds from ointments and suppositories followed by direct quantitative analysis by remission (in German) (131) 391

Hydrogen-atmosphere flame ionisation detector
Silicon detector for GC (140) 1

Hydrophilic solutes
Quantitative head-space gas analysis by the standard additions method. Determination of hydrophilic solutes in equilibrated gas-aqueous liquid systems (136) 37

Hydrophobic interaction chromatography
Hydrophobic interaction chromatography on uncharged Sepharose derivatives. Effects of neutral salts on the adsorption of proteins (131) 99

Hydroxy acids
Anion-exchange chromatography of dicarboxylic hydroxy acids (134) 337

Hydroxyamphetamine
Direct GLC analysis of N-hydroxyamphetamine, a metabolite of amphetamine (135) 200

Hydroxyanisole, butylated
Separation of butylated hydroxyanisole isomers on Sephadex LH-20 (132) 356

Hydroxybenzoic acid
Quantitation of patulin pathway metabolites using GLC (132) 17

Hydroxycarbofuran
Detection of carbofuran and metabolites directly or as their heptafluorobutyryl derivatives using GLC or HPLC with different detectors (138) 143

Hydroxychalcones
Separation and identification of some hydroxychalcones and their derivatives (138) 243

Hydroxyethoxyacetic acid
Rapid method for the simultaneous determination of 1,4-dioxan and its major metabolite, β-hydroxyethoxyacetic acid, concentrations in plasma and urine (133) 263

Hydroxyindoleacetic acid
Mass fragmentographic determination of 5-hydroxytryptamine and 5-hydroxyindole-3-acetic acid in brain tissue using deuterated internal standards (134) 407

2-(4-Hydroxyphenyl)-2-phenylpropane
Elution behaviour of some derivatives of 2-(4-hydroxyphenyl)-2-phenylpropane on Sephadex LH-20 in methanol and N,N-dimethylformamide (132) 99

Hydroxyquinolines
Extractive alkylation of biological samples of clioquinol or chloroquinaldol and determination by electron capture GC (140) 170

Hydroxytryptamine
Mass fragmentographic determination of 5-hydroxytryptamine and 5-hydroxyindole-3-acetic acid in brain tissue using deuterated internal standards (134) 407

Hypoxanthine arabinosides
HPLC of adenine and hypoxanthine arabinosides (139) 370

I

Imidazoles
TLC of histidine, histamine and histidyl peptides at picomole level using a unique fluorogenic reaction with fluorescamine (131) 215

Iminostilbene
Epoxide-diol pathway in the metabolism of 5*H*-dibenzo[*b*,*f*]azepine (iminostilbene) (134) 307

Imipramine
Combined TLC and GLC identification of tricyclic antidepressants in urine (132) 237

Imipramine
Isotopic fractionation in TLC (133) 281

Imipramine
Assay of tricyclic structured drugs and their metabolites in urine by HPLC (134) 182

Immunoglobulins
Isolation of serum albumin and immunoglobulins by chromatography on Con-A Sepharose and Sephadex G-150 (135) 193

Indanols
Separation of monohydric alkylphenols by GC. II (137) 425

Indium complexes
Influence of temperature and degree of resin crosslinking on the anion exchange of phosphate complexes of Ga(III) and In(III) (134) 285

Indole acids
Chromatographic behaviour of some indole acids on a Sephadex column in water and in the presence of salts (131) 205

Indolealkylamines
Determination of indolealkylamines after selective derivatisation (in German) (134) 385

Indole derivatives
The van Urk-Salkowski reagent: A sensitive and specific chromogenic reagent for silica gel TLC detection and identification of indole derivatives (132) 267

Indomethacin
TLC screening procedure for some drugs used in treatment of arthritis: "arthritic cures" prescribed in Mexico (137) 489

Infrared absorption photometry
Selective IR detectors for chromatography (134) 131

Infrared detection
Detection by IR spectrometry in HPLC (in French) (132) 295

Injection of micro-aliquots
GC analysis of lipids with the injection of aliquots of less than 0.05 µl from small samples (132) 543

Ink
GC-MS analysis of tannin hydrolysates from the ink of ancient manuscripts (XIth to XVIth century) (134) 433

Inorganic anions
Chromatographic behaviour of inorganic anions on a Sephadex G-15 column (133) 173

Inorganic anions
Paper electrophoretic study of ion-pair formation. XIII. Survey of the ion-pair forming properties of monovalent inorganic anions (135) 256

Insecticides
Separation of rotenoids by HPLC (134) 207

Insecticides
Determination of rotenone in pesticide formulations and the separation of six rotenoids by reversed-phase HPLC (134) 210

Insecticides
Separation, detection and densitometric determination of chlorinated insecticides on silica gel and aluminum hydroxide papers (135) 235

Insecticides
Detection of carbofuran and metabolites directly or as their heptafluorobutyryl derivatives using GLC or HPLC with different detectors (138) 143

Insecticides
Determination of paraoxon by combined bovine liver esterase inhibition and GLC (138) 423

Insecticides
Use of Amberlite XAD-2 resin for the

quantitative recovery of fenitrothion from water: A preservation technique (139) 386

Insecticides
Simplified method for the determination of residues of carbofuran and its metabolites in crops using GLC-mass fragmentography (140) 209

Insecticides, organochlorine
Determination of organochlorine insecticide residues in fatty foodstuffs using a clean-up technique based on a single column of activated alumina (137) 405

Interstitial volume
Determination of the interstitial volume of ion-exchange columns (134) 191

Iodide
Complete separation of iodotyrosine-iodohistidine-iodide mixtures on thin-layer plates with a single-solvent system (134) 246

Iodohistidines
Complete separation of iodotyrosine-iodohistidine-iodide mixtures on thin-layer plates with a single-solvent system (134) 246

Iodotyrosines
Complete separation of iodotyrosine-iodohistidine-iodide mixtures on thin-layer plates with a single-solvent system (134) 246

Ion-cluster technique
Application of an ion-cluster technique to the analysis of endogenous hydroxylated compounds. I. Preparation of a doublet by use of a mixture of trimethylsilylimidazole (TSIM) and TSIM-d_3 (135) 109

Ion-exchange columns
Determination of the interstitial volume of ion-exchange columns (134) 191

Ion exchanger
Lanthanum tellurate, a new inorganic ion exchanger (136) 176

Ion-exchange resins, optically active
Preparation of optically active ion-exchange resins and resolution of racemates (135) 455

Ion exchangers
Crystalline insoluble acid salts of tetravalent metals. XXVII. Ion exchange of trivalent cations on ionic forms of crystalline zirconium phosphate with large interlayer distances (132) 477

Ion exchangers
Partition of metallic elements between a cation-exchanger swollen with water and a solution of metallic chelates in a water-immiscible solvent. I. Dependence of the distribution coefficient on the nature and the concentration of the chelating agent (in French) (133) 15

Ion exchangers
Isoelectric chromatography: a new approach in the use of ion exchangers for protein purification (135) 511

Ionization detector
Ionization detector for GC with switchable selectivity for carbon, nitrogen and phosphorus (134) 65

Ionophoresis, high-voltage
High-voltage paper ionophoresis in temperature gradients and non-aqueous solutions (in German) (135) 323

Ion-pair formation
Paper electrophoretic study of ion-pair formation. XIII. Survey of the ion-pair forming properties of monovalent inorganic anions (135) 256

Iridoid glucosides
HPLC of iridoid and secoiridoid glucosides (138) 453

Iron
Adsorption of trivalent iron in the ionic and colloidal states on silica gel impregnated with manganese dioxide (140) 77

Iron porphyrins
Benzidine substitute visualizing agents for iron porphyrins (138) 220

Isochromans
Chromatographic behaviour of diastereomers. III. TLC behaviour of diastereomeric 4-substituted 6,7-dialkoxy-3-aryl-tetrahydroisoquinolines and -isochromans (132) 73

Isoelectric focusing
Carrier ampholyte distribution in isoelectric focusing (131) 223

Isoelectric focusing
Isoelectric focusing as a puzzle (137) 171

Isoelectric focusing
Isoelectric focusing in cylinders of granulated gel (138) 25

Isoelectric focusing
Isoelectric focusing as a method for the characterization of ampholytes. II. pH measurements in solvent mixtures used in density-gradient isoelectric focusing (140) 149

Isohydric solvents
Isohydric solvents in LSCC. Importance for the reproducibility of chromatographic separations and application to the experimental determination of mobile phase polarity (139) 21

Isoniazid
Determination of hydrazine metabolites of isoniazid in human urine by GC (138) 165

Isosteric heat of adsorption
Determination of the isosteric heat of adsorption by adsorption GC (131) 1

Isotachophoresis in narrow-bore tubes
Isotachophoresis in narrow-bore tubes. Influence of the diameter of the separation compartment (132) 205

Isotachophoresis, preparative
Preparative plasma protein fractionation by isotachophoresis in Sephadex columns (132) 437

Isotopic fractionation
Isotopic fractionation in TLC (133) 281

Isovaline
GC resolution of DL-isovaline (132) 152

Itaconic acid
Itaconic acid carrier ampholytes for isoelectric focusing (134) 279

K

Kerosene
GC separation and identification of bicyclic aromatic hydrocarbons in kerosene (b.p. 200-280°) (137) 198

Ketocarbofuran
Detection of carbofuran and metabolites directly or as their heptafluorobutyryl derivatives using GLC or HPLC with different detectors (138) 143

Ketones
Separation and quantitative determination of traces of carbonyl compounds as their 2,4-dinitrophenylhydrazones by HPLC (136) 271

Ketones, cyclic
GC determination of cyclic amines, ketones and alcohols, possible metabolites of sweet sulphamates (136) 318

Ketoses
TLC of the principal ketoses (in French) (132) 339

Krebs-cycle acids
GC of the pyrazoline derivative of trimethyl aconitate (132) 148

L

Lactic acid
GC determination of the volatile fatty acids (C_1-C_5) including lactic acid after conversion into their benzyl esters by phenyldiazomethane. Determination of the acids in silages (in German) (140) 29

Lanthanum tellurate
Lanthanum tellurate, a new inorganic ion exchanger (136) 176

Lead chelates
Chromatography of metal chelates. VII. HPLC of metal 1,2-diketobisthiobenzhydrazones, metal dialkyldithiocarbamates and metal 1,2-diketobisthiosemicarbazones (137) 153

Lead chelates
Chromatography of metal chelates. VIII. HPLC of metal dithizonates (137) 165

Levopimaric acid
GLC of resin acid esters (136) 245

Librium
Analysis of benzodiazepines and their hydrolysis products, benzophenones, by reversed-phase HPLC and its application to biological material (in German) (132) 83

Ligand exchange
Ligand-exchange chromatography of racemates. IV. Influence of stationary-complex structure on the mechanism of ligand exchange (131) 65

Linuron
Comparison of electron-capture and electrolytic conductivity detection for the GLC analysis of some perfluoro derivatives of four agricultural chemicals (135) 117

Lipids
Dry CC of phospholipids (131) 157

Lipids
Preparation of plates with a permanent adsorbent layer and their application in the analytical TLC of lipids (132) 195

Lipids
GC analysis of lipids with the injection of aliquots of less than 0.05 µl from small samples (132) 543

Lipids
HPLC separation and quantitative analysis of synthetic phospholipids (133) 226

Lipids
Sensitive fluorogenic visualization reagent for the detection of lipids on thin-layer chromatograms (135) 226

Lipids
TLC resolution of molecular species of ethanolamine plasmalogen quantitatively unique to myelin (135) 229

Lipids
HPLC of glycosphingolipids (with special reference to gangliosides) (136) 233

Lipids
Long-chain phenols. VIII. Quantitative analysis of the unsaturated constituents of phenolic lipids by TLC-MS (136) 289

Lipids
Simple preparative and analytical TLC method for the rapid isolation of phosphatidic acid from tissue lipid extracts (137) 194

Lipids
HPLC analysis of partial glycerides and other technical lipid mixtures (139) 61

Lipids
Improved TLC method for the separation of major phospholipids and glycolipids from plant lipid extracts and phosphatidyl glycerol and bis(monoacylglyceryl) phosphate from animal lipid extracts (140) 179

Liquid chromatography, precision of measurements
Precision of contemporary LC measurements (138) 283

Liquid dispenser
Fast liquid-dispensing device for multi-column LC (139) 162

Liquid phases
Pluronics as liquid phases for capillary GLC (140) 257

Lithocholic acid
Isolation and purification of lithocholic acid metabolites produced by the intestinal microflora (133) 327

Longitudinal temperature gradients in liquid chromatography
Longitudinal temperature gradients in LC with a binary mobile phase (138) 329

Lypressin
Separation of nonapeptides by reversed-phase HPLC (132) 27

Lypressin
Quantitative analysis of nonapeptides in pharmaceutical dosage forms by HPLC (132) 429

Lysinoalanine
Determination of lysinoalanine with an automatic amino-acid analyzer (135) 502

M

Macroporous sorbents
Properties and use of the sorbent Spheron SDA in GC (133) 91

Malondialdehyde
Direct spectrophotometric TLC for determining malondialdehyde and β-formyl pyruvate produced by the periodate oxidation of some deoxy sugars (131) 464

Mandelic acid
Isotachophoretic analysis of mandelic acid, phenylglyoxylic acid, hippuric acid and methylhippuric acid in urine after occupational exposure to styrene, toluene and/or xylene (132) 469

Mandelic acid
Preparation of optically active ion-exchange resins and resolution of racemates (135) 455

Marihuana smoke condensate
Cannabis. XVI. Constituents of marihuana smoke condensate (131) 422

Mass spectrometer
Microcomputer-directed mass spectrometer as a compound-selective detector for GC (134) 39

Mass spectrometer
Mass spectrometer as a substance-selective detector in chromatography (134) 147

Medazepam
Analysis of medazepam, diazepam, and metabolites in plasma by GLC with electrolytic conductivity detection (136) 127

Melanosomes
Chromatographic separation of melanosomes (134) 230

Menadione
GC determination of the purity of vitamin K_3 (menadione) (139) 195

Meprobamate
Routine analysis of barbiturates and some other hypnotic drugs in the blood plasma as an aid to the diagnosis of acute poisoning (131) 131

Meprobamate
TLC screening procedure for some drugs used in treatment of arthritis: "arthritic cures" prescribed in Mexico (137) 489

Mercaptopurine
Quantitative determination of metabolites of 6-mercaptopurine in biological materials. II. Advantages of a variable-wavelength HPLC spectrophotometric detector for the determination of 6-thiopurines (137) 61

Mercury chelates
Chromatography of metal chelates. VII. HPLC of metal 1,2-diketobisthiobenzhydrazones, metal dialkyldithiocarbamates and metal 1,2-diketobisthiosemicarbazones (137) 153

Mercury chelates
Chromatography of metal chelates. VIII. HPLC of metal dithizonates (137) 165

Metal chelates
Coupled GC-atomic absorption spectrometry (134) 159

Metal chelates
Chromatography of metal chelates. VII. HPLC of metal 1,2-diketobisthiobenzhydrazones, metal dialkyldithiocarbamates and metal 1,2-diketobisthiosemicarbazones (137) 153

Metal chelates
Chromatography of metal chelates. VIII. HPLC of metal dithizonates (137) 165

Metal complexes
Gel chromatography of β-diketones and their metal complexes. VI. Elution behaviour of various β-diketones and their chromium(III) chelates on different gels (138) 79

Metal ions
Use of aqueous nitrite solutions in reversed-phase chromatography and liquid-liquid extraction (135) 249

Metal ions
Comparison of efficiency of cation-exchange resins in the chromatographic separation of metal ions with aqueous acetone-hydrochloric acid solution (137) 381

Metal ions
Adsorption of trivalent iron in the ionic and colloidal states on silica gel impregnated with manganese dioxide (140) 77

Metals
Postulated tetraphenylporphyrin-zinc tetraphenylporphyrin sandwich complex (132) 131

Metals
Partition of metallic elements between a cation-exchanger swollen with water and a solution of metallic chelates in a water-immiscible solvent. I. Dependence of the distribution coefficient on the nature and the concentration of the chelating agent (in French) (133) 15

Metals
TLC behaviour of metals on DEAE-cellulose in oxalic acid and mixed oxalic acid-hydrochloric acid media (139) 355

Metformin
Determination of metformin in biological fluids by derivatization followed by HPLC (133) 408

Methadol
Simultaneous determination of acetylmethadol and its major metabolites by GLC (135) 205

Methadone
New GC assay for the quantification of methadone. Application in human and animal studies (131) 329

Methaqualone
Routine analysis of barbiturates and some other hypnotic drugs in the blood plasma as an aid to the diagnosis of acute poisoning (131) 131

Methodichlorophen
Determination of 2,4-diamino-5-(3,4-dichlorophenyl)-6-methylpyrimidine (BW 197U) in human plasma (137) 449

Methoxyphenols
Separation of monohydric alkylphenols by GC. II (137) 425

Methoxypsoralen
Determination of 8-methoxypsoralen in plasma by electron capture GC (140) 157

Methsuccinimide
Simultaneous GC analysis for the seven commonly used antiepileptic drugs in serum (136) 332

Methylated bases
Rapid, quantitative separation by HPLC of methylated bases in transfer RNA (133) 231

Methylcladinoside
Erythromycin series. V. Quantitative analysis of cladinose and methylcladinoside by densitometry of thin-layer chromatograms (132) 309

Methylene group increments
Capillary GC of alkylbenzenes. II. Correlations between the structures and methylene group increments and differences in retention indices of isomers (135) 71

Methyl glycosides
GC of methyl glycosides as their trimethylsilyl ethers. The methanolysis and re-N-acetylation steps (133) 133

Methylguanidine
GC determination of methylguanidine, guanidine and agmatine as their hexafluoroacetylacetonates (140) 47

Methylhippuric acid
Isotachophoretic analysis of mandelic acid, phenylglyoxylic acid, hippuric acid and methylhippuric acid in urine after occupational exposure to styrene, toluene and/or xylene (132) 469

Methylisoborneol
2-Methylisoborneol, improved synthesis and a quantitative GC method for trace

concentrations producing odor in water (132) 405

Methylnaphthoquinone
GC determination of the purity of vitamin K_3 (menadione) (139) 195

Methyl octadecenynoate isomers
Fatty acids. XIII. The GLC behaviour of dimethylene-interrupted methyl *cis*-octadecenynoates (131) 239

Methylpentynediol
GLC of methylpentynol carbamate and its metabolite 3-methylpentyne-3,4-diol (133) 267

Methylpentynol carbamate
GLC of methylpentynol carbamate and its metabolite 3-methylpentyne-3,4-diol (133) 267

Methylsalicylic acid
Quantitation of patulin pathway metabolites using GLC (132) 17

Methylthiouracil residues
GC determination of methylthiouracil residues in meat and organs of slaughtered animals (140) 266

Metoprine
Determination of 2,4-diamino-5-(3,4-dichlorophenyl)-6-methylpyrimidine (BW 197U) in human plasma (137) 449

Micro-adsorption detector
Micro-adsorption detector. I. Principles of operation and mechanism of response (133) 31

Microcomputer-directed mass spectrometer
Microcomputer-directed mass spectrometer as a compound-selective detector for GC (134) 39

Micro reactor, pulsed
Chromatographic pulsed micro-reactor system for studying the kinetics of hydrocarbon conversions (133) 359

Mobile phase, binary
Longitudinal temperature gradients in LC with a binary mobile phase (138) 329

Mobile phase containing silver nitrate
HPLC separation of pharmaceutical compounds using a mobile phase containing silver nitrate (136) 337

Mobile phase in high-performance liquid chromatography
Mechanisms of separation using the ternary mixture dichloromethane-ethanol-water in HPLC (132) 421

Mobile phase polarity
Isohydric solvents in LSCC. Importance for the reproducibility of chromatographic separations and application to the experimental determination of mobile phase polarity (139) 21

Moisture control system
Moisture control system for non-polar eluents in HPLC. I. Reproducible retentions on alumina (133) 67

Molecular weight distribution
Coupling of a gel permeation chromatograph and an automatic capillary viscometer. II. Method for the determination of the molecular weight distribution and of the resolution factor (134) 273

Molecular-weight estimation
Molecular-weight estimation of proteins using Sepharose CL-6B in guanidine hydrochloride (140) 98

Monitor
Radioactivity monitor for HPLC (137) 271

Monoamines
Rapid determination of polyamines and some mono- and diamines in vegetable extracts (in French) (139) 381

Monosaccharides
Simple TLC technique for the separation of mono- and oligosaccharides (132) 172

Monovalent inorganic anions
Paper electrophoretic study of ion-pair formation. XIII. Survey of the ion-pair forming properties of monovalent inorganic anions (135) 256

Morphinans
Chemistry of opium alkaloids. VIII. Separation of opium alkaloids and related compounds by ion-pair HPLC (133) 382

Morphine
Application of the extractive alkylation technique to the pentafluorobenzylation of morphine (a heroin metabolite) and surrogates, with special reference to the quantitative determination of plasma morphine levels using mass fragmentography (136) 409

Multi-column liquid chromatography
Fast liquid-dispensing device for multi-column LC (139) 162

Multicuvette system for liquid chromatography
Electronic system for chart recorder absorbance output of the multicuvette system for LC (132) 335

Muramic acid
Simple GLC technique for the analysis of muramic acid (135) 208

Mycotoxins
Investigation of the structure of mycotoxins and their quantitative analysis. IX. Sterigmatocystins (in German) (136) 182

Myelin
TLC resolution of molecular species of ethanolamine plasmalogen quantitatively unique to myelin (135) 229

N

Nalidixic acid
Analysis of urinary tract antibacterial agents in pharmaceutical dosage form by HPLC (132) 352

Naltrexone
Quantitative determination of naltrexone and naltrexone prodrugs by electron-capture GLC (137) 323

Nanogram techniques
Nanogram techniques. I. Injection without losses on capillary GLC columns (in German) (136) 13

Nanogram techniques
Nanogram techniques. II. Micro-scale preparative GC (in German) (136) 23

Naphthoquinones
Separation of naphthoquinones and lipophilic vitamins by gel chromatography and TLC (133) 345

Narcotic alkaloids
Nickel GC columns: An alternative to glass for biological samples (140) 9

Narcotic antagonists
Quantitative determination of naltrexone and naltrexone prodrugs by electron-capture GLC (137) 323

Nefopam
Quantitative GC determination of nefopam in plasma (136) 154

Neoagarotetraose hydrolase
Quantitative TLC assay for the β-neoagarotetraose hydrolase of *Pseudomonas atlantica* (137) 234

Nickel chelates
Chromatography of metal chelates. VII. HPLC of metal 1,2-diketobisthiobenzhydrazones, metal dialkyldithiocarbamates and metal 1,2-diketobisthiosemicarbazones (137) 153

Nickel chelates
Chromatography of metal chelates. VIII. HPLC of metal dithizonates (137) 165

Nickel gas chromatographic columns
Nickel GC columns: An alternative to glass for biological samples (140) 9

Niridazole
GLC determination of niridazole in biological fluids (131) 442

Nitrate
Microdetermination of nitrate by GC-MS technique with multiple ion detector (140) 41

Nitrazepam
Comparison of two GLC methods for the determination of nitrazepam in plasma (136) 259

Nitrazepam
Analysis of nitrazepam and its metabolites by HPLC (137) 215

Nitrilotriacetic acid
GC determination of nitrilotriacetic acid using a nitrogen-selective detector (136) 423

Nitrite
Nitrosamide-specific detector for use with HPLC (133) 59

Nitrite solutions
Use of aqueous nitrite solutions in reversed-phase chromatography and liquid-liquid extraction (135) 249

Nitrobenzene
GC study of binary diffusion of nitrobenzene and aniline in hydrogen (132) 344

Nitrogen
Ionization detector for GC with switchable selectivity for carbon, nitrogen and phosphorus (134) 65

Nitrogen compounds
Optimisation of the performance of a three-electrode thermionic detector for the detection of phosphorus, sulphur and nitrogen compounds by GC (136) 199

Nitrogen detector
Study of the nitrogen response mode of the thermionic rubidium silicate detector (133) 37

Nitrogen-phosphorus detector
Nitrogen-phosphorus detector and its applications in GC (134) 57

Nitrosamides
Nitrosamide-specific detector for use with HPLC (133) 59

Nitrosamines
Determination of N-nitrosoproline at the nanogram level (132) 37

Nitrosamines
Simple chemiluminescent detector for the screening of foodstuffs for the presence of volatile nitrosamines (137) 293

Nitrosamines
Photolysis of volatile nitrosamines at the picogram level as an aid to confirmation (140) 284

Nitrosocarbamates
Nitrosamide-specific detector for use with HPLC (133) 59

Nitrosoproline
Determination of N-nitrosoproline at the nanogram level (132) 37

Nomifensine
Automated high-resolution GC analysis of psychotropic drugs in biological fluids using open-tubular glass capillary columns. I. Determination of nomifensine in human plasma (131) 347

Nonapeptides
Separation of nonapeptides by reversed-phase HPLC (132) 27

Nonapeptides
Quantitative analysis of nonapeptides in pharmaceutical dosage forms by HPLC (132) 429

Non-protein amino acids
Quantitative analysis of protein and non-protein amino acids by GLC (131) 233

Noracetylmethadol
Simultaneous determination of acetylmethadol and its major metabolites by GLC (135) 205

Noradrenaline
PC separation of noradrenaline and its major metabolites (139) 218

Nordextropropoxyphene
GC method for the determination of dextropropoxyphene and nordextropropoxyphene in human plasma, serum and urine (140) 280

Norepinephrine
HPLC assay of rat-brain dopamine and norepinephrine (137) 357

Norleucine
Norleucine: An internal standard for the basic column used in physiological amino acid analysis (139) 215

Norpropoxyphene
GC determination of propoxyphene and norpropoxyphene in plasma (132) 287

Norpseudoephedrine
GLC determination of pseudoephedrine and norpseudoephedrine in human plasma and urine (140) 275

Nortriptyline
Assay of human plasma for nortriptyline by radioacetylation and TLC (132) 45

Nortriptyline
Quantitative determination of amitriptyline and nortriptyline in plasma by HPLC (132) 155

Nortriptyline
Combined TLC and GLC identification of tricyclic antidepressants in urine (132) 237

Nortriptyline
Simultaneous determination of plasma amitriptyline and nortriptyline as trichloroethyl carbamates by electron-capture GC (133) 367

Nortriptyline
Assay of tricyclic structured drugs and their metabolites in urine by HPLC (134) 182

Nortriptyline
Rapid, sensitive GLC method for determination of amitriptyline and nortriptyline in plasma using a nitrogen-sensitive detector (138) 437

Nucleic acid constituents
Chromatographic behaviour of nucleic acid constituents and of phenols on chitosan thin layers (139) 337

Nucleic acids
LC of nucleic acid components and their analogues on hydroxyethyl methacrylate gels (133) 127

Nucleic acids
Two-dimensional TLC-autoradiography of intracellular purine interconversion products (135) 485

Nucleic acids
Single-step separation of major and rare ribonucleosides and deoxyribonucleosides by cation-exchange HPLC for the determination of the purity of nucleic acid preparation (140) 251

Nucleosides
Detection reagent for adenine, guanine, uracil, cytosine and their alkylated bases, nucleotides and nucleosides on thin-layer plates (132) 121

Nucleosides
Separation of nucleic acid bases and nucleosides by high-performance affinity chromatography (134) 204

Nucleosides
Two-dimensional TLC-autoradiography of intracellular purine interconversion products (135) 485

Nucleosides
Influence of modified nucleosides in *E. coli* transfer RNA on chromatographic mobilities of transfer RNA (137) 93

Nucleosides
Simultaneous analysis of bases, nucleosides and nucleoside mono- and polyphosphates by HPLC (138) 203

Nucleosides
Chromatographic behaviour of nucleic acid constituents and of phenols on chitosan thin layers (139) 337

Nucleosides
HPLC of adenine and hypoxanthine arabinosides (139) 370

Nucleosides
Separation of naturally occurring adenine nucleosides and nucleotides by anion-exchange chromatography (140) 118

Nucleosides
Single-step separation of major and rare ribonucleosides and deoxyribonucleosides by cation-exchange HPLC for the determination of the purity of nucleic acid preparation (140) 251

Nucleotides
Sequence analysis of synthetic oligonucleotides by anion-exchange HPLC (131) 169

Nucleotides
Detection reagent for adenine, guanine, uracil, cytosine and their alkylated bases, nucleotides and nucleosides on thin-layer plates (132) 121

Nucleotides
Analysis by HPLC of 9-β-D-arabinofuranosyladenine 5'-triphosphate levels in murine leukemia cells (133) 335

Nucleotides
Purification of oligodeoxynucleotides on Sephadex G-10 columns (135) 189

Nucleotides
Two-dimensional TLC-autoradiography of intracellular purine interconversion products (135) 485

Nucleotides
Use of an amino-silica column for the HPLC analysis of synthetic oligodeoxynucleotides (137) 351

Nucleotides
Simultaneous analysis of bases, nucleosides and nucleoside mono- and polyphosphates by HPLC (138) 203

Nucleotides
Chromatographic behaviour of nucleic acid constituents and of phenols on chitosan thin layers (139) 337

Nucleotides
Separation of naturally occurring adenine nucleosides and nucleotides by anion-exchange chromatography (140) 118

Nylon-6 fibre
Pyrolysis GC of capron (nylon-6) fibre stabilized with ethers of 4-oxydiphenylamine (135) 212

O

Obstruction factors
Obstruction factors are not always flow dependent (134) 166

Oil fractions
GC separation and identification of bicyclic aromatic hydrocarbons in kerosene (b.p. 200-280°) (137) 198

Oils
Computer processing of fatty acid analysis data (131) 121

Oligodeoxynucleotides
Purification of oligodeoxynucleotides on Sephadex G-10 columns (135) 189

Oligodeoxynucleotides, synthetic
Use of an amino-silica column for the HPLC analysis of synthetic oligodeoxynucleotides (137) 351

Oligomers
Simultaneous separation of oligomeric sugars and oligomers with a terminal aldonic acid group on anion-exchange resins (134) 195

Oligonucleotides
Sequence analysis of synthetic oligonucleotides by anion-exchange HPLC (131) 169

Oligosaccharides
Simple TLC technique for the separation of mono- and oligosaccharides (132) 172

Oligosaccharides
In situ reactions on silica gel thin layers in studies on plant oligosaccharides (134) 242

Oligosaccharides
Simple procedure for combined GC analysis of neutral sugars, hexosamines and alditols. Determination of degree of polymerization of oligo- and polysaccharides and chain weights of glycosaminoglycans (139) 303

Ommochromes
Simultaneous separation of pteridines and ommochrome precursors by PC (133) 423

Open-tubular glass columns, whisker-walled
Whisker-walled open-tubular glass columns in GC. I. Deactivation (132) 217

Open-tubular glass columns, whisker-walled
Whisker-walled open-tubular glass columns in GC. II. Chromatographic performance (132) 223

Open-tubular glass columns, whisker-walled
Whisker-walled open-tubular glass columns in GC. III. Applications (132) 231

Operating parameters in gas chromatography
Optimization of operating parameters for glass capillary column GC (140) 197

Opium alkaloids
Chemistry of opium alkaloids. VIII. Separation of opium alkaloids and related compounds by ion-pair HPLC (133) 382

Optical brighteners
Separation of optical brighteners by LSC. II (139) 168

Optimization of operating parameters
Optimization of operating parameters for glass capillary column GC (140) 197

Organic compounds
Determination of organic compounds in the hydrogen used for cooling large electricity generators (137) 315

Organic compounds
Gram-scale preparative separation of *exo*- and *endo*-isomers by HPLC using a partial recycle technique (137) 461

Organic contaminants in water
Removal of gas chromatographable organic compounds from water by a spray vaporization technique (132) 537

Organochlorine compounds
GC identification of some chlorinated aromatic acids, chlorophenols, and their aromatic acid precursors (139) 186

Organochlorine residues
Method for the separation of organochlorine residues before GLC analysis (140) 17

Organohalides
Direct aqueous injection GC-MS for analysis of organohalides in water at concentrations below the parts per billion level (139) 297

Organophosphorus esters
Preparative purification of alkyl methylphosphonic acid *p*-nitrophenyl esters on Sephadex LH-20 (135) 196

Organophosphorus pesticides
Comparison of drosophila, rat-liver and bee-head esterases in detecting residues of organophosphorus and carbamate pesticides in vegetables and fruits (133) 245

Organotin stabilizers
Contribution to the GC analysis of organotin stabilizers for polyvinyl chloride (in German) (131) 317

Ornipressin
Separation of nonapeptides by reversed-phase HPLC (132) 27

Ornipressin
Quantitative analysis of nonapeptides in pharmaceutical dosage forms by HPLC (132) 429

Oxazepam
Analysis of benzodiazepines and their hydrolysis products, benzophenones, by reversed-phase HPLC and its application to biological material (in German) (132) 83

Oxo acids of phosphorus
Gel and ion-exchange chromatographic purification of the reaction products between diphosphate and diphosphonate (134) 497

Oxo compounds
TLC analysis of oxo and thio compounds (140) 109

Oxolinic acid
Analysis of urinary tract antibacterial agents in pharmaceutical dosage form by HPLC (132) 352

Oxytocin
Separation of nonapeptides by reversed-phase HPLC (132) 27

Oxytocin
Quantitative analysis of nonapeptides in pharmaceutical dosage forms by HPLC (132) 429

P

Packed columns
Contributions to the theory of chromatography (135) 1

Packings
Studies of chromatographic packings comprising chemically bonded phases obtained from porous glass beads. I. Sorption properties and surface heterogeneity (131) 7

Packings
Upward slurry packing of LC columns (131) 57

Packings
Development of a bonded weak anion-exchange packing suitable for the HPLC of hop resins (133) 97

Packings
Retention behaviour of a porous styrene-divinylbenzene copolymer in the separation of fatty acids and related compounds (138) 17

Palladium
GPC of transition metal ions using Bio-Gels (135) 173

Palustric acid
GLC of resin acid esters (136) 245

Papaverine
Determination of papaverine in blood samples by GLC and mass fragmentography (133) 153

Paper chromatography
Contribution to the standardization of results in PC and TLC (in German) (139) 85

Paradols
Pungent compounds. II. Detection and identification of paradols (alkyl 4-hydroxy-3-

methoxyphenethyl ketones) by combined GC-MS (134) 315

Paraoxon
Determination of paraoxon by combined bovine liver esterase inhibition and GLC (138) 423

Paraquat
Quantitative determination of the herbicide paraquat in human plasma by GC and MS methods (139) 311

Parathion
An *in situ* fluorimetric method for the detection and quantitative analysis of fenitrothion, its breakdown products and other amine-generating compounds (132) 315

Parathion-methyl
An *in situ* fluorimetric method for the detection and quantitative analysis of fenitrothion, its breakdown products and other amine-generating compounds (132) 315

Patulin pathway metabolites
Quantitation of patulin pathway metabolites using GLC (132) 17

PCBs
Identification of the individual polychlorinated biphenyls in a mixture by GLC (136) 147

PCBs
Use of ethyl ethers, deuteriomethyl ethers and cyclic *n*-butylboronates of hydroxychlorobiphenyls in identification of metabolites of polychlorinated biphenyls (139) 51

Peak identification
Positive peak identification in LC using absorbance ratioing with a variable-wavelength spectrophotometric detector (134) 73

Pemoline
Combined GLC-MS analysis of pemoline in biological samples (134) 415

Pemoline
GC determination of pemoline as 5-phenyl-2,4-oxazolidinedione in human urine (137) 333

Pemoline
GC determination of pemoline in biological fluids using electron capture detection (137) 343

Pemoline
TLC determination of pemoline in urine after ingestion of therapeutic doses (in German) (140) 134

Penicillins
Polymerization of penicillins. IV. Separation, isolation and characterization of ampicillin polymers formed in aqueous solution (132) 51

Penicillins
Salt effects in reversed-phase TLC on silica gels (133) 355

Penicillins
GLC of methyl esters of natural penicillins (136) 162

Peptides
Separation of nonapeptides by reversed-phase HPLC (132) 27

Peptides
Improved chromatographic identification of coloured amino acid thiohydantoins (132) 303

Peptides
Two-dimensional micro-separation technique for proteins and peptides, combining isoelectric focusing and gel gradient electrophoresis (132) 451

Peptides
HPLC of peptides (135) 155

Peptides
Bonded peptide stationary phases for the separation of amino acids and peptides using LC (135) 367

Peptides
Preparative countercurrent chromatography with a slowly rotating helical tube (136) 189

Peptides
Improved procedure for peptide characterization using TLC and a fluorescamine indicator (140) 129

Peptides
HPLC of peptides (140) 260

Permittivity detector, thermostatted
Construction and evaluation of a thermostatted permittivity detector for column HPLC (132) 369

Pesticides
Isolation and determination of chlorinated organic pesticides by TLC and the application to toxicological analysis (131) 275

Pesticides
Whisker-walled open-tubular glass columns in GC. III. Applications (132) 231

Pesticides
An *in situ* fluorimetric method for the detection and quantitative analysis of fenitrothion, its breakdown products and other amine-generating compounds (132) 315

Pesticides
Comparison of drosophila, rat-liver and bee-head esterases in detecting residues of organophosphorus and carbamate pesticides in vegetables and fruits (133) 245

Pesticides
Detection of triazine herbicides in soil by a

Hill-reaction inhibition technique after TLC (133) 420

Pesticides
Separation of rotenoids by HPLC (134) 207

Pesticides
Determination of rotenone in pesticide formulations and the separation of six rotenoids by reversed-phase HPLC (134) 210

Pesticides
Reversed-phase HPLC of some common herbicides (134) 216

Pesticides
TLC separation of several chloro- and methyl-substituted 2-aminopyridines (134) 238

Pesticides
Identification of eleven urea herbicides by TLC and GLC. I. Application to natural waters (in French) (134) 483

Pesticides
Separation, detection and densitometric determination of chlorinated insecticides on silica gel and aluminum hydroxide papers (135) 235

Pesticides
TLC of chlorinated catechols (135) 395

Pesticides
GLC method with electron-capture detection for the determination of residues of some phenoxyacetic acid herbicides in water as their 2,2,2-trichloroethyl esters (136) 105

Pesticides
TLC of chlorinated cresols (136) 379

Pesticides
Phenones: A family of compounds broadly applicable to use as internal standards in HPLC. Application to the analysis of carbofuran (138) 41

Pesticides
Detection of carbofuran and metabolites directly or as their heptafluorobutyryl derivatives using GLC or HPLC with different detectors (138) 143

Pesticides
Determination of hydrazine metabolites of isoniazid in human urine by GC (138) 165

Pesticides
Determination of paraoxon by combined bovine liver esterase inhibition and GLC (138) 423

Pesticides
Use of the sorbent Spheron SE in the analysis of trace amounts of impurities in water (139) 15

Pesticides
Quantitative determination of the herbicide paraquat in human plasma by GC and MS methods (139) 311

Pesticides
Use of Amberlite XAD-2 resin for the quantitative recovery of fenitrothion from water: A preservation technique (139) 386

Pesticides
Simplified method for the determination of residues of carbofuran and its metabolites in crops using GLC-mass fragmentography (140) 209

Pesticides, chlorinated
Determination of chlorinated pesticides in potable water (132) 277

Pesticides, organochlorine
Determination of organochlorine insecticide residues in fatty foodstuffs using a clean-up technique based on a single column of activated alumina (137) 405

Petroleum distillates
Surface-layer sorbents for group analysis of aromatic hydrocarbons in petroleum distillates (140) 319

Petroleum fractions, heavy
Rapid method for characterization of heavy petroleum fractions (135) 514

pH effects
Effect of pH on polyelectrolytes in adsorption chromatography (138) 267

Pharmaceutical compounds
HPLC separation of pharmaceutical compounds using a mobile phase containing silver nitrate (136) 337

Pharmaceuticals
Quantitative analysis of nonapeptides in pharmaceutical dosage forms by HPLC (132) 429

Pharmaceuticals
HPLC of iridoid and secoiridoid glucosides (138) 453

Phencyclidine
Separation and detection of phencyclidine in urine by GC (137) 135

Phenobarbital
Simultaneous GC analysis for the seven commonly used antiepileptic drugs in serum (136) 332

Phenobarbital
Solvent suppression of the decomposition of phenobarbital during on-column methylation with trimethylanilinium hydroxide (138) 413

Phenobarbitone
Simultaneous determination of anticonvulsant drugs by GLC (131) 341

Phenolic acids
Selective liquid-liquid partition systems for

the chromatographic analysis of some coumarins and phenolic acids (derivatives of cinnamic acid) (137) 182

Phenolic cinnamate derivatives
Chromatography of natural phenolic cinnamate derivatives on Sephadex LH-20 and G-25 (140) 120

Phenolic lipids
Long-chain phenols. VIII. Quantitative analysis of the unsaturated constituents of phenolic lipids by TLC-MS (136) 289

Phenols
Use of a modified Tenax GC column packing for the direct GC analysis of phenols in water at the ppm level (135) 351

Phenols
Modified TLC method for the detection of phenols (135) 521

Phenols
Analysis of low-boiling isomers of phenols by GC (136) 328

Phenols
Ion-pair phase systems for the separation of carboxylic acids, sulphonic acids and phenols by HPLC (138) 245

Phenols
GC separation of phenols on a polyphenyl ether with six rings. I (139) 69

Phenols
Chromatographic behaviour of nucleic acid constituents and of phenols on chitosan thin layers (139) 337

Phenols, alkyl-substituted
Study of retention behaviour of alkylphenols in straight- and reversed-phase LC and application to the analysis of complex phenolic mixtures in conjunction with GC (136) 45

Phenols, long-chain
Long-chain phenols. VIII. Quantitative analysis of the unsaturated constituents of phenolic lipids by TLC-MS (136) 289

Phenols, long-chain, unsaturated
Long-chain phenols. IX. Compositional studies on the unsaturated phenols of *Anacardium occidentale* (cashew nut-shell liquid) (138) 97

Phenones
Phenones: A family of compounds broadly applicable to use as internal standards in HPLC. Application to the analysis of carbofuran (138) 41

Phenothiazines
Nickel GC columns: An alternative to glass for biological samples (140) 9

Phenoxyacetic acid herbicides
GLC method with electron-capture detection for the determination of residues of some phenoxyacetic acid herbicides in water as their 2,2,2-trichloroethyl esters (136) 105

Phensuccinimide
Simultaneous GC analysis for the seven commonly used antiepileptic drugs in serum (136) 332

Phenylbutazone
TLC screening procedure for some drugs used in treatment of arthritis: "arthritic cures" prescribed in Mexico (137) 489

Phenylcyclohexylpiperidine
Separation and detection of phencyclidine in urine by GC (137) 135

Phenylglyoxylic acid
Isotachophoretic analysis of mandelic acid, phenylglyoxylic acid, hippuric acid and methylhippuric acid in urine after occupational exposure to styrene, toluene and/or xylene (132) 469

Phenylmercuric compounds
Mechanism of the reaction GC of phenylmercury(II) compounds (138) 381

Phenytoin
TLC analysis of phenytoin and its hydroxy metabolites (137) 231

Pheromones
Microchemical methods for the identification of volatile pheromones (134) 174

Phosphatidic acid
Simple preparative and analytical TLC method for the rapid isolation of phosphatidic acid from tissue lipid extracts (137) 194

Phosphatidyl glycerol
Improved TLC method for the separation of major phospholipids and glycolipids from plant lipid extracts and phosphatidyl glycerol and bis(monoacylglyceryl) phosphate from animal lipid extracts (140) 179

Phosphoantimonic acid
Synthetic inorganic ion-exchange materials. XV. Chromatographic separation of alkali metal ions using phosphoantimonic(V) acid as a cation exchanger (134) 507

Phospholipids
Dry CC of phospholipids (131) 157

Phospholipids
HPLC separation and quantitative analysis of synthetic phospholipids (133) 226

Phospholipids
Sensitive fluorogenic visualization reagent for the detection of lipids on thin-layer chromatograms (135) 226

Phospholipids
Improved TLC method for the separation of major phospholipids and glycolipids from plant lipid extracts and phosphatidyl glycerol

and bis(monoacylglyceryl) phosphate from animal lipid extracts (140) 179

Phosphonic acid derivatives
TLC separation of phosphonic acid derivatives (132) 366

Phosphorus
Ionization detector for GC with switchable selectivity for carbon, nitrogen and phosphorus (134) 65

Phosphorus compounds
Optimisation of the performance of a three-electrode thermionic detector for the detection of phosphorus, sulphur and nitrogen compounds by GC (136) 199

Phosphorus detector
Nitrogen-phosphorus detector and its applications in GC (134) 57

Phosphoserine
Complete analysis of protein hydrolysates containing phosphoserine and phosphothreonine using the amino acid analyzer (135) 508

Phosphothreonine
Complete analysis of protein hydrolysates containing phosphoserine and phosphothreonine using the amino acid analyzer (135) 508

Photoionization detector
Evaluation of a new photoionization detector for organic compounds (134) 49

Photometry
Fluorescence photometry of thin-layer chromatograms and electropherograms (133) 49

Phthalate esters
Polarity of phthalate esters in GC (131) 31

Phthalate esters
Micro-determination of total phthalate esters in biological samples by GLC (133) 303

Phthalate esters
Reversed-phase adsorption of phthalate esters from aqueous solutions and their gradient elution using a high-performance liquid chromatograph (133) 402

Phthalimides
GC determination of some chloroethyl phthalimide compounds (134) 397

Phytoecdysones
Quantitative determination of phytoecdysones as illustrated by application to species of *Helleborus* (131) 468

Pigments
HPLC of plant pigments (135) 217

Pigments
New thin-layer system for the identification of moderately polar to lipophilic boletus pigments (in German) (138) 232

Pigments
TLC measurement of low activities of tritiated substances mixed with non-radioactive quenching plant pigments (139) 376

Pinazepam
Rapid and sensitive electron-capture GC method for the determination of pinazepam and its metabolites in human plasma, urine and milk (135) 133

Plant pigments
HPLC of plant pigments (135) 217

Plant pigments
TLC measurement of low activities of tritiated substances mixed with non-radioactive quenching plant pigments (139) 376

Plasma chromatograph
GC detection modes for the plasma chromatograph (135) 329

Plasticisers
Identification and determination of 1,3-diisobutyrate-2,2,4-trimethylpentane (Texanol isobutyrate) in polyvinyl chloride plastisol coating formulations (139) 395

Plasticizers
Reversed-phase adsorption of phthalate esters from aqueous solutions and their gradient elution using a high-performance liquid chromatograph (133) 402

Platinum
GPC of transition metal ions using Bio-Gels (135) 173

Pluronics
Pluronics as liquid phases for capillary GLC (140) 257

Polar effect constants
Behaviour of ethers. VII. Principle of determination of the polar effect constants (in French) (133) 7

Polar effect constants
New σ_c^* polar effect constants scale adapted to chromatography (in French) (136) 5

Polar effect constants
Incrementation of polar effect constants in GLC (140) 137

Polarity
Polarity of phthalate esters in GC (131) 31

Polarity of solids
Estimation of polarity of solids by GC (138) 33

Pollutants
Extraction of organic compounds from airborne particulate matter for GC analysis (131) 245

Pollutants
Fast quantitative analysis of organic

compounds in airborne particulate matter by GC with selective MS detection (131) 253

Pollutants
Stability of benzo(*a*)pyrene on silica gel plates for HPTLC (131) 417

Pollutants
GLC analysis of benzo[*a*]pyrene in cigarette smoke on a nematic liquid crystal (132) 136

Pollutants
Removal of gas chromatographable organic compounds from water by a spray vaporization technique (132) 537

Pollutants
Sampling and determination of halocarbons in ambient air using concentration on porous polymer (134) 375

Pollutants
Reversed two-dimensional technique for multiple separations of benzo[*a*]pyrene from atmospheric aerosol samples (135) 241

Pollutants
Use of a modified Tenax GC column packing for the direct GC analysis of phenols in water at the ppm level (135) 351

Pollutants
Separation of isomeric alkylphenols by HPLC and GLC techniques (137) 53

Pollutants
Method for the determination of polycyclic aromatic hydrocarbons in maize by capillary-column GLC (in German) (138) 151

Pollutants
GC method for the analysis of major polynuclear aromatics in particulate matter (138) 399

Pollutants
Method for the separation of organochlorine residues before GLC analysis (140) 17

Pollutants, atmospheric
Air sampling methods for *s*-tetrachloroethane and other related chlorinated hydrocarbons (137) 283

Pollutants, atmospheric
Simple and rapid GLSC analysis of trace concentrations of acetaldehyde in urban air (137) 455

Pollutants, chemical
Identification of the individual polychlorinated biphenyls in a mixture by GLC (136) 147

Pollutants, chemical
Use of ethyl ethers, deuteriomethyl ethers and cyclic *n*-butylboronates of hydroxychlorobiphenyls in identification of metabolites of polychlorinated biphenyls (139) 51

Polyacrylic fibres
Pyrolysis GC analysis of some toxic compounds from nitrogen-containing fibres (137) 210

Polyamide fibres
Pyrolysis GC analysis of some toxic compounds from nitrogen-containing fibres (137) 210

Polyamines
High-efficiency cation-exchange chromatography of polypeptides and polyamines in the nanomole range (132) 552

Polyamines
Rapid determination of polyamines and some mono- and diamines in vegetable extracts (in French) (139) 381

Polyaromatic hydrocarbons
Fast quantitative analysis of organic compounds in airborne particulate matter by GC with selective MS detection (131) 253

Polychlorinated biphenyls, see PCBs

Poly(chromium diphenylphosphinate)
Coordination polymers as adsorbents and stationary phases in GC. I. Poly[chromium(III) diphenylphosphinate] (138) 337

Polycyclic aromatic compounds
Extraction of organic compounds from airborne particulate matter for GC analysis (131) 245

Polycyclic aromatic compounds
Identification of the individual polychlorinated biphenyls in a mixture by GLC (136) 147

Polycyclic aromatic hydrocarbons
Stability of benzo(*a*)pyrene on silica gel plates for HPTLC (131) 417

Polycyclic aromatic hydrocarbons
GLC analysis of benzo[*a*]pyrene in cigarette smoke on a nematic liquid crystal (132) 136

Polycyclic aromatic hydrocarbons
GC and mass fragmentographic assays of carcinogenic polycyclic hydrocarbon epoxide hydratase activity (134) 323

Polycyclic aromatic hydrocarbons
Reversed two-dimensional technique for multiple separations of benzo[*a*]pyrene from atmospheric aerosol samples (135) 241

Polycyclic aromatic hydrocarbons
Method for the determination of polycyclic aromatic hydrocarbons in maize by capillary-column GLC (in German) (138) 151

Polycyclic aromatic hydrocarbons
GC method for the analysis of major polynuclear aromatics in particulate matter (138) 399

Polycyclic hydrocarbon epoxides
GC and mass fragmentographic assays of

carcinogenic polycyclic hydrocarbon epoxide hydratase activity (134) 323

Poly(dimethylsiloxane)
Preferential solvation of poly(dimethylsiloxane) and poly(methyl methacrylate) in benzene-methanol mixtures by GPC (140) 219

Polyelectrolytes
Effect of pH on polyelectrolytes in adsorption chromatography (138) 267

Polyethylene glycol
Comparison of chemically bonded and physically coated polyethylene glycol stationary phases in GC (135) 261

Polyglucosides
Recycle GPC separation of some acetal alcohol diastereoisomers representing partial polyglucosidic sequences (138) 89

Polyhydroxysteroids
Application of an ion-cluster technique to the analysis of endogenous hydroxylated compounds. I. Preparation of a doublet by use of a mixture of trimethylsilylimidazole (TSIM) and TSIM-d_3 (135) 109

Polymers
Concentration effects in GPC. I. Polymer solution properties (134) 263

Polymers
Coordination polymers as adsorbents and stationary phases in GC. I. Polytchromium(III) diphenylphosphinatel (138) 337

Poly(methyl methacrylate)
Preferential solvation of poly(dimethylsiloxane) and poly(methyl methacrylate) in benzene-methanol mixtures by GPC (140) 219

Polynuclear aromatics
GC method for the analysis of major polynuclear aromatics in particulate matter (138) 399

Polynuclear hydrocarbons
GC behaviour of some polynuclear hydrocarbons on cadmium chloride columns modified with Carbowaxes (135) 359

Polyoxyethylene non-ionic surfactants
Chromatographic studies on the extraction of polyoxyethylene alkylphenyl ether non-ionic surfactants from water at trace levels (131) 309

Polypeptide antigen
Comparison of non-biospecific effects in immunoaffinity chromatography using cyanogen bromide and bifunctional oxirane as immobilising agents (135) 427

Polypeptides
High-efficiency cation-exchange chromatography of polypeptides and polyamines in the nanomole range (132) 552

Polypeptides
HPLC analysis of gramicidin, a polypeptide antibiotic (140) 174

Polyphenyl ether
GC separation of phenols on a polyphenyl ether with six rings. I (139) 69

Polysaccharides
Simple procedure for combined GC analysis of neutral sugars, hexosamines and alditols. Determination of degree of polymerization of oligo- and polysaccharides and chain weights of glycosaminoglycans (139) 303

Polyurethane
Improvements in GC columns formed by *in situ* polymerization (134) 170

Porphyrins
Benzidine substitute visualizing agents for iron porphyrins (138) 220

Preferential solvation
Preferential solvation of poly(dimethylsiloxane) and poly(methyl methacrylate) in benzene-methanol mixtures by GPC (140) 219

Pregnane
Improved separation of some isomers and epimers of the pregnane series by TLC with repeated development (135) 481

Prenylquinones
HPLC of natural prenylquinones (135) 493

Preparative countercurrent chromatography
Preparative countercurrent chromatography with a slowly rotating helical tube (136) 189

Preparative high-performance liquid chromatography
Gram-scale preparative separation of *exo*- and *endo*-isomers by HPLC using a partial recycle technique (137) 461

Preparative isotachophoresis
Preparative plasma protein fractionation by isotachophoresis in Sephadex columns (132) 437

Preparative liquid chromatography
Preparative HPLC separation of high-molecular-weight isomers (131) 185

Preparative-scale gas chromatography
Dynamical flow splitter for use in preparative-scale GC (in German) (139) 249

Primidone
Simultaneous determination of anticonvulsant drugs by GLC (131) 341

Primidone
GLC determination of primidone in plasma (132) 140

Primidone
Simultaneous GC analysis for the seven

commonly used antiepileptic drugs in serum (136) 332

Primidone
Solvent suppression of the decomposition of phenobarbital during on-column methylation with trimethylanilinium hydroxide (138) 413

Process control
High-speed GC analysis in process control (139) 259

Progestogens
Chromatographic separation of androgens, estrogens and progestogens on hydroxyalkoxypropyl-Sephadex (Lipidex) (133) 412

Propoxyphene
GC determination of propoxyphene and norpropoxyphene in plasma (132) 287

Propoxyphene carbinol diastereomers
HPLC resolution of propoxyphene carbinol diastereomers (134) 187

Prostaglandins
System for the identification of novel prostaglandins (138) 355

Protein amino acids
Quantitative analysis of protein and non-protein amino acids by GLC (131) 233

Protein amino acids
GC-MS of the N(O)-heptafluorobutyryl isobutyl esters of the protein amino acids using electron impact ionisation (132) 485

Protein amino acids
GC separation of diastereoisomeric amino acid derivatives on glass capillaries. The use of pentafluoropropionyl-amino acid (+)-3-methyl-2-butyl esters (133) 141

Proteins
Hydrophobic interaction chromatography on uncharged Sepharose derivatives. Effects of neutral salts on the adsorption of proteins (131) 99

Proteins
Rapid purification of an RNA tumor virus and proteins by high-performance steric exclusion chromatography on porous glass bead columns (131) 383

Proteins
Analysis of the proteins in sweat and urine by agarose-gel isotachophoresis (132) 261

Proteins
Improved chromatographic identification of coloured amino acid thiohydantoins (132) 303

Proteins
Determination of protein molecular weights in denaturing solvents using glyceryl-CPG (132) 399

Proteins
Preparative plasma protein fractionation by isotachophoresis in Sephadex columns (132) 437

Proteins
Two-dimensional micro-separation technique for proteins and peptides, combining isoelectric focusing and gel gradient electrophoresis (132) 451

Proteins
Difference between free and ligand-bound folate-binding protein in cow's milk concerning affinity for chromatographic gels (134) 517

Proteins
Protein binding of rifampicin to bovine serum albumin as measured by gel filtration (135) 25

Proteins
Protein binding of a series of rifamycins to bovine serum albumin as measured by the "two-phase partition" technique (135) 37

Proteins
Ion-exchange chromatographic study of amino acid degradation during hydrolysis of avian protein (135) 447

Proteins
Method for improved protein separation in human and animal sera (135) 463

Proteins
Complete analysis of protein hydrolysates containing phosphoserine and phosphothreonine using the amino acid analyzer (135) 508

Proteins
Isoelectric chromatography: a new approach in the use of ion exchangers for protein purification (135) 511

Proteins
Applications of GLC in protein chemistry. II. Determination of amide residues in nanomolar amounts of proteins (136) 361

Proteins
Polyacrylamide gradient electrophoresis for protein purification on the milligram scale (137) 69

Proteins
Isoelectric focusing in cylinders of granulated gel (138) 25

Proteins
Use of ω-aminohexyl-Sepharose in the fractionation of *Escherichia coli* B aminoacyl-tRNA synthetases (139) 331

Proteins
Molecular-weight estimation of proteins using Sepharose CL-6B in guanidine hydrochloride (140) 98

Prothionamide
Determination of prothionamide and its sulphoxide metabolite in physiological fluids by quantitative TLC (132) 562

Pseudoephedrine
GLC determination of pseudoephedrine and norpseudoephedrine in human plasma and urine (140) 275

Psoralens
Determination of 8-methoxypsoralen in plasma by electron capture GC (140) 157

Pteridines
Simultaneous separation of pteridines and ommochrome precursors by PC (133) 423

Pulse damper for liquid chromatography
Simple pulse damper for LC (132) 128

Purine
Two-dimensional TLC-autoradiography of intracellular purine interconversion products (135) 485

Purines
Separation of alkylated guanines, adenines, uracils and cytosines by TLC (131) 265

Purines
Separation of nucleic acid bases and nucleosides by high-performance affinity chromatography (134) 204

Purines
Simultaneous analysis of bases, nucleosides and nucleoside mono- and polyphosphates by HPLC (138) 203

Purines
Chromatographic behaviour of nucleic acid constituents and of phenols on chitosan thin layers (139) 337

Purines, methylated
Rapid, quantitative separation by HPLC of methylated bases in transfer RNA (133) 231

Pyrimidine derivatives
Separation of alkyl derivatives of uracil by solvophobic adsorption chromatography on Spheron (138) 47

Pyrimidines
Separation of alkylated guanines, adenines, uracils and cytosines by TLC (131) 265

Pyrimidines
Separation of nucleic acid bases and nucleosides by high-performance affinity chromatography (134) 204

Pyrimidines
Simultaneous analysis of bases, nucleosides and nucleoside mono- and polyphosphates by HPLC (138) 203

Pyrimidines
Chromatographic behaviour of nucleic acid constituents and of phenols on chitosan thin layers (139) 337

Pyrimidines, methylated
Rapid, quantitative separation by HPLC of methylated bases in transfer RNA (133) 231

Pyrolysis gas chromatography
Short-time pyrolysis and spectroscopy of unstable compounds. V. Improvement in Curie-point pyrolysis GC (136) 420

Q

Quaternary ammonium compounds
Simplified detection of quaternary ammonium compounds by GC (131) 297

Quaternary ammonium compounds
Influence of alkali metal salts on the migration of quaternary ammonium compounds on silica gel layers (137) 485

R

Racemates
Ligand-exchange chromatography of racemates. IV. Influence of stationary-complex structure on the mechanism of ligand exchange (131) 65

Radioactivity monitor
Radioactivity monitor for HPLC (137) 271

Reaction chamber
Amino acid analysis: A novel reaction chamber (136) 417

Reagent, van Urk-Salkowski
The van Urk-Salkowski reagent: A sensitive and specific chromogenic reagent for silica gel TLC detection and identification of indole derivatives (132) 267

Regeneration
Device for regeneration of cation-exchange resins with hydrochloric acid (133) 237

Resin acid esters
GLC of resin acid esters (136) 245

Resins
Use of Amberlite XAD-2 resin for the quantitative recovery of fenitrothion from water: A preservation technique (139) 386

Resolution factor
Coupling of a gel permeation chromatograph and an automatic capillary viscometer. II. Method for the determination of the molecular weight distribution and of the resolution factor (134) 273

Retention coefficients, prediction
Attempt to use HPTLC data for prediction of HPLC retention coefficients (in French) (137) 35

Retention index
New σ_c^* polar effect constants scale adapted to chromatography (in French) (136) 5

Retention index
Influence of conformations and structures on retention values of cycloalkanes and cycloalkanones (in French) (138) 63

Retention index
Capillary GC of alkylbenzenes. III. Correlations between the temperature and pressure coefficients of the retention index and structure (138) 119

Retention index
Application of a Taft-type equation to retention data. Additivity of substituent effects (in French) (140) 143

Retention times
Accurate calculation of adjusted retention time. I (135) 183

Retention volume
Direct measurement of GC retention volume. III. Software (139) 156

Retention volume
Cluster expansion for retention volume in adsorption GC. Adsorption of hydrocarbons on graphite (139) 237

Retinal isomers
Simultaneous determination of *cis-trans* isomeric retinals by HPLC (134) 331

Ribonucleosides
Two-dimensional TLC-autoradiography of intracellular purine interconversion products (135) 485

Ribonucleosides
Single-step separation of major and rare ribonucleosides and deoxyribonucleosides by cation-exchange HPLC for the determination of the purity of nucleic acid preparation (140) 251

Ribonucleotides
Two-dimensional TLC-autoradiography of intracellular purine interconversion products (135) 485

Rifampicin
Protein binding of rifampicin to bovine serum albumin as measured by gel filtration (135) 25

Rifamycins
Protein binding of a series of rifamycins to bovine serum albumin as measured by the "two-phase partition" technique (135) 37

Rilsan
Pyrolysis GC analysis of some toxic compounds from nitrogen-containing fibres (137) 210

RNA, transfer
Rapid, quantitative separation by HPLC of methylated bases in transfer RNA (133) 231

RNA, transfer
Influence of modified nucleosides in *E. coli* transfer RNA on chromatographic mobilities of transfer RNA (137) 93

RNA tumor virus
Rapid purification of an RNA tumor virus and proteins by high-performance steric exclusion chromatography on porous glass bead columns (131) 383

Rodenticides
Biochemical applications of a quantitative HPLC assay of warfarin and its metabolites (131) 365

Rodenticides
Determination of the rodenticide difenacoum in biological materials by HPLC with confirmation of identity by MS (139) 321

Rotenoids
Separation of rotenoids by HPLC (134) 207

Rotenoids
Determination of rotenone in pesticide formulations and the separation of six rotenoids by reversed-phase HPLC (134) 210

Rotenone
Determination of rotenone in pesticide formulations and the separation of six rotenoids by reversed-phase HPLC (134) 210

Rubidium bromide thermionic detector
Significance of the rubidium bromide thermionic detector equipped with a gate electrode in the analysis of halogenated dithiocarbamate derivatives (140) 86

S

Saccharides
Simultaneous separation of oligomeric sugars and oligomers with a terminal aldonic acid group on anion-exchange resins (134) 195

Saccharides
Separation of hexosamines, hexosaminitols and hexosamine-containing di- and trisaccharides on an amino acid analyser (134) 199

Saccharides
In situ reactions on silica gel thin layers in studies on plant oligosaccharides (134) 242

Saccharides
GLC of trimethylsilylated disaccharide oximes (135) 411

Saccharides
Sensitive determination of derivatized carbohydrates by HPLC (136) 279

Salipran
Identification and quantitation of impurities from benorilate (Salipran) by HPLC (in French) (138) 193

Salt effects
Salt effects in reversed-phase TLC on silica gels (133) 355

Sample introduction system
Automatic sample introduction system for GLC analysis of amino acids (133) 203

Sampling device
Simple device for sampling from vacuum systems to gas chromatographs (136) 306

Sandwich complexes
Postulated tetraphenylporphyrin-zinc tetraphenylporphyrin sandwich complex (132) 131

Sanguinarine
Detection and quantitative analysis of sanguinarine in edible oils (132) 359

Sapogenins
Analysis of Fenugreek sapogenins by GLC (133) 222

Schiff bases, tetradentate
Chromatographic separation of isomeric forms of a tetradentate Schiff base derived from 1,1,1-trifluoro-5,5-dimethylhexane-2,4-dione and 1,2-diaminoethane (134) 477

SCOT columns
Quantitative GC analysis on support-coated open tubular capillary columns. I. Analysis of isomeric ethylphenols (140) 245

Secoiridoid glucosides
HPLC of iridoid and secoiridoid glucosides (138) 453

Selected ion monitoring
Mass spectrometer as a substance-selective detector in chromatography (134) 147

Selenium
Determination of selenium in biological samples by GLC with electron-capture detection (136) 73

Selenium
Some 1,2-diaminobenzene derivatives as reagents for GC determination of selenium with an electron-capture detector (136) 85

Selenocysteine
Usefulness of N-ethylmaleimide in the identification of ^{75}Se-labeled selenocysteine (139) 391

Selenoproteins
Usefulness of N-ethylmaleimide in the identification of ^{75}Se-labeled selenocysteine (139) 391

Sensitivity
Sensitivity and the dimensions of the separating medium in TLC (133) 199

Separation mechanisms in high-performance liquid chromatography
Mechanisms of separation using the ternary mixture dichloromethane-ethanol-water in HPLC (132) 421

Sepharose derivatives
Hydrophobic interaction chromatography on uncharged Sepharose derivatives. Effects of neutral salts on the adsorption of proteins (131) 99

Serine
Separation of ^{14}C-labeled glycolate pathway metabolites from higher plant photosynthate (133) 396

Serum albumin
Protein binding of rifampicin to bovine serum albumin as measured by gel filtration (135) 25

Serum albumin
Protein binding of a series of rifamycins to bovine serum albumin as measured by the "two-phase partition" technique (135) 37

Serum albumin
Isolation of serum albumin and immunoglobulins by chromatography on Con-A Sepharose and Sephadex G-150 (135) 193

Servalyt carrier ampholyte systems
Comparison of the buffer capacities of Ampholine and Servalyt carrier ampholyte systems used in isoelectric focusing (135) 441

Silica
Comparison of HPLC and TLC data obtained with various types of silica (131) 408

Silica whiskers
Whisker-walled open-tubular glass columns in GC. I. Deactivation (132) 217

Silicon detector
Silicon detector for GC (140) 1

Silymarins
HPLC separation of silymarins and their determination in crude extracts of *Silybum Marianum Gaertn.* (135) 499

Slurry packing
Upward slurry packing of LC columns (131) 57

Small molecules
Solute-gel interactions in GPC of small molecules in organic media (135) 470

Small-scale thin-layer chromatography
Use of plastic foil in small-scale TLC (134) 235

Sodium Valproate
GC determination of valproic acid in human plasma (132) 145

Solanesol
GC method for the determination of free and total solanesol in tobacco (139) 269

Solids, polarity
Estimation of polarity of solids by GC (138) 33

Solute properties
Qualitative GC analysis and determination of solute properties. Study of the relationship between the molecular structure and GC retention of alkenes on squalane (137) 259

Solute properties
Qualitative GC analysis and determination of solute properties. Calculation of the retention indices of benzene homologues on squalane (137) 265

Solvation, preferential
Preferential solvation of poly(dimethylsiloxane) and poly(methyl methacrylate) in benzene-methanol mixtures by GPC (140) 219

Solvent properties
Evaluation of solvent properties. A comparison of esters of 2-ethylhexanol (133) 190

Solvophobic adsorption chromatography
Separation of alkyl derivatives of uracil by solvophobic adsorption chromatography on Spheron (138) 47

Sorbents
Properties and use of the sorbent Spheron SDA in GC (133) 91

Sorbents
LC of nucleic acid components and their analogues on hydroxyethyl methacrylate gels (133) 127

Sorbents
Use of the sorbent Spheron SE in the analysis of trace amounts of impurities in water (139) 15

Spectinomycin
Chromatography of the reduction products of spectinomycin (136) 432

Spheron SDA
Properties and use of the sorbent Spheron SDA in GC (133) 91

Spheron sorbents
LC of nucleic acid components and their analogues on hydroxyethyl methacrylate gels (133) 127

Stabilizers
Contribution to the GC analysis of organotin stabilizers for polyvinyl chloride (in German) (131) 317

Standardization of results
Contribution to the standardization of results in PC and TLC (in German) (139) 85

Stationary phase film thickness
Measurement of the average thickness of the film of stationary phase in dynamically coated glass capillary columns for GC (138) 7

Stationary phases
Polarity of phthalate esters in GC (131) 31

Stationary phases
Hydrocarbon stationary phases for GLC (132) 181

Stationary phases
Silar 10 C, Silar 9 CP, SP 2340 and OV-275 in the GLC of fatty acid methyl esters on packed columns. Chromatographic characteristics and molecular structures (135) 93

Stationary phases
Comparison of chemically bonded and physically coated polyethylene glycol stationary phases in GC (135) 261

Stationary phases
SP 2340 in the glass capillary chromatography of fatty acid methyl esters (136) 311

Stationary phases
Coordination polymers as adsorbents and stationary phases in GC. I. Poly[chromium(III) diphenylphosphinate] (138) 337

Stationary phases
GC separation of phenols on a polyphenyl ether with six rings. I (139) 69

Sterigmatocystins
Investigation of the structure of mycotoxins and their quantitative analysis. IX. Sterigmatocystins (in German) (136) 182

Steroid drugs
TLC screening procedure for some drugs used in treatment of arthritis: "arthritic cures" prescribed in Mexico (137) 489

Steroid lactones
HPLC of derivatives and microbial metabolites of withaferin-A (137) 465

Steroids
Quantitative determination of phytoecdysones as illustrated by application to species of *Helleborus* (131) 468

Steroids
Whisker-walled open-tubular glass columns in GC. III. Applications (132) 231

Steroids
GLC studies of reactions and structural relationships of steroids. V. Concurrent substitution in the pregnane side-chain and position 11 (133) 107

Steroids
Chromatographic separation of androgens, estrogens and progestogens on hydroxyalkoxypropyl-Sephadex (Lipidex) (133) 412

Steroids
Application of an ion-cluster technique to the analysis of endogenous hydroxylated compounds. I. Preparation of a doublet by use of a mixture of trimethylsilylimidazole (TSIM) and TSIM-d_3 (135) 109

Steroids
Separation of estrogen glucuronides, sulphates and phosphates on ion-exchange cellulose by HPLC (135) 305

Steroids
GLC of fecal neutral steroids (135) 341

Steroids
Improved separation of some isomers and epimers of the pregnane series by TLC with repeated development (135) 481

Steroids
TLC system for the semi-quantitative analysis of the ratio of α- and β-dihydroequilin in the diol fraction of equine estrogen conjugates (135) 523

Steroids
Styrylphenyl tetrazolium chloride as a location reagent for thiolsteroids on paper chromatograms (135) 527

Steroids
Simultaneous determination of Trenbolone acetate and ethynyl estradiol in food by combined TLC-GC (in French) (136) 165

Steroids
Detection of bile salts with Komarowsky's reagent and group specific dehydrogenases (136) 348

Steroids
Steroids and related studies. XL. TLC of some steroidal ketones, oximes and lactams (137) 202

Steroids
Nickel GC columns: An alternative to glass for biological samples (140) 9

Steroids
Analysis of $C_{19}O_3$ steroids by TLC and GLC and MS (140) 229

Steroids, hydroxylated
Use of silylating agents for the identification of hydroxylated steroids by GC and GC-MS. Discrimination between phenolic and alcoholic hydroxyl groups (133) 311

Sterols
Analysis of sponge sterols as the trimethylsilyl ethers and as the corresponding 5α- and Δ^4-3-ketosteroids using open-tubular GC-MS. Application of selective enzymic oxidation (133) 372

Sterols
Relationship between the structure of plant sterols and their retention behaviour in GC on several stationary phases (in German) (139) 77

Styrene
GC determination of styrene as its dibromide (136) 95

Styrylphenyl tetrazolium chloride
Styrylphenyl tetrazolium chloride as a location reagent for thiolsteroids on paper chromatograms (135) 527

Substituent effects
Application of a Taft-type equation to retention data. Additivity of substituent effects (in French) (140) 143

Sudan dyes
TLC of Sudan dyes (136) 353

Sugars
Direct spectrophotometric TLC for determining malondialdehyde and β-formyl pyruvate produced by the periodate oxidation of some deoxy sugars (131) 464

Sugars
TLC of the principal ketoses (in French) (132) 339

Sugars
Simultaneous separation of oligomeric sugars and oligomers with a terminal aldonic acid group on anion-exchange resins (134) 195

Sugars
Separation of hexosamines, hexosaminitols and hexosamine-containing di- and trisaccharides on an amino acid analyser (134) 199

Sugars
In situ reactions on silica gel thin layers in studies on plant oligosaccharides (134) 242

Sugars
GLC of trimethylsilylated disaccharide oximes (135) 411

Sugars
Sensitive determination of derivatized carbohydrates by HPLC (136) 279

Sugars
Simple procedure for combined GC analysis of neutral sugars, hexosamines and alditols. Determination of degree of polymerization of oligo- and polysaccharides and chain weights of glycosaminoglycans (139) 303

Sugars, reducing
Dansyl hydrazine as a fluorimetric reagent for TLC analysis for reducing sugars (139) 343

Sulindac
Determination of various drugs in rodent diet mixtures (131) 357

Sulphadiazine
GLC determination of sulphadiazine and its major metabolite in human plasma and urine (139) 181

Sulphamates
GC determination of cyclic amines, ketones and alcohols, possible metabolites of sweet sulphamates (136) 318

Sulphates
Use of complex formation equilibria in the analytical isotachophoresis of strong electrolyte ions. Separation of halides and sulphates (137) 83

Sulphinylamines
Separation of aromatic sulphinylamines by TLC. II (137) 228

Sulphinylamines
GC analysis of aromatic sulphinylamines. II (139) 177

Sulphinylamines, aromatic
Separation of aromatic sulphinylamines by TLC (132) 168

Sulphonamides
GLC determination of sulphadiazine and its major metabolite in human plasma and urine (139) 181

Sulphonamides
Pyrolysis GC-MS study of medicinal sulphonamides (139) 364

Sulphonic acids
Ion-pair phase systems for the separation of carboxylic acids, sulphonic acids and phenols by HPLC (138) 245

Sulphur compounds
GC determination of sulphur compounds in town gas (134) 423

Sulphur compounds
Optimisation of the performance of a three-electrode thermionic detector for the detection of phosphorus, sulphur and nitrogen compounds by GC (136) 199

Sulphur hexafluoride
Improvement in the determination of sulphur hexafluoride for use as a blood tracer (133) 428

Support-coated open tubular capillary columns
Quantitative GC analysis on support-coated open tubular capillary columns. I. Analysis of isomeric ethylphenols (140) 245

Support material, geometry
Influence of the geometry of support materials on the capacity of an extraction chromatographic system. III. Influence of the exchange kinetics and the flow inhomogeneities on the height equivalent to a theoretical plate (in German) (135) 273

Supports
Application of high-pressure GC with columns packed with small particles (132) 1

Supports
Improvements in GC columns formed by *in situ* polymerization (134) 170

Surface heterogeneity
Effects of surface heterogeneity in non-linear and non-equilibrium gas-adsorption chromatography (137) 1

Surfactants
Chromatographic studies on the extraction of polyoxyethylene alkylphenyl ether non-ionic surfactants from water at trace levels (131) 309

Surfactants
Preparation and TLC of sulfate conjugates of the component oligomers of Triton X-100 (137) 397

Surfactants
Isolation of natural surface-active materials of crude oils by adsorption chromatography (139) 135

Sympathomimetic central nervous stimulants
Detection of sympathomimetic central nervous stimulants with special reference to doping. I. Comparative study of a conventional extraction procedure and adsorption chromatography using XAD-2 resin (133) 214

Sympathomimetic central nervous stimulants
Detection of sympathomimetic central nervous stimulants with special reference to doping. II. Comparative study of two adsorption chromatography methods using different XAD resins (136) 385

Synthetases
Use of ω-aminohexyl-Sepharose in the fractionation of *Escherichia coli* B aminoacyl-tRNA synthetases (139) 331

Synthetic chemistry
Use of TLC systems in HPLC separations. Procedure for systematization and design of the separation process in synthetic chemistry (137) 41

T

Tannic acids
GC-MS analysis of tannin hydrolysates from the ink of ancient manuscripts (XIth to XVIth century) (134) 433

Temperature control system
Inexpensive temperature control system for HPLC. Application to carbofuran analysis and temperature programming for LC analysis (138) 321

Temperature gradients
Longitudinal temperature gradients in LC with a binary mobile phase (138) 329

Tetrachloroethane
Air sampling methods for *s*-tetrachloroethane and other related chlorinated hydrocarbons (137) 283

Tetracyclines
Simple method for the quantitative analysis of tetracyclines by direct fluorimetry after TLC on cellulose plates (132) 105

Tetracyclines
Gel chromatography of tetracycline antibiotics (134) 223

Tetracyclines
Reversed-phase HPLC determination of tetracyclines in urine and plasma (134) 441

Tetracyclines
Reversed-phase HPLC of doxycycline (140) 293

Tetraethylthiuram disulfide
Quantitative analysis of disulfiram and its metabolites in human blood by GLC (133) 167

Tetrahydroisoquinolines
Chromatographic behaviour of diastereomers. III. TLC behaviour of diastereomeric 4-substituted 6,7-dialkoxy-3-aryl-tetrahydroisoquinolines and -isochromans (132) 73

Tetraphenylporphyrin-zinc tetraphenylporphyrin sandwich complex
Postulated tetraphenylporphyrin-zinc tetraphenylporphyrin sandwich complex (132) 131

Texanol isobutyrate
Identification and determination of 1,3-diisobutyrate-2,2,4-trimethylpentane (Texanol isobutyrate) in polyvinyl chloride plastisol coating formulations (139) 395

Thebaine
Quantitative determination of thebaine in *Papaver bracteatum* by HPLC (140) 65

Theophylline
Retention behaviour of a bonded reversed phase in a HPLC assay of serum theophylline (135) 419

Thermal conductivity detector
Fast and sensitive thermal conductivity detector for use with capillary columns (in German) (137) 13

Thermionic detector
Optimisation of the performance of a three-electrode thermionic detector for the detection of phosphorus, sulphur and nitrogen compounds by GC (136) 199

Thermionic rubidium silicate detector
Study of the nitrogen response mode of the thermionic rubidium silicate detector (133) 37

Thiamine
Separation of thiamine and its derivatives on a Sephadex column (140) 316

Thiamphenicol
Preparation of trimethylsilyl derivatives of thiamphenicol (134) 365

Thin-layer chromatograms, evaluation
Fluorescence photometry of thin-layer chromatograms and electropherograms (133) 49

Thin-layer chromatograms, optical analysis
Effect of non-uniform concentration distribution with depth upon quantitative optical analysis of chromatograms (133) 195

Thin-layer chromatography
Location of TLC spots using UV light and tracing paper (132) 130

Thin-layer chromatography
Use of plastic foil in small-scale TLC (134) 235

Thin-layer chromatography
Contribution to the standardization of results in PC and TLC (in German) (139) 85

Thin-layer chromatography, continuous
Simple device for continuous TLC (138) 443

Thin-layer chromatography, quantitative
Modification of quantitative TLC by elution (140) 263

Thin-layer plates
Chromatography of Dns derivatives on pre-coated HPTLC plates (131) 109

Thin-layer plates
Preparation of plates with a permanent adsorbent layer and their application in the analytical TLC of lipids (132) 195

Thio compounds
TLC analysis of oxo and thio compounds (140) 109

Thiocyanate
Determination of thiocyanate in tissues and body fluids of animals by GC with electron-capture detection (138) 131

Thiolsteroids
Styrylphenyl tetrazolium chloride as a location reagent for thiolsteroids on paper chromatograms (135) 527

Thiopurines
Quantitative determination of metabolites of 6-mercaptopurine in biological materials. II. Advantages of a variable-wavelength HPLC spectrophotometric detector for the determination of 6-thiopurines (137) 61

Thyroid-inhibiting substances
GC determination of methylthiouracil residues in meat and organs of slaughtered animals (140) 266

TMB-4
Determination of N,N'-trimethylene-bis(pyridinium-4-aldoxime) dibromide by ion-pair HPLC (138) 449

Tobacco alkaloids
Rapid determination of certain alkaloids, other than nicotine, in tobacco (133) 378

Tobacco mosaic virus
High-pressure chromatography of tobacco mosaic virus on Spheron gels (135) 435

Town gas
GC determination of sulphur compounds in town gas (134) 423

Trace enrichment techniques
Trace enrichment techniques in reversed-phase HPLC (136) 63

Transfer RNA
Rapid, quantitative separation by HPLC of methylated bases in transfer RNA (133) 231

Transfer RNA
Influence of modified nucleosides in *E. coli* transfer RNA on chromatographic mobilities of transfer RNA (137) 93

Transition metal ions
GPC of transition metal ions using Bio-Gels (135) 173

Tranxene
Determination of clorazepate and its major metabolites in blood and urine by electron capture GLC (135) 123

Trenbolone acetate
Simultaneous determination of Trenbolone acetate and ethynyl estradiol in food by combined TLC-GC (in French) (136) 165

Trialkylamines
Thermodynamics of molecular association. Tri-*n*-alkylamine-chloroalkane systems (139) 1

Triazine herbicides
Detection of triazine herbicides in soil by a Hill-reaction inhibition technique after TLC (133) 420

Tricobalt tetroxide-hydrogen system
GC investigations of the system tricobalt tetroxide-hydrogen (139) 349

Trifluoperazine
TLC screening procedure for some drugs used in treatment of arthritis: "arthritic cures" prescribed in Mexico (137) 489

Trinitrotoluene
Vapor pressure of 2,4,6-trinitrotoluene by a GC headspace technique (133) 83

Tritiated substances
TLC measurement of low activities of tritiated substances mixed with non-radioactive quenching plant pigments (139) 376

Triton X-100
Preparation and TLC of sulfate conjugates of the component oligomers of Triton X-100 (137) 397

U

Uracil
Detection reagent for adenine, guanine, uracil, cytosine and their alkylated bases, nucleotides and nucleosides on thin-layer plates (132) 121

Uracil derivatives
Separation of alkyl derivatives of uracil by solvophobic adsorption chromatography on Spheron (138) 47

Uracils
Separation of alkylated guanines, adenines, uracils and cytosines by TLC (131) 265

Urea herbicides
Identification of eleven urea herbicides by TLC and GLC. I. Application to natural waters (in French) (134) 483

V

Valium
Analysis of benzodiazepines and their hydrolysis products, benzophenones, by reversed-phase HPLC and its application to biological material (in German) (132) 83

Valproic acid
GC determination of valproic acid in human plasma (132) 145

Valproic acid
Sensitive GLC method for determination of valproic acid in biological fluids (137) 188

Vanadium pentoxide
Vanadium pentoxide in sulphuric acid, a general chromogenic spray reagent for carbohydrates (134) 467

Vinyl chloride monomer
Determination of vinyl chloride monomer by GC (132) 495

Visualizing agents
Benzidine substitute visualizing agents for iron porphyrins (138) 220

Vitamin A
Simultaneous determination of *cis-trans* isomeric retinals by HPLC (134) 331

Vitamin B_1
Separation of thiamine and its derivatives on a Sephadex column (140) 316

Vitamin B_6
New reagent for vitamin B_6 derivative formation in GC (135) 489

Vitamin K_3
GC determination of the purity of vitamin K_3 (menadione) (139) 195

Vitamins
Separation of naphthoquinones and lipophilic vitamins by gel chromatography and TLC (133) 345

Vitamins
HPLC separation of pharmaceutical compounds using a mobile phase containing silver nitrate (136) 337

W

Warfarin
Biochemical applications of a quantitative HPLC assay of warfarin and its metabolites (131) 365

Warfarin
Analysis of warfarin in plasma by HPLC (135) 149

Water, trace impurities
Use of the sorbent Spheron SE ... the analysis of trace amounts of impurities in water (139) 15

Withaferin-A
HPLC of derivatives and microbial metabolites of withaferin-A (137) 465

Wool fibres
Pyrolysis GC analysis of some toxic compounds from nitrogen-containing fibres (137) 210

Z

Zinc chelates
Chromatography of metal chelates. VII. HPLC of metal 1,2-diketobisthiobenzhydrazones, metal dialkyldithiocarbamates and metal 1,2-diketobisthiosemicarbazones (137) 153

Zinc chelates
Chromatography of metal chelates. VIII. HPLC of metal dithizonates (137) 165

Zinc-EDTA complexes
Electrophoretic investigations of the complexing of cadmium and zinc with EDTA (132) 323

Zirconium phosphate
Crystalline insoluble acid salts of tetravalent metals. XXVII. Ion exchange of trivalent cations on ionic forms of crystalline zirconium phosphate with large interlayer distances (132) 477

Zone spreading correction
Simple and efficient method of zone spreading correction in GPC (139) 225

Order your desk copy of:

Cumulative Author and Subject Indexes of the Journal of Chromatography

covering **Volumes 1-50**

1972 282 pages
Price: US $23.75/Dfl. 58.00 Paperback

covering **Volumes 51-100**

1975 354 pages
Price: US $36.75/Dfl. 90.00 Paperback

covering **Volumes 101-110**

1975 126 pages
Price: US $14.50/Dfl. 35.00 Paperback

covering **Volumes 111-120**

1976 128 pages
Price: US $15.50/Dfl. 38.00 Paperback

covering **Volumes 121-130**

1977 84 pages
Price: US $14.50/Dfl. 35.00 Paperback

One copy of the Cumulative Author and Subject Index is supplied free of charge to subscribers of the Journal of Chromatography. Additional copies can be purchased.

ELSEVIER

P.O. Box 211, Amsterdam, The Netherlands

The Dutch guilder price is definitive. US $ prices are subject to exchange rate fluctuations.

7051

Liquid Chromatography Detectors

by R. P. W. SCOTT, *Chemical Research Dept., Hoffmann-La Roche, Nutley, N.J.*

JOURNAL OF CHROMATOGRAPHY LIBRARY - Volume 11

The rapid development of liquid chromatography over the past decade has been due to the introduction of highly sensitive linear liquid chromatography detectors. This book provides a comprehensive treatment of the function and optimal working conditions of liquid chromatography detectors. Divided into four parts, the book gives detailed descriptions of the general characteristics of liquid chromatography, bulk property, and solute property detectors, as well as their use in liquid chromatography. The necessary detector specifications are defined which will permit a rational comparison of the performance of one detector with that of another.

CONTENTS: Introduction. **Parts: 1. General Characteristics of Liquid Chromatography Detectors.** History, function and classification of detectors. Performance criteria of LC detectors. Detector characteristics that affect column performance. Summary of detector criteria. Ancillary equipment. **2. Bulk Property Detectors.** General characteristics of bulk property detectors. The refractive index detector. The dielectric constant detector. The electrical conductivity detector. Additional bulk property detecting systems. **3. Solute Property Detectors.** Principles of detection. The ultraviolet absorption detector. The fluorometric detector. The polarographic detector. The heat of adsorption detector. The spray impact detector. The radioactivity detector. The electron capture detector. Transport detectors. **4. The Use of Detectors in Liquid Chromatography.** The selection of the appropriate detector. Quantitative and qualitative analysis. Practical hints on detector operation. Special detector techniques. Spectroscopic detectors. **Subject Index.**

1977 x + 248 pp. US $34.50/Dfl. 84.00
ISBN 0-444-41580-7

ELSEVIER

P.O. Box 211, Amsterdam
The Netherlands

52 Vanderbilt Ave
New York, N.Y. 10017

The Dutch guilder price is definitive. US $ prices are subject to exchange rate fluctuations.

7056

GENERAL INFORMATION

(A leaflet *Instructions to Authors* can be obtained by application to the publisher.)

Types of Contributions. The following types of papers are published in the *Journal of Chromatography* and the section on *Biomedical Applications*: Regular research papers (full-length papers), short communications and notes. Short communications are preliminary announcements of important new developments and will, whenever possible, be published with maximum speed. Notes are usually descriptions of short investigations and reflect the same quality of research as full-length papers, but should preferably not exceed four printed pages. For reviews, see page 2 of cover under Submission of Papers.

Manuscripts. Manuscripts should be typed in double spacing on consecutively numbered pages of uniform size. The manuscript should be preceded by a sheet of manuscript paper carrying the title of the paper and the name and full postal address of the person to whom the proofs are to be sent. Authors of papers in French or German are requested to supply an English translation of the title of the paper. As a rule, papers should be divided into sections, headed by a caption (e.g., Summary, Introduction, Experimental, Results, Discussion, etc.). All illustrations, photographs, tables, etc. should be on separate sheets.

Title. The title of the paper should be concise and informative. Since titles are widely used in information retrieval systems, care should be taken to include the key words. The title should be followed by the authors' full names, academic or professional affiliations, and the address of the laboratory where the work was carried out. If the present address of an author is different from that mentioned, it should be given in a footnote. Acknowledgements of financial support are *not* to be made in a footnote to the title or name of the author, but should be included in the Acknowledgements at the end of the paper.

Summary. Full-length papers and review articles should have a summary of 50–100 words which clearly and briefly indicates what is new, different and significant. In the case of French or German articles an additional summary in English, headed by an English translation of the title, should also be provided. (Short communications and Notes are published without a summary.)

Illustrations. The figures should be submitted in a form suitable for reproduction, drawn in Indian ink on drawing or tracing paper. One original and two photocopies are required. Attention should be given to any lettering (which should be kept to a minimum) and to spacing on axes of graphs in order to ensure that numbers etc. remain legible after reduction. Axes of a graph should be clearly labelled. The figures should preferably be of such a size that the same degree of reduction can be applied to all of them. Photographs should have good contrast and intensity. Sharp, glossy photographs are required to obtain good halftones. References to the illustrations should be included in appropriate places in the text using arabic numerals. Each illustration should have a legend, all the *legends* being typed (with double spacing) together on a *separate sheet*. If structures are given in the text, the original drawings should be supplied. Coloured illustrations are reproduced at the authors' expense, the cost being determined by the number of pages and by the number of colours needed. The written permission of the author and publisher must be obtained for the use of any figure already published. Its source must be indicated in the legend.

References. References should be numbered in the order in which they are cited in the text, and listed in numerical sequence on a separate sheet at the end of the article. The numbers should appear in the text at the appropriate places in square brackets. In the reference list, periodicals [1], books [2], multi-author books [3] and proceedings [4] should be cited in accordance with the following examples:

1 A. T. James and A. J. P. Martin, *Biochem. J.*, 50 (1952) 679.
2 L. R. Snyder, *Principles of Adsorption Chromatography*, Marcel Dekker, New York, 1968, p. 201.
3 H. C. S. Wood and R. Wrigglesworth, in S. Coffey (Editor), *Rodd's Chemistry of Carbon Compounds, Vol. IV, Heterocyclic Compounds*, Part B, Elsevier, Amsterdam, Oxford, New York, 2nd ed., 1977, Ch. 11, p. 201.
4 E. C. Horning, J.-P. Thenot and M. G. Horning, in A. P. De Leenheer and R. R. Roncucci (Editors), *Proc. 1st Int. Symp. Quantitative Mass Spectrometry in Life Sciences, Ghent, June 16–18, 1976*, Elsevier, Amsterdam, Oxford, New York, 1977, p. 1.

Abbreviations for the titles of journals should follow the system used by *Chemical Abstracts*. Articles not yet published should be given as "in press", "submitted for publication", "in preparation" or "personal communication". The *Journal of Chromatography; Journal of Chromatography, Biomedical Applications* and *Chromatographic Reviews* should be cited as *J. Chromatogr.*

Proofs. One set of proofs will be sent to the author to be carefully checked for printer's errors. Corrections must be restricted to instances in which the proof is at variance with the manuscript. "Extra corrections" will be inserted at the author's expense.

Reprints. Fifty reprints of Full-length papers, Short communications and Notes will be supplied free of charge. Additional reprints can be ordered by the authors. An order form containing price quotations will be sent to the authors together with the proofs of their article.

News. News releases of new products and developments, and information leaflets of meetings should be addressed to: The Editor of the News Section, Journal of Chromatography/Journal of Chromatography, Biomedical Applications, Elsevier Scientific Publishing Company, P.O. Box 330, Amsterdam, The Netherlands.

Advertisements. Advertisement rates are available from the publisher on request. The Editors of the journal accept no responsibility for the contents of the advertisements.

BIBLIOGRAPHIES IN
CHROMATOGRAPHY

BIBLIOGRAPHY OF LIQUID COLUMN CHROMATOGRAPHY 1971-1973

And Survey of Applications

edited by Z. DEYL, *Physiological Institute, Czecholslovak Academy of Science 5, Prague and* J. KOPECKÝ, *Institute of Hygiene and Epidemiology, Prague.*

Supplementary Volume No. 6, 1976
Published in conjunction with the Journal of Chromatography

1976. xx + 1136 pages.
US $ 103.70/Dfl. 259.00.
Paperback
Subscription Price:
US $ 57.50/Dfl. 150.00.
ISBN 0-444-41469-x

This book provides ready access to information on papers dealing with all types of liquid column chromatography from 1971 to 1973. Together with the other Bibliography supplements in the series it completes the survey on chromatographic and electromigration separation procedures.

Individual items are classified according to the chemical nature of the compounds separated, as in the Journal of Chromatography, so both sources can be used side by side. Short notices attached to most of the entries refer to the sorbent or ion-exchange material used.

The Bibliography will serve workers in many different fields of science and technology by enabling them to find, in the shortest possible time, full details on the applications of the LC technique to a particular compound or group of compounds. It also provides information about current instrumentation and sorbents used. The bibliography contains an author index and an extensive list of 20,000 compounds chromatographed.

BIBLIOGRAPHY OF PAPER AND THIN-LAYER CHROMATOGRAPHY 1970-1973

And Survey of Applications

edited by K. MACEK, et al.

Supplementary Volume No. 5,

1976. xviii + 744 pages.
US $ 79.95/Dfl. 200.00.
Paperback
ISBN 0-444-41229-9

BIBLIOGRAPHY OF ELECTROPHORESIS 1968-1972

And Survey of Applications

edited by Z. DEYL, et al.

Supplementary Volume No. 4,

1975. xvi + 862 pages.
US $ 79.95/Dfl. 200.00.
Paperback.
ISBN 0-444-41225-5

BIBLIOGRAPHY OF COLUMN CHROMATOGRAPHY 1967-1970

And Survey of Applications

edited by Z. DEYL, et al.

Supplementary Volume No. 3,

1973. xix + 1067 pages.
US $ 71.95/Dfl. 180.00.
Paperback.
ISBN 0-444-41008-2

BIBLIOGRAPHY OF PAPER AND THIN-LAYER CHROMATOGRAPHY 1966-1969

And Survey of Applications

edited by K. MACEK, et al.

Supplementary Volume No. 2,

1972. xvi + 992 pages.
US $ 79.95/Dfl. 200.00.
ISBN 0-444-40953-X

BIBLIOGRAPHY OF PAPER AND THIN-LAYER CHROMATOGRAPHY 1961-1965

And Survey of Applications

Supplementary Volume No. 1,

1968. only available in microfilm
US $ 59.95/Dfl. 150.00.
ISBN 0-444-40676-x

ELSEVIER SCIENTIFIC PUBLISHING COMPANY

P.O. Box 211, Amsterdam, The Netherlands

Distributor in the U.S.A. and Canada:
ELSEVIER/NORTH-HOLLAND INC.,
52 Vanderbilt Avenue, New York, N.Y. 10017

The Dutch guilder price is definitive. US $ prices are subject to exchange rate fluctuations